





CUMULATIVE INDEX

	CIPAC	page
Benfluralin [285], method, GC	<i>IB</i>	1728
UV	<i>IB</i>	1726
Benfuracarb [501], method	<i>H</i>	38
Benomyl [206], method	<i>D</i>	14
Bensulfuron-methyl [502], method	<i>K</i>	6
Bensultap [464], method	<i>E</i>	17
Bentazone [366], method	<i>IC</i>	1973
Benzoylprop-ethyl [229], method	<i>IB</i>	1732
Benzoylprop-ethyl, pure (PP 229.a)	<i>IB</i>	1930
beta-Cyfluthrin [482], method	<i>H</i>	43
BHC (see HCH)		
BHTO in fenbutatin oxide	<i>D</i>	81
Bifenox [413], method	<i>G</i>	11
Binapacryl [138], method	<i>D</i>	67
Bioallethrin [203], method, TC	<i>H</i>	52
TC, LV	<i>L</i>	31
Bioallethrin + piperonyl butoxide [203 + 33]	<i>H</i>	55
S-Bioallethrin [750], method TC, LV	<i>L</i>	38
EW	<i>M</i>	18
2,2'-Bipyridyl (RE 61)	<i>E</i>	326
2,2'-Bipyridyl in diquat	<i>H</i>	161
4,4'-Bipyridyl (RE 60)	<i>E</i>	325
4,4'-Bipyridyl in paraquat	<i>H</i>	216
Bis (ethylenediamine) copper (II) sulfate (RE 81)	<i>E</i>	359
Bitertanol [386], method	<i>J</i>	14
Borax (RE 33)	<i>E</i>	376
Boscalid [673], method	<i>N</i>	4
<b>Brodifacoum [370], chiral HPLC method, TC, RB</b>	<b><i>O</i></b>	<b>12</b>
HPLC method	<i>IC</i>	1981
Bromadiolone [371], method	<i>E</i>	23
Bromacil [139], method	<i>IC</i>	1986
Bromocresol green, solutions (RE 55)	<i>E</i>	317
Bromophenol blue, solution (RE 6)	<i>E</i>	254
Bromophos [5], method	<i>IB</i>	1738
Bromothymol blue, solutions (RE 7)	<i>E</i>	254
Bromoxynil [87], method	<i>IC</i>	1989
pure (PP 87)	<i>IC</i>	2326
- octanoate, GC method 1, TC	<i>IC</i>	1998
GC method 2, TC,EC	<i>IC</i>	2004
pure (PP 87.oct)	<i>IC</i>	2330
- heptanoate	<i>H</i>	57





CUMULATIVE INDEX

	CIPAC	page
Cycloate [214], method	<i>H</i>	102
Cyclohexane (RE 155)	<i>E</i>	386
Cycloxydim [510], method	<i>K</i>	25
Cyfluthrin [385], method	<i>H</i>	106
beta-Cyfluthrin [482], method	<i>H</i>	43
lambda-Cyhalothrin [463], method, TC, WP, EC, UL	<i>E</i>	49
LN	<i>N</i>	83
lambda-Cyhalothrin, free, determination in CS formulations (MT 189)	<i>L</i>	137
lambda-Cyhalothrin, determination of release properties CS formulations (MT 190)	<i>L</i>	140
Cyhexatin [289], method	<i>D</i>	46
Cymoxanil [419], method	<i>J</i>	22
Cypermethrin, identity test (MT 163)	<i>F</i>	404
Cypermethrin [332], method, GC	<i>1C</i>	2047
diastereomeric ratio, HPLC	<i>1C</i>	2052
alpha-Cypermethrin [454], method, TC, WP, EC, SC, UL	<i>H</i>	14
SC (oil enhanced), WG	<i>K</i>	4
LN	<i>M</i>	40
Cyphenothrin [804], method	<i>M</i>	44
Cyproconazole [600], method	<i>J</i>	29
Cyprodinil [511], method	<i>N</i>	25
Cyromazin [420], method	<i>M</i>	54
2,4-D [1], method, titration method	<i>1C</i>	2060
GC	<i>1C</i>	2061
HPLC	<i>1C</i>	2062
-salts titration method	<i>1C</i>	2063
GC	<i>1C</i>	2065
HPLC	<i>1C</i>	2065
-esters titration method	<i>1C</i>	2068
GC	<i>1C</i>	2069
HPLC	<i>1C</i>	2071
2,4-D + dicamba [1+85] (salts), GC	<i>1C</i>	2071
IR	<i>H</i>	133
2,4-D + dicamba + mecoprop [1 + 85 + 51] (salts)	<i>D</i>	51
2,4-D + picloram [1 + 174]	<i>1B</i>	1757
2,4-D + 2,4,5-T [1 + 6](esters)	<i>1C</i>	2072
2,4-D, pure (PP 1)	<i>1C</i>	2307
Dalapon [52], method (Na + Mg salt)	<i>D</i>	54
Dazomet [146], method, CS <sub>2</sub> method	<i>1C</i>	2074
HPLC	<i>J</i>	37



CUMULATIVE INDEX

	CIPAC	page
4,6-Dichloro- <i>o</i> -cresol (RE 69)	<i>E</i>	335
Dichlorodifluoromethane insoluble material (MT 16)	<i>F</i>	52
4,6-Dichloro-2-methylphenoxyacetic acid (RE 66)	<i>E</i>	333
2,4-Dichlorophenol in bifenox	<i>G</i>	14
2,6-Dichlorophenol (RE 72)	<i>E</i>	339
4,6-Dichloro- <i>o</i> -tolylloxyacetic acid (RE 66)	<i>E</i>	333
Dichlorprop [84], method, titration method	<i>IC</i>	2087
GC	<i>IC</i>	2087
HPLC	<i>IC</i>	2088
HPLC	<i>G</i>	32
-salts titration method	<i>IC</i>	2092
GC	<i>IC</i>	2093
HPLC	<i>IC</i>	2093
Dichlorprop, pure (PP 84)	<i>IC</i>	2323
Dichlorprop-P [476], method	<i>G</i>	32
Dichlorvos [11], method,GC	<i>H</i>	135
Diclofop [358], method	<i>IC</i>	2096
Dicofol [123], method	<i>D</i>	67
Dieldrin [16], method	<i>IB</i>	1781
Diethyl ether (RE 12)	<i>E</i>	258
Diflovidazin [734], method	<i>L</i>	61
Diflubenzuron [339], method, TC,WP,	<i>H</i>	141
TC,WP (revised methods)	<i>N</i>	38
SC,GR,TB	<i>N</i>	42
Diflufenican [462], method	<i>H</i>	147
<b>Dihydrosafrole in piperonyl butoxide, TC</b>	<b><i>O</i></b>	<b>104</b>
Diisopropyl ether (RE 63)	<i>E</i>	328
Dilute emulsion stability (MT 20)	<i>F</i>	71
colorimetric method (MT 173)	<i>F</i>	431
Dilution stability (MT 41)	<i>F</i>	131
<b>Dilution stability of aqueous solutions (MT 41.1)</b>	<b><i>O</i></b>	<b>174</b>
<b>Disintegration of tablets (MT 197)</b>	<b><i>O</i></b>	<b>212</b>
Dissolution degree and solution stability (MT 179)	<i>H</i>	307
<b>Dissolution degree and solution stability (MT 179.1)</b>	<b><i>O</i></b>	<b>189</b>
replaces MT 179		
Dimedone derivative (MT 28)	<i>F</i>	89
Dimercury dicyanide oxide (RE 154)	<i>E</i>	383
Dimethoate [59], HPLC method	<i>E</i>	69
Dimethoate [59], GLC method	<i>H</i>	153
Dimethomorph [483], method	<i>G</i>	32
<i>O,O</i> -Dimethyl S-methylcarbamoymethylphosphorodithioate (RE 86)	<i>E</i>	359



CUMULATIVE INDEX

	CIPAC	page
<i>O,O</i> -Dimethyl methylphosphoramidothioate, method	<i>E</i>	142
<i>O,S</i> -Dimethyl methylphosphoramidothioate, method	<i>E</i>	142
<i>O,S</i> -Dimethyl 4-nitrophenylphosphorothioate, method	<i>E</i>	169
<i>O,O</i> -Dimethyl phosphoramidothioate, method	<i>E</i>	142
<b><i>O,O</i>-dimethyl phosphorochloridothioate</b>	<b><i>O</i></b>	<b>118</b>
Dimethyl sulfate (RE 13)	<i>E</i>	259
<b>Dimoxystrobin [739], method, TC, SE, SC</b>	<b><i>O</i></b>	<b>47</b>
Dinotefuran [749], method	<i>L</i>	67
Dinoterb [403], method	<i>IB</i>	1797
Dinitro compounds, solubility of salts and alkali insolubles (MT 108)	<i>F</i>	262
mineral acidity of (MT 109)	<i>F</i>	263
Dioxane (RE 49)	<i>E</i>	311
Diquat [55], method	<i>E</i>	74
identity tests	<i>G</i>	47
free 2,2'-bipyridyl	<i>H</i>	161
Terpyridines in	<i>M</i>	68
Diquat dibromide (PP 55)	<i>E</i>	387
Dispersion stability of suspo-emulsions (MT 180)	<i>H</i>	310
<b>SE, CD and OD formulations</b>	<b><i>O</i></b>	<b>192</b>
Dissolution rate of water-soluble bags (MT 176)	<i>F</i>	440
Disulfoton [152], method	<i>IC</i>	2101
Dithianon [153], method, HPLC	<i>G</i>	50
colorimetric	<i>IC</i>	2105
Dithiocarbamates, determination of anions (MT 154)	<i>F</i>	361
Identity test for certain alkylenebis(dithiocarbamates)	<i>F</i>	320
Qualitative procedure for confirmation of the presence of a dithiocarbamate or thiuram disulfide (MT 153)	<i>F</i>	360
Dithizone (RE 59)	<i>E</i>	371
Dodine [101], method	<i>IB</i>	1802
Dustability test after accelerated storage (MT 34)	<i>F</i>	107
Dust content and apparent density of granular formulations,		
sampling (MT 58.1)	<i>F</i>	173
preparation of the sample (MT 58.2)	<i>F</i>	173
apparent density after compaction without pressure (MT 58.3)	<i>F</i>	175
Dustiness of granular products (MT 171)	<i>F</i>	425
Edifenphos [409], method	<i>E</i>	79
EDTA sodium salt, solutions (RE 37)	<i>E</i>	295
Emulsion characteristics of emulsifiable concentrates,		
five per cent v/v oil phase when diluted (MT 36.1)	<i>F</i>	108
dispersion stability of aqueous emulsions (MT 36.2)	<i>F</i>	112
emulsion characteristics and re-emulsification properties		



CUMULATIVE INDEX

	CIPAC	page
Fenbutatin oxide [359], method	<i>D</i>	77
Fenhexamid [603], method	<i>M</i>	80
Fenitrothion [35], method, TC, method from CIPAC 1C p 2117 was replaced	<i>N</i>	46
Fenobucarb [390], method, TLC	<i>D</i>	87
HPLC	<i>D</i>	89
Fenoprop [118], method, titration method	<i>1C</i>	2121
GC	<i>1C</i>	2122
salts, titration method	<i>1C</i>	2122
GC	<i>1C</i>	2123
Fenoprop, pure (PP 118)	<i>1C</i>	2333
Fenoxaprop-P [484], method, TC, EW	<i>J</i>	51
TC, EW, EC, SE, OD	<i>M</i>	89
Fenpropimorph [427], method	<i>G</i>	62
Fensulfothion [303], method, HPLC	<i>1C</i>	2126
GC	<i>D</i>	92
Fenthion [79], method, col.	<i>1B</i>	1830
method, GC, TC, WP, GR, EC, EW	<i>L</i>	81
UL, DP	<i>M</i>	96
Fentin acetate [489], method	<i>E</i>	89
Fentin acetate + maneb [489 + 61], GC	<i>1B</i>	1837
HPLC	<i>E</i>	89
Fentin hydroxide [490], method	<i>E</i>	94
Fentin hydroxide + maneb [490 + 61] GC	<i>1B</i>	1840
HPLC	<i>E</i>	93
Fenvalerate, identity test (MT 163)	<i>F</i>	404
Fenvalerate [334], method, TC	<i>D</i>	101
EC	<i>G</i>	68
Ferroun sulfate, solution (RE 149)	<i>E</i>	383
Fipronil [581], method TC, EC, UL	<i>J</i>	60
FS, SC, WG, GR, FG	<i>N</i>	60
Flash point, Abel method (MT 12.1)	<i>F</i>	31
Tag closed tester (MT 12.2)	<i>F</i>	37
Pensky-Martens closed tester (MT 12.3)	<i>F</i>	40
<b>Flazasulfuron [595], method, TC, WG</b>	<b><i>O</i></b>	<b>60</b>
Flowability, of powders (MT 44)	<i>F</i>	145
of water dispersible granules (MT 172)	<i>F</i>	430
<b>of granular preparations after accelerated storage under pressure (MT 172.1)</b>	<b><i>O</i></b>	<b>187</b>
Fluazifop-butyl [395], method	<i>D</i>	106
Fluazifop-P-butyl [467], method	<i>G</i>	71
<b>Fluazinam [521], method, TC, SC</b>	<b><i>O</i></b>	<b>68</b>

CUMULATIVE INDEX

	CIPAC	page
Flufenoxuron [470], method	<i>M</i>	98
<b>Flumioxazin [578], method, TC, WP</b>	<b><i>O</i></b>	<b>77</b>
Fluometuron [159], method	<i>1B</i>	1842
Flusilazole [435], method	<i>H</i>	171
Folpet [75], method	<i>1B</i>	1845
Foaming, persistent (MT 47.1)	<i>F</i>	152
of suspension concentrates (MT 47.2)	<i>F</i>	152
Formaldehyde [156], method	<i>1C</i>	2130
Formothion [160], method	<i>H</i>	178
Fosetyl [384], method, titration method	<i>G</i>	82
HPLC	<i>J</i>	66
<b>Fosthiazate [585], method, TC, GR</b>	<b><i>O</i></b>	<b>83</b>
Free acidity or alkalinity, methyl red indicator method (MT 31.1)	<i>F</i>	96
electrometric procedure (MT 31.2)	<i>F</i>	98
acidity of petroleum products (MT 31.3)	<i>F</i>	99
Free acidity or alkalinity of formulations (MT 191)	<i>L</i>	143
Free acidity of phenoxyalkanoic esters (MT 66)	<i>F</i>	193
Free amines in urea herbicides (MT 141)	<i>F</i>	333
Free 2,2'-bipyridyl in diquat	<i>H</i>	161
Free 4,4'-bipyridyl in paraquat	<i>H</i>	216
Free lambda-cyhalothrin in CS formulations (MT 189)	<i>L</i>	137
<b>Free pirimiphos-methyl in CS formulations (MT 189.2)</b>	<b><i>O</i></b>	<b>193</b>
Free parathion-methyl in CS formulations (MT 188)	<i>L</i>	132
Free phenols in phenoxyalkanoic herbicides,		
GLC method (MT 69)	<i>F</i>	197
HPLC method (MT 155)	<i>F</i>	362
Freezing mixtures, ( $5 \pm 1^\circ\text{C}$ ) (MT 14.1)	<i>F</i>	44
( $10 \pm 1^\circ\text{C}$ ) (MT 14.2)	<i>F</i>	44
Freezing point (MT 1)	<i>F</i>	3
Friability of tablets (MT 193)	<i>L</i>	147
<b>replaced by Attrition of tablets MT 193</b>	<b><i>O</i></b>	<b>204</b>
Gas chromatography of phenoxyalkanoic acids and other herbicides (MT 129)	<i>F</i>	292
Glufosinate [437], method	<i>G</i>	89
Glyphosate [284], method, TC, SL	<i>1C</i>	2132
SG	<i>H</i>	182
Haloxyfop-P-methyl [526], method	<i>N</i>	67
Hardness of water (MT 73)	<i>F</i>	201
<b>Total hardness of water (MT 73.1)</b>	<b><i>O</i></b>	<b>179</b>
HCB (in chlorothalonil) [161, (288)]	<i>K</i>	13

CUMULATIVE INDEX

	CIPAC	page
HCH (lindane in) [4, (488)], method	<i>IC</i>	<i>1977</i>
HEOD (see dieldrin)		
Heptane (RE 50)	<i>E</i>	<i>313</i>
Heptane-insoluble material (MT 101)	<i>F</i>	<i>255</i>
Hexadecanoic acid (RE 80)	<i>E</i>	<i>348</i>
Hexane (RE 76)	<i>E</i>	<i>344</i>
Hexazinone [374], method	<i>J</i>	<i>71</i>
HHDN (see aldrin)		
Hydrochloric acid, standard solutions (RE 14)	<i>E</i>	<i>262</i>
Hydrogen peroxide (RE 56)	<i>E</i>	<i>318</i>
Hydrogen sulfide and thiols (MT 78)	<i>F</i>	<i>208</i>
Hydrolysable organic chlorine,		
DDT residues of technical material (MT 64.4)	<i>F</i>	<i>187</i>
DDT dusts and dispersible powders (MT 64.5)	<i>F</i>	<i>189</i>
DDT emulsifiable concentrates and solutions (MT 64.6)	<i>F</i>	<i>189</i>
HCH and lindane, dried residues, or technical materials (MT 64.1)	<i>F</i>	<i>183</i>
HCH or lindane dusts and dispersible powders (MT 64.2)	<i>F</i>	<i>186</i>
HCH or lindane emulsifiable concentrates and solutions (MT 64.3)	<i>F</i>	<i>187</i>
Hydroxylammonium chloride (RE 74)	<i>E</i>	<i>350</i>
Icaridin [740], method	<i>K</i>	<i>64</i>
Identification of amines (MT 152)	<i>F</i>	<i>357</i>
Identification of urea herbicides (MT 137)	<i>F</i>	<i>329</i>
Identity test for certain dithiocarbamates and thiram and their mixtures (MT 130)	<i>F</i>	<i>321</i>
Identity tests for permethrin, cypermethrin and fenvalerate (MT 163)	<i>F</i>	<i>404</i>
Identity tests for pirimicarb, bupirimate, ethirimol, pirimiphos-ethyl and pirimiphos-methyl (MT 164)	<i>F</i>	<i>406</i>
Ignition tests, assessment of spontaneous ignition potential of dithio-carbamates (MT 84.1)	<i>F</i>	<i>218</i>
Imazalil [335], method	<i>E</i>	<i>95</i>
Imidacloprid [582], method, TC, WP, SC, GR, fertilizer formulations	<i>H</i>	<i>185</i>
TC, WG, SC, WS, FS	<i>K</i>	<i>70</i>
SL, OD	<i>L</i>	<i>89</i>
Indoxacarb, [612], method	<i>N</i>	<i>73</i>
Iodides, test for (MT 118)	<i>F</i>	<i>283</i>
Iodine, standard solutions (RE 16)	<i>E</i>	<i>264</i>
Iodine, monochloride, solution (RE 58)	<i>E</i>	<i>320</i>
Ioxynil [86], method	<i>E</i>	<i>101</i>

CUMULATIVE INDEX

	CIPAC	page
Ioxynil octanoate [86.407], method	<i>G</i>	94
Iprobenfos [393], method	<i>D</i>	110
Iprodione [278], method, TC, WP, SC	<i>G</i>	98
WG	<i>L</i>	90
IR 3535 see Ethyl butylacetamidopropionate		
Iron, determination of (MT 95)	<i>F</i>	236
Iron (III) chloride (RE 84)	<i>E</i>	355
Isobutyl benzoate (RE 92)	<i>E</i>	362
Isochloridazone	<i>D</i>	35
Isofenphos [412], method	<i>D</i>	114
Isolation of active ingredient, extraction with acetone (MT 37.1)	<i>F</i>	115
extraction with light petroleum (MT 37.2)	<i>F</i>	115
Isomalathion, method	<i>IB</i>	1855
<b>Isopirimiphos-methyl in pirimiphos-methyl</b>	<b><i>O</i></b>	<b>116</b>
Isoproc carb [396], method	<i>D</i>	118
Isoprothiolane [456], method	<i>E</i>	105
Isoproturon [336], method	<i>E</i>	110
John Innes Potting compost for soil testing of seed germination (MT 26)	<i>F</i>	87
Kerosene (RE 73)	<i>E</i>	342
Kerosene insoluble material (MT 8)	<i>F</i>	25
Kieselguhr, for GLC (MT 86.1)	<i>F</i>	219
for partition chromatography (MT 86.2)	<i>F</i>	220
Kresoxim-methyl [568], method	<i>K</i>	77
lambda-Cyhalothrin [463], method, TC, WP, EC, UL	<i>E</i>	49
CS	<i>K</i>	86
LN	<i>N</i>	83
Lead, dithizone general method (MT 92.1)	<i>F</i>	224
dithizone method B (MT 92.2)	<i>F</i>	229
Lead, standard solution (RE 90)	<i>E</i>	361
Lindane [488], method, SC	<i>G</i>	105
TC, WP	<i>1C</i>	2135
- alpha HCH	<i>G</i>	108
- in HCH [4]	<i>1C</i>	1979
Liquid paraffin (RE 8)	<i>E</i>	255
Loss on drying, oven drying at 60°C (MT 17.1)	<i>F</i>	55
vacuum drying at 45°C, 24 h (MT 17.2)	<i>F</i>	56
over drying at 100°C at constant weight (MT 17.3)	<i>F</i>	57
vacuum drying at room temperature (MT 17.4)	<i>F</i>	57



CUMULATIVE INDEX

	CIPAC	page
Mecoprop, pure (PP 51)	<i>IC</i>	2319
Mecoprop-P [475], method	<i>G</i>	109
Mefenpyr-diethyl, [651], method	<i>N</i>	87
Melting point (MT 2)	<i>F</i>	5
Mepiquat [440], method	<i>J</i>	78
Mercurial impurities in technical and formulated mercury compounds (MT 110)	<i>F</i>	264
Mercury, determination on treated seed (MT 158)	<i>F</i>	387
Mercuric oxycyanide (RE 154)	<i>E</i>	385
Mercury(II)chloride (RE 135)	<i>E</i>	378
Mercury(II) salts, characteristic reactions of (MT 116)	<i>F</i>	280
Mercury(II)sulfate, solution (RE 57)	<i>E</i>	319
Metalaxyl [365], method	<i>E</i>	123
Metamitron [381], method	<i>D</i>	124
Metam-sodium [20], method	<i>E</i>	131
Metazachlor [411], method	<i>E</i>	134
Methabenzthiazuron [201], method	<i>G</i>	116
Methamidophos [355], method	<i>E</i>	139
Methanol (RE 47)	<i>E</i>	309
Methiocarb [165], method	<i>D</i>	130
Methomyl [264], method	<i>H</i>	199
Methoprene [414], method	<i>M</i>	115
Methoprotryne [94], method	<i>IB</i>	1864
<i>N</i> -Methyl amidate, method	<i>E</i>	142
Methylcyclopropene [767], method	<i>N</i>	99
Methyl (dimethoxyphosphinothioylthio) acetate (RE 88)	<i>E</i>	360
Methyl-methamidophos, method	<i>E</i>	142
Methyl orange, solutions (RE 17)	<i>E</i>	266
2-Methylphenoxyacetic acid (RE 67)	<i>E</i>	334
Methyl red, solutions (RE 18)	<i>E</i>	266
Methyl undec-10-enoate (RE 89.2)	<i>E</i>	361
Metolachlor [400], method	<i>D</i>	134
Metribuzin [283], method	<i>D</i>	137
Metsulfuron [441], method, TC, WG	<i>H</i>	204
WP	<i>K</i>	95
Mevinphos [45]	<i>H</i>	212
MGK 264 + pyrethrum + piperonylbutoxide [345 + 32 + 33 ], method	<i>H</i>	239
Mineral acidity of dinitro compounds (MT 109)	<i>F</i>	263
Miscibility with hydrocarbon oil (MT 23)	<i>F</i>	85
Mineral oil (RE 36)	<i>E</i>	292
Molinate [235], method	<i>IB</i>	1866



CUMULATIVE INDEX

	CIPAC	page
Monocrotophos [287], method	<i>E</i>	145
Mordant black, solutions (RE 53)	<i>E</i>	316
Nabam [21], method	<i>E</i>	151
Naphtholbenzein, solution (RE 54)	<i>E</i>	317
Neutrality (MT 74)	<i>F</i>	204
Neutral oil, determination of distillation range (MT 61)	<i>F</i>	183
Niclosamide [599], method, TC, WP, EC	<i>J</i>	84
SC	<i>K</i>	96
Nicosulfuron [709], method	<i>M</i>	121
<b>OD</b>	<b>O</b>	<b>92</b>
Nitric acid, solutions (RE 51)	<i>E</i>	313
Nitromethane (RE 42)	<i>E</i>	303
Nitron (RE 78)	<i>E</i>	345
Nitron complexes, preparation of (MT 105)	<i>F</i>	259
Nitrophenols, determination of (MT 133)	<i>F</i>	327
Nitrothal-isopropyl [382], method	<i>E</i>	154
Novaluron [672], method	<i>L</i>	91
Octacosane (RE 145)	<i>E</i>	381
Oil content of emulsifiable concentrates (MT 146)	<i>F</i>	345
Oil insoluble material (MT 35)	<i>F</i>	108
Omethoate [202], method	<i>E</i>	159
Organic chlorine,		
potassium-xylene method (MT 38.1)	<i>F</i>	118
Stepanov method (MT 38.2)	<i>F</i>	120
semi-micro determination of total chlorine (MT 38.3)	<i>F</i>	121
Organochlorine pesticides, determination in aqueous emulsions (MT 65)	<i>F</i>	190
Oxadixyl [397], method	<i>G</i>	122
Oxamyl [342], method	<i>M</i>	129
Oxydemeton-methyl [171], method, HPLC	<i>E</i>	163
TLC	<i>1B</i>	1871
HPLC	<i>K</i>	97
Packing of columns for gaschromatography (MT 149)	<i>F</i>	349
Palmitic acid (RE 80)	<i>E</i>	348
Paraffin, liquid (RE 8)	<i>E</i>	255
Paraquat [56], aqueous solutions, method	<i>E</i>	166
identity tests	<i>G</i>	128
free 4,4'-bipyridyl	<i>H</i>	216
terpyridines in	<i>M</i>	141

CUMULATIVE INDEX

	CIPAC	page
Paraquat + diquat [55 + 56], method	<i>E</i>	75
Paraquat dichloride (PP 55)	<i>E</i>	390
Parathion [10], method, GC	<i>IB</i>	1875
HPLC	<i>IB</i>	1876
Parathion-methyl [487], method, GC, TC, WP, EC	<i>IB</i>	1879
HPLCTC,EC	<i>IB</i>	1881
HPLCCS	<i>IC</i>	2169
GC OL,DP	<i>E</i>	171
HPLCOL	<i>E</i>	171
HPLC, determination of S-methyl isomer in TC	<i>E</i>	169
HPLC, determination of S-methyl isomer in SC	<i>E</i>	172
Parathion-methyl, free, determination in CS formulations (MT 188)	<i>L</i>	132
Particle size analysis by laser diffraction (MT 187)	<i>K</i>	153
Particle size, formulations without carriers (MT 42.1)	<i>F</i>	133
formulations containing carriers (MT 42.2)	<i>F</i>	138
Particle size distribution of a DDT dispersible powder (MT 43)	<i>F</i>	140
PCAF Reagent (RE 146)	<i>E</i>	382
Pebulate [236], method	<i>IB</i>	1887
Pencycuron [402], method	<i>E</i>	173
Pendimethalin [357], method	<i>M</i>	148
Pentacyanoaminoferroate (RE 146)	<i>E</i>	382
Perchloric acid, standard solutions (RE 43)	<i>E</i>	304
Permethrin, identity test (MT 163)	<i>F</i>	404
Permethrin [331], method, TC, WP, EC, WG, DP	<i>IC</i>	2173
TC, EW, LN	<i>M</i>	155
<b>HPLC, enantiomeric purity in TC, EW</b>	<b><i>O</i></b>	<b>94</b>
<b>EC, LN, capillary GC + piperonyl butoxide</b>	<b><i>O</i></b>	<b>97</b>
Persistent foaming (MT 47)	<i>F</i>	152
<b>Persistent foam, general method (MT 47.1)</b>	<b><i>O</i></b>	<b>177</b>
Petroleum spirit (RE 45)	<i>E</i>	307
pH, determination of (MT 75)	<i>F</i>	205
revised method (MT 75.3)	<i>J</i>	131
Phenmedipham [77], method, titration method	<i>IC</i>	2181
HPLC	<i>IC</i>	2184
HPLC (revised)	<i>J</i>	92
Phenolphthalein, solution (RE 19)	<i>E</i>	267
<i>d</i> -Phenothrin [777], method	<i>L</i>	96
Phenylurea herbicides, detection and identification of impurities in substituted (MT 142)	<i>F</i>	336
Phorate [173], method	<i>IB</i>	1890
Phosalone [109], method	<i>D</i>	141
Phosphamidon [110], method, method	<i>E</i>	179

CUMULATIVE INDEX

	CIPAC	page
Phosphate buffer solutions (MT 19)	<i>F</i>	69
Phosphates, test for (MT 120)	<i>F</i>	285
Phosphorus in active ingredients, spectrophotometric determination after TLC separation (MT 145)	<i>F</i>	340
Phosphorus pentoxide desiccant (MT 24)	<i>F</i>	86
Phoxim [364], method	<i>IC</i>	2187
Picloram [174], method (salts)	<i>IB</i>	1893
Picloram + 2,4-D [174 + 1]	<i>IB</i>	1757
HPLC, TC, SL	<i>L</i>	104
<b>Piperonyl butoxide [33], method, capillary GC, TC</b>	<b><i>O</i></b>	<b>104</b>
TC	<i>IC</i>	2190
EW	<i>M</i>	163
LN	<i>N</i>	111
<b>LN + deltamethrin</b>	<b><i>O</i></b>	<b>111</b>
<b>LN + permethrin</b>	<b><i>O</i></b>	<b>111</b>
+ pyrethrum [33 + 32]	<i>IC</i>	2209
+ pyrethrum + MGK 264 [33 + 32 + 345]	<i>H</i>	239
<b>dihydrosafrole in, TC</b>	<b><i>O</i></b>	<b>104</b>
Primicarb, identity test (MT 164)	<i>F</i>	406
Pirimicarb [231], method	<i>H</i>	217
Pirimiphos-ethyl, identity test (MT 164)	<i>F</i>	406
Pirimiphos-ethyl [492], method	<i>D</i>	146
Pirimiphos-methyl, identity test (MT 164)	<i>F</i>	406
Pirimiphos-methyl [239], method, GC, TC, WP, EC, UL, HN, DP	<i>IC</i>	2192
<b>capillary method, GC, EC, CS</b>	<b><i>O</i></b>	<b>112</b>
<b>isopirimiphos-methyl in, TC, CS</b>	<b><i>O</i></b>	<b>116</b>
<b><i>O,O</i>-dimethyl phosphorochloridothioate in, TC</b>	<b><i>O</i></b>	<b>118</b>
<b><i>O,O,O</i>-trimethyl phosphorothioate in, TC</b>	<b><i>O</i></b>	<b>118</b>
<b><i>O,O,S</i>-trimethyl phosphorothioate in, TC</b>	<b><i>O</i></b>	<b>118</b>
<b><i>O,O,S</i>-trimethyl phosphorodithioate in, TC</b>	<b><i>O</i></b>	<b>118</b>
<b>Pirimiphos-methyl, free, determination in formulations (MT 189.2)</b>	<b>CS <i>O</i></b>	<b>193</b>
<b>Pirimiphos-methyl, release rate of CS formulations (MT 190.2)</b>	<b><i>O</i></b>	<b>199</b>
Pirimiphos-methyl, pure (PP 239.a)	<i>IC</i>	2337
Potassium bromate, standard solution (RE 41)	<i>E</i>	303
Potassium bromate/bromide, standard solutions (RE 82)	<i>E</i>	351
Potassium cyanate [197], method	<i>IC</i>	2200
Potassium dichromate, standard solutions (RE 20)	<i>E</i>	267
Potassium dihydrogen orthophosphate (RE 134)	<i>E</i>	376
Potassium hydroxide, standard solutions (RE 21)	<i>E</i>	268
Potassium iodate (RE 98)	<i>E</i>	367

CUMULATIVE INDEX

	CIPAC	page
Potassium iodate/iodide, standard solution (RE 15)	<i>E</i>	264
Potassium permanganate, standard solution (RE 22)	<i>E</i>	270
Potassium plumbite (RE 75)	<i>E</i>	343
Potassium thiocyanate, standard solution (RE 23)	<i>E</i>	271
Pour and tap bulk density of granular materials (MT 159)	<i>F</i>	390
Pourability of suspension concentrates (MT 148)	<i>F</i>	348
revised method (MT 148.1)	<i>J</i>	133
Pour point of mineral oil (MT 139)	<i>F</i>	331
Prallethrin [743], method	<i>L</i>	110
Prochloraz [407], method, TC	<i>M</i>	165
EC	<i>N</i>	121
Prochloraz-ZnCl <sub>2</sub> Complex TC	<i>N</i>	119
Procymidon [383], method	<i>K</i>	105
Profenophos; [461], method	<i>H</i>	222
Prometon [175], method, titration method	<i>1C</i>	2202
GLC	<i>1C</i>	2203
Prometryn [93], method	<i>H</i>	228
Propachlor [176], method	<i>D</i>	151
Propamocarb [399] hydrochloride, method	<i>E</i>	184
Propan-2-ol (RE 40)	<i>E</i>	302
Propazine [92], method	<i>H</i>	232
Propetamphos [394], method	<i>E</i>	187
Propham + chlorpropham [63 + 43]	<i>1C</i>	2025
Propiconazole [408], method	<i>G</i>	129
Propineb [177], method	<i>H</i>	236
Propoxur [80], method	<i>D</i>	155
<b>Provisional CIPAC method</b>	<b><i>O</i></b>	<b>1</b>
Pure pesticides	<i>D</i>	186
Pyraclostrobin [657], method	<i>M</i>	170
<b>Pyraoxystrobin [964], method, TC, SC</b>	<b><i>O</i></b>	<b>134</b>
Pyrazophos [350], method	<i>1C</i>	2206
Pyrethrum [32], method	<i>1C</i>	2209
Pyrethrum + piperonylbutoxide [32 + 33]	<i>1C</i>	2209
Pyrethrum + MGK 264 + piperonylbutoxide [32 + 345 + 33]	<i>H</i>	239
Pyridaben [583], method	<i>J</i>	94
Pyridate [447], method	<i>G</i>	137
Pyridine (RE 48)	<i>E</i>	310
Pyriproxyfen [715], method	<i>M</i>	178
<b>LN formulation</b>	<b><i>O</i></b>	<b>143</b>

CUMULATIVE INDEX

	CIPAC	page
Qualitative procedure for confirmation of the presence of dithio- carbamates or thiuram disulfide (MT 153)	<i>F</i>	360
<b>Quaternary ammonium compounds [MT 199], method</b>	<b><i>O</i></b>	<b>223</b>
Quinclorac [493], method	<i>H</i>	244
Quinmerac [563], method	<i>J</i>	101
Quintozene [78], method	<i>1C</i>	2213
Rate of solution of the sodium salts of phenoxyalkanoic acid herbicides and their solid formulations (MT 60)	<i>F</i>	182
<b>Referee method</b>	<b><i>O</i></b>	<b>1</b>
Removal of dyes (MT 45)	<i>F</i>	147
<b>Repeatability</b>	<b><i>O</i></b>	<b>3</b>
<b>Reproducibility</b>	<b><i>O</i></b>	<b>3</b>
Residue on evaporation, low boiling products (MT 80.1)	<i>F</i>	213
cresols (MT 80.2)	<i>F</i>	214
Rimsulfuron [716], method	<i>M</i>	189
Retention test of seed treatment powders (MT 147)	<i>F</i>	346
Rotenone [38], method	<i>1C</i>	2217
Sampling of water dispersible granules (MT 166)	<i>F</i>	415
Sand for germination tests (MT 25)	<i>F</i>	86
Seed adhesion test for powders for seed treatment (MT 83)	<i>F</i>	216
Seed treatment formulations, liquid, determination of seed-seed uniformity of distribution (MT 175)	<i>F</i>	438
Separation and identification of herbicides (MT 97)	<i>F</i>	241
Sethoxydim [401], method	<i>E</i>	193
Sieve analysis,		
dry sieving-dusts (MT 59.1)	<i>F</i>	177
dry sieving-granular products (MT 59.2)	<i>F</i>	179
dry sieving-water dispersible granules (MT 170)	<i>F</i>	420
sieve test for granular material (MT 59.4)	<i>F</i>	179
wet sieving (MT 59.3)	<i>F</i>	135
wet sieving using recycled water (MT 182)	<i>J</i>	416
wet sieving-water dispersible granules (MT 167)	<i>F</i>	
wet sieve test (MT 185)	<i>K</i>	149
Silanisation of gas chromatographic columns (MT 113)	<i>F</i>	277
Silica for chromatography,		
silica (MT 21.1)	<i>F</i>	71
Sorbisil M 60 (MT 21.2)	<i>F</i>	72
Florisil (MT 21.3)	<i>F</i>	73
Silicates, test for (MT 121)	<i>F</i>	287
Silver diethyldithiocarbamate (RE 44)	<i>E</i>	306

CUMULATIVE INDEX

	CIPAC	page
Silver nitrate, standard solutions (RE 24)	<i>E</i>	273
Simazine [22], method,	<i>H</i>	250
Simetryn [179], method, titration method	<i>1B</i>	1895
GLC	<i>1B</i>	1896
Sodium anilinobenzene sulfonate (RE 147)	<i>E</i>	383
Sodium biphenyl (RE 46)	<i>E</i>	308
Sodium bis(2-ethylhexylcarbonyl) ethane sulfonate (RE 71)	<i>E</i>	338
Sodium bis(2-ethylhexyl) sulfosuccinate (RE 71)	<i>E</i>	338
Sodium carbonate (RE 52)	<i>E</i>	315
Sodium chlorate [7], method	<i>E</i>	197
Sodium diethyldithiocarbamate trihydrate (RE 96)	<i>E</i>	365
diSodium dihydrogen ethylenediaminetetra-acetate (RE 37)	<i>E</i>	295
Sodium diphenylaminesulfonate (RE 147)	<i>E</i>	383
Sodium hydroxide, standard solutions (RE 25)	<i>E</i>	273
Sodium nitrite, standard solutions (RE 39)	<i>E</i>	299
Sodium pentacyanonitrosylferrate(III) (RE 146)	<i>E</i>	382
diSodium tetraborate (RE 133)	<i>E</i>	376
Sodium thiosulfate, standard solutions (RE 26)	<i>E</i>	276
Solubility in acetone (MT 5)	<i>F</i>	21
Solubility in ethanol (MT 7),	<i>F</i>	23
Solubility in hexane (MT 6),	<i>F</i>	22
Solubility in organic solvents (MT 181)	<i>H</i>	314
Solubility in sodium hydroxide,		
phenoxyalkanoic herbicides (MT 71.1)	<i>F</i>	200
cresols (MT 71.2)	<i>F</i>	200
bromoxynil and ioxynil (MT 71.3)	<i>F</i>	201
Solubility in triethanolamine (MT 76)	<i>F</i>	207
Solubility of salts and alkali insoluble-dinitro compounds (MT 108)	<i>F</i>	262
Soluble alkalinity (MT 81)	<i>F</i>	215
Soluble chlorides (MT 82)	<i>F</i>	215
<b>Solution properties of water soluble tablets (MT 196)</b>	<b><i>O</i></b>	<b>210</b>
Solvent naphtha, aromatic (RE 62)	<i>E</i>	328
Specific gravity and density,		
hydrometer method (MT 3.1)	<i>F</i>	11
pycnometer method (MT 3.2)	<i>F</i>	13
density of suspension concentrates (MT 3.3)	<i>F</i>	18
Spinosad [636], method, TC, SC, GR	<i>L</i>	121
DT	<i>M</i>	197
<b>EC, GR</b>	<b><i>O</i></b>	<b>146</b>
Spontaneity of dispersion, of suspension concentrates (MT 160)	<i>F</i>	391
of water dispersible granules (MT 174)	<i>F</i>	435

CUMULATIVE INDEX

	CIPAC	page
Stability of diluted oil products,	<i>F</i>	167
tar-petroleum oil (MT 55.1)	<i>F</i>	168
petroleum and DNOC petroleum oils (MT 55.2)	<i>F</i>	168
petroleum oils for orchard use (MT 55.3)	<i>F</i>	168
petroleum oils for glasshouse use (MT 55.4)		
Stability of diluted tar and petroleum oil products,		
tar-oils-miscible and stock emulsion types (MT 49.1)	<i>F</i>	155
petroleum oil-miscible type (MT 49.2)	<i>F</i>	156
Stability of diluted and petroleum oil concentrate products,		
miscible type (MT 52.1)	<i>F</i>	159
Stability of undiluted DNOC-petroleum, petroleum and tar-		
petroleum oil products (MT 54)	<i>F</i>	167
Stability of undiluted tar oil products,		
miscible type (MT 48.1)	<i>F</i>	154
stock emulsion type (MT 48.2)	<i>F</i>	154
Stability of tar-petroleum and petroleum oil products-undiluted,		
miscible type (MT 51.1)	<i>F</i>	158
Standard waters,		
CIPAC standard waters A - G (MT 18.1)	<i>F</i>	59
H and J (MT 18.2)	<i>F</i>	63
non-CIPAC standard waters (MT 18.3)	<i>F</i>	64
simplified procedure (MT 18.5)	<i>H</i>	302
Starch solution (RE 27)	<i>E</i>	280
Starch, indicator paper (RE 32)	<i>E</i>	284
Sulfated ash, general method (MT 29)	<i>F</i>	91
Sulfometuron-methyl [610], method	<i>J</i>	108
Sulfotep [198], method	<i>H</i>	255
Sulfur [18], method	<i>E</i>	203
Sulfuric acid, standard solutions (RE 28)	<i>E</i>	280
Suspensibility of formulations forming suspensions on dilution with water (MT 184)	<i>K</i>	142
Suspensibility of aqueous suspension concentrates (MT 161)	<i>F</i>	394
Suspensibility of water dispersible granules (MT 168)	<i>F</i>	417
Suspensibility of water dispersible powders,		
CIPAC method (MT 15.1)	<i>F</i>	45
AID method (MT 15.2)	<i>F</i>	48
simplified CIPAC method (MT 177)	<i>F</i>	445
Suspo-emulsions, dispersion stability (MT 180)	<i>H</i>	310
<b>SE, CD and OD formulations, (MT 180)</b>	<b>O</b>	<b>192</b>
2,4,5-T [6], method, titration method	<i>1C</i>	2220
GC	<i>1C</i>	2221

CUMULATIVE INDEX

	CIPAC	page
HPLC	<i>IC</i>	2221
- salts	<i>IC</i>	2223
-esters	<i>IC</i>	2223
2,4,5-T + 2,4-D [6 + 1]	<i>IC</i>	2072
2,4,5-T, pure (PP 6)	<i>IC</i>	2312
Tannic acid (RE 143)	<i>E</i>	376
Tap density, of powders (MT 33)	<i>F</i>	104
of water dispersible granules (MT 169)	<i>F</i>	418
2,3,6-TBA [49], method titration method	<i>IC</i>	2225
GLC	<i>IC</i>	2227
Na-salt titration method	<i>IC</i>	2228
GLC	<i>IC</i>	2229
2,3,6-TBA + MCPA(salt) [49 + 2]	<i>IC</i>	2148
2,3,6-TBA, pure (PP49)	<i>IC</i>	2314
TCDD, determination of		
in 2,4,5-T technical (MT 151.1)	<i>F</i>	352
in 2,4,5-T technical esters (MT 151.2)	<i>F</i>	355
Tebuconazole [494], method	<i>H</i>	261
Temephos [340], method	<i>IC</i>	2230
<b>Tentative CIPAC method</b>	<b>O</b>	<b>1</b>
Terbufos [459], method	<i>H</i>	269
Terbutylazine [234], method, titration method	<i>IB</i>	1897
GLC	<i>IB</i>	1898
Terbutryn [212], method	<i>H</i>	275
Tetradifon [113], method	<i>IB</i>	1901
Thallium [181], method	<i>IC</i>	2234
Thiabendazole [323], method	<i>E</i>	211
Thiacloprid [631], method	<i>M</i>	198
Thifensulfuron [452], method	<i>K</i>	114
Thiobencarb [388], method	<i>D</i>	159
Thiodicarb [543], method	<i>H</i>	279
<b>Thiomethoxam [636], method, TC, WG, SC, FS</b>	<b>O</b>	<b>147</b>
Thiometon [115], infrared method	<i>H</i>	285
gas chromatographic method	<i>E</i>	218
Thiophanate-methyl [362], method	<i>D</i>	162
Thiram [24], method	<i>D</i>	169
Thiram, qualitative procedure for confirmation of the presence of (MT 153)	<i>F</i>	360
Thymol blue, solutions (RE 30)	<i>E</i>	283
Thymolphthalein, solution (RE 30)	<i>E</i>	344
Titanium(III)chloride (RE 83)	<i>E</i>	352



CUMULATIVE INDEX

	CIPAC	page
Titanium(III)sulfate (RE 85)	<i>E</i>	358
TMPS, method	<i>E</i>	142
<i>i</i> -TMPS, method	<i>E</i>	142
Toluene (RE 152)	<i>E</i>	384
Toluene solubles (MT 90)	<i>F</i>	222
<b>Toluene, method (MT 198)</b>	<b><i>O</i></b>	<b>215</b>
Tolyfluanid [275], method	<i>E</i>	222
<i>o</i> -Tolyloxyacetic acid (RE 67)	<i>E</i>	334
Total chlorides (MT 100)	<i>F</i>	254
<b>Total hardness of water (MT 73.1)</b>	<b><i>O</i></b>	<b>179</b>
Transfluthrin [741], method, TC, SL	<i>K</i>	121
TC, VL	<i>L</i>	128
<b>identification of isomers, TC</b>	<b><i>O</i></b>	<b>158</b>
Triadimefon [352], method	<i>1C</i>	2236
revised method, TC, WP, EC, GR	<i>N</i>	126
Triadimenol [398], method	<i>E</i>	224
revised method, TC, WP, WG EC, SC, SE, EW	<i>N</i>	134
Triazophos [353], method	<i>H</i>	288
Tribenuron -methyl [546], method	<i>K</i>	128
1,1,1-Trichloroethane (RE 95)	<i>E</i>	365
<b>Trifloxystrobin [617], method, TC, AL, EC, FS, SC, WG</b>	<b><i>O</i></b>	<b>161</b>
Triflumuron [548], method	<i>J</i>	114
Trifluralin [183], method	<i>H</i>	292
Triforine [360], method	<i>H</i>	299
<i>O,O,S</i> -Trimethylphosphorodithioate (RE 87)	<i>E</i>	360
<b>in pirimiphos-methyl, TC</b>	<b><i>O</i></b>	<b>118</b>
<i>O,O,O</i> -Trimethylphosphorothioate, method	<i>E</i>	142
<b>in pirimiphos-methyl, TC</b>	<b><i>O</i></b>	<b>118</b>
<i>O,O,S</i> -Trimethylphosphorothioate, method	<i>E</i>	142
<b>in pirimiphos-methyl, TC</b>	<b><i>O</i></b>	<b>118</b>
(Tris(1,10-phenanthroline)- <i>N,N'</i> )iron(II) sulfate (RE 149)	<i>E</i>	383
Ultraviolet absorption test for ethylenebisdithiocarbamates (MT 165)	<i>F</i>	411
Undec-10-enoic acid (RE 89)	<i>E</i>	360
Unulfonated residue of neutral oil (MT 57)	<i>F</i>	170
Urea herbicides, identification of (MT 137)	<i>F</i>	329
Vernolate [237], method	<i>1B</i>	1905
Viscosity, viscosity of transparent and opaque liquids (MT 22.1)	<i>F</i>	75
viscosity Redwood (MT 22.2)	<i>F</i>	81
viscosity of mineral oil (MT 22.3)	<i>F</i>	83

CUMULATIVE INDEX

	CIPAC	page
Viscosity of liquids by rotational viscometry (MT 192)	<i>L</i>	145
revised method	<i>M</i>	210
Vinclozolin [280], method	<i>D</i>	173
Volatility of neutral oil,		
preliminary examination (MT 56.1)	<i>F</i>	170
full method (MT 56.2)	<i>F</i>	170
<b>Wash resistance index of LN's (MT 195)</b>	<b><i>O</i></b>	<b>205</b>
Water, for laboratory use (RE 130)	<i>E</i>	374
Water,		
Karl Fischer method	<i>F</i>	92
Dean and Stark method (MT 30.2)	<i>F</i>	94
free water 'speedy' method (MT 30.3)	<i>F</i>	95
water in acetone solutions (MT 30.4)	<i>F</i>	96
Karl Fischer method using pyridine-free reagents (MT 30.5)	<i>J</i>	120
Water content and suspended solids,		
water content (MT 40.1)	<i>F</i>	131
suspended solids (MT 40.2)	<i>F</i>	131
Water insoluble material,		
hot solution of the sample (MT 10.1)	<i>F</i>	27
cold solution of the sample (MT 10.2)	<i>F</i>	27
coarse material-water insoluble (MT 10.3)	<i>F</i>	28
insoluble material in pesticide aqueous solutions (MT 10.4)	<i>F</i>	29
Water solubility,		
column elution method (MT 157.2)	<i>F</i>	380
flask method (MT 157.3)	<i>F</i>	384
preliminary test (MT 157.1)	<i>F</i>	379
Water soluble bags, dissolution rate of (MT 176)	<i>F</i>	440
Water soluble granules, degree of dissolution and solution stability (MT 179)	<i>H</i>	307
<b>Dissolution degree and solution stability (MT 179.1)</b>	<b><i>O</i></b>	<b>189</b>
replaces MT 179		
Water soluble material (MT 9)	<i>F</i>	26
Wettability (MT 53)	<i>F</i>	160
Xylene (RE 10)	<i>E</i>	256
Xylene insoluble material (MT 11)	<i>F</i>	30
Xylenol Orange (RE 93)	<i>E</i>	364
Zinc amalgam (RE 33)	<i>E</i>	284
Zinc chloride, solutions (RE 94)	<i>E</i>	364

## CUMULATIVE INDEX

	CIPAC	page
Zinc, in dithiocarbamates (MT 94.1)	<i>F</i>	235
Zinc, in zineb, method	<i>E</i>	231
Zinc, in ziram, method	<i>E</i>	235
Zineb [25], method	<i>E</i>	230
Zineb + copper [25 + 44], method	<i>H</i>	100
Ziram [31], method	<i>E</i>	236
Ziram + copper [31 + 44], method	<i>H</i>	101