

## Cumulative Index

This index contains all references to methods published in CIPAC 1B, 1C, D, E, F, G, H, J, K, L, M, N and O. All methods from CIPAC 1, CIPAC 1A and from the CIPAC Proceedings 1980 and 1981 have been revised and re-published in CIPAC E (RE's and analytical methods from CIPAC 1), CIPAC F (MT's), and CIPAC H (analytical methods from CIPAC 1A and the Proceedings) as far as they seemed to be still in use. CIPAC code numbers are given in square brackets.

	CIPAC	page
Accelerated storage tests by heating, general methods (MT 46.1)	<i>F</i>	149
special methods (MT 46.2)	<i>F</i>	151
combined method (MT 46.3)	<i>J</i>	128
<b>LN formulations (MT 46.3)</b>	<b><i>O</i></b>	<b>176</b>
Acephate [338], method	<i>H</i>	5
Acetamiprid [649], method	<i>L</i>	4
Acetone, anhydrous (RE 34)	<i>E</i>	286
Acetone soluble material, hot solution (MT 5.1)	<i>F</i>	21
solution at room temperature (MT 5.2)	<i>F</i>	22
Acetone insoluble material (MT 27)	<i>F</i>	88
Acid wash test (MT 79)	<i>F</i>	210
Adhesion to treated seeds	<i>N</i>	145
Acidity or alkalinity of formulations (MT 191)	<i>L</i>	143
Alachlor [204], method, TC, EC, GR,	<i>D</i>	4
, CS	<i>E</i>	4
Aldicarb [215], method	<i>H</i>	10
Aldrin [27], method	<i>B</i>	1707
<i>d</i> -Allethrin [742], method	<i>L</i>	16
<i>d</i> -trans-Allethrin (see bioallethrin)		
alpha-Cypermethrin [454], method, TC, WP, EC, SC, UL		
SC (oil enhanced), WG	<i>K</i>	4
LN	<i>M</i>	40
alpha HCH, in lindane	<i>G</i>	106
Alumina, Brockmann activity grade III (MT 50)	<i>F</i>	156
Ametryn [133], method, GC	<i>H</i>	22
Amidate, method	<i>E</i>	142
Amines, identification of (MT 152)	<i>F</i>	357
Aminocarb [293]	<i>D</i>	9
2-Aminopyridine, preparation of complexes of nitro compounds (MT 134)	<i>F</i>	328

CUMULATIVE INDEX

	CIPAC	page
<b>Amisulbrom [789], method, TC, SC, WG</b>	<b>O</b>	<b>4</b>
Amitraz [362], method	<i>G</i>	5
Amitrole [90], method, potentiometric	<i>1B</i>	1720
argentometric	<i>1B</i>	1722
HPLC	<i>J</i>	4
Amitrole + monuron [90 + 99] argentometric	<i>1B</i>	1725
Amitrole + simazin [90 + 22] argentometric, WP	<i>1B</i>	1725
Amitrole + NH <sub>4</sub> CNS HPLC	<i>J</i>	9
Amitrole + diuron [90 + 100] HPLC	<i>J</i>	8
Amitrole + terbuthylazine [90 + 234] HPLC	<i>J</i>	9
Ammonia, solutions (RE 1)	<i>E</i>	245
Ammonia-ammonium chloride buffer solution-pH 10 (MT 107)	<i>F</i>	261
Ammonium cerium (IV) nitrate (RE 148)	<i>E</i>	383
Ammonium hexanitratocerate (IV) (RE 148)	<i>E</i>	383
diAmmonium hydrogen citrate (RE 91)	<i>E</i>	362
Ammonium iron (III) sulfate, indicator solution (RE 2)	<i>E</i>	246
diAmmonium iron (II) sulfate, standard solutions (RE 38)	<i>E</i>	297
diAmmonium peroxosulfate (RE 132)	<i>E</i>	375
Ammonium thiocyanate, standard solution (RE 3)	<i>E</i>	249
Ammonium trioxovanadate (V), solution (RE 31)	<i>E</i>	283
Anilazine [294], method	<i>E</i>	5
Aromatic solvent naphtha (RE 62)	<i>E</i>	328
Arsenic, determination of (MT 99)	<i>F</i>	251
Arsenic in sulfur, method	<i>E</i>	205
Arsenic in zineb, method	<i>E</i>	231
Arsenic in ziram, method	<i>E</i>	237
Arsenic (III) oxide, standard solution (RE 4)	<i>E</i>	250
Asulam [240], method	<i>H</i>	26
Atrazine [91], method, GC	<i>H</i>	37
<b>Attrition of tablets (MT 193)</b>	<b>O</b>	<b>204</b>
<b>replaces MT 193 Handbook L, p. 147</b>		
Attrition resistance of granules (MT 178)	<i>H</i>	302
Attrition resistance of dispersible granules (MT 178.2)	<i>K</i>	140
Azadirachtin [627], method	<i>M</i>	4
Azimsulfuron [584], method	<i>L</i>	23
Azinphos-methyl [37], method, HPLC	<i>E</i>	12
IR	<i>1C</i>	1970
Azoxystrobin [571], method	<i>M</i>	10
Barium hydroxide, standard solutions (RE 5)	<i>E</i>	251
Bendiocarb [232], method	<i>D</i>	10

CUMULATIVE INDEX

	CIPAC	page
Benfluralin [285], method, GC	<i>IB</i>	1728
UV	<i>IB</i>	1726
Benfuracarb [501], method	<i>H</i>	38
Benomyl [206], method	<i>D</i>	14
Bensulfuron-methyl [502], method	<i>K</i>	6
Bensultap [464], method	<i>E</i>	17
Bentazone [366], method	<i>IC</i>	1973
Benzoylprop-ethyl [229], method	<i>IB</i>	1732
Benzoylprop-ethyl, pure (PP 229.a)	<i>IB</i>	1930
beta-Cyfluthrin [482], method	<i>H</i>	43
BHC (see HCH)		
BHTO in fenbutatin oxide	<i>D</i>	81
Bifenox [413], method	<i>G</i>	11
Binapacryl [138], method	<i>D</i>	67
Bioallethrin [203], method, TC	<i>H</i>	52
TC, LV	<i>L</i>	31
Bioallethrin + piperonyl butoxide [203 + 33]	<i>H</i>	55
S-Bioallethrin [750], method TC, LV	<i>L</i>	38
EW	<i>M</i>	18
2,2'-Bipyridyl (RE 61)	<i>E</i>	326
2,2'-Bipyridyl in diquat	<i>H</i>	161
4,4'-Bipyridyl (RE 60)	<i>E</i>	325
4,4'-Bipyridyl in paraquat	<i>H</i>	216
Bis (ethylenediamine) copper (II) sulfate (RE 81)	<i>E</i>	359
Bitertanol [386], method	<i>J</i>	14
Borax (RE 33)	<i>E</i>	376
Boscalid [673], method	<i>N</i>	4
<b>Brodifacoum [370], chiral HPLC method, TC, RB</b>	<b><i>O</i></b>	<b>12</b>
HPLC method	<i>IC</i>	1981
Bromadiolone [371], method	<i>E</i>	23
Bromacil [139], method	<i>IC</i>	1986
Bromocresol green, solutions (RE 55)	<i>E</i>	317
Bromophenol blue, solution (RE 6)	<i>E</i>	254
Bromophos [5], method	<i>IB</i>	1738
Bromothymol blue, solutions (RE 7)	<i>E</i>	254
Bromoxynil [87], method	<i>IC</i>	1989
pure (PP 87)	<i>IC</i>	2326
- octanoate, GC method 1, TC	<i>IC</i>	1998
GC method 2, TC,EC	<i>IC</i>	2004
pure (PP 87.oct)	<i>IC</i>	2330
- heptanoate	<i>H</i>	57

CUMULATIVE INDEX

	CIPAC	page
Buffer Solutions		
Phosphate buffer (MT 19)	<i>F</i>	69
Bulk density (MT 186)	<i>K</i>	151
Bupirimate, identity test (MT 164)	<i>F</i>	406
Bupirimate [261], method	<i>IC</i>	2007
Bupirimate, pure (PP 261)	<i>IC</i>	2340
Butachlor [354], method	<i>D</i>	17
Butylate [266], method	<i>IB</i>	1744
Butylmagnesium chloride (RE 139)	<i>E</i>	379
Cadmium, standard solution (RE 131)	<i>E</i>	374
Captan [40], method,           GC,	<i>IC</i>	2015
HPLC	<i>IC</i>	2013
Carbaryl [26], method	<i>M</i>	19
Carbendazim [263], method,   UV	<i>H</i>	61
HPLC	<i>H</i>	62
Carbetamide [95], method	<i>E</i>	28
Carbon disulfide (RE 153)	<i>E</i>	384
Carbofuran [276], method	<i>D</i>	20
Carbosulfan [417], method	<i>E</i>	35
Cartap [387], method	<i>D</i>	24
Cerium (IV) sulfate, standard solutions (RE 99)	<i>E</i>	368
Cetylpyridinium bromide, solution (RE 11)	<i>E</i>	258
Chinomethionat [172], method	<i>IC</i>	2019
Chloramben[141], method	<i>IB</i>	1747
Chlordimeform [277], method	<i>D</i>	28
<b>Chlorfenapyr [570], method, TC, SC</b>	<b><i>O</i></b>	<b>22</b>
Chlorfenvinphos [88], method	<i>H</i>	67
Chloridazon [111], method	<i>D</i>	31
water dispersible granules	<i>H</i>	76
Chlorides, in phenoxyalkanoic acids (MT 68.1)	<i>F</i>	195
Chlorides, test for (MT 117)	<i>F</i>	282
Chlorides, total chlorides (MT 100)	<i>F</i>	254
Chlormequat [143], titration method	<i>D</i>	39
ion chromatographic method	<i>H</i>	77
Chlorobenzilate [119], method	<i>H</i>	81
4-Chloro- <i>m</i> -cresol (RE 104)	<i>E</i>	371
4-Chloro- <i>o</i> -cresol (RE 109)	<i>E</i>	372
6-Chloro- <i>p</i> -cresol (RE 68)	<i>E</i>	335
1-Chloro-2,3-epoxyethane (MT 77)	<i>F</i>	207
Chloroform (RE 64)	<i>E</i>	330
Chloroform solubles, hot solutions (MT 87.1)	<i>F</i>	221

CUMULATIVE INDEX

	CIPAC	page
cold solutions (MT 87.2)	<i>F</i>	222
6-Chloro-2-methylphenoxyacetic acid (RE 65)	<i>E</i>	332
γ-Chlorophosphamidon, method	<i>E</i>	182
Chloropropylate [120], method	<i>H</i>	85
Chlorothalonil [288], method	<i>K</i>	13
Chlorothalonil + HCB [288 +161], method	<i>K</i>	13
6-Chloro- <i>o</i> -tolylloxyacetic acid (RE 65)	<i>E</i>	332
Chloroxuron [187], method	<i>1B</i>	1751
Chlorphoxim, [341], method	<i>D</i>	24
Chlorpropham [43], method	<i>1B</i>	1757
Chlorpropham + propham [43 + 63]	<i>1C</i>	2025
Chlorpyrifos [221], method, TC, DP, WP, EC, GR	<i>1C</i>	2028
UL	<i>K</i>	23
Chlorsulfuron [441], method, TC, WG	<i>H</i>	89
WP	<i>K</i>	24
Chlorthal [328], method, GC	<i>1C</i>	2032
IR	<i>1C</i>	2034
<b>CIPAC method</b>	<b><i>O</i></b>	<b><i>1</i></b>
Clodinafop [683]; method	<i>M</i>	26
Clofentezine [418], method	<i>G</i>	18
Clothianidin [738], method	<i>N</i>	14
Conductivity, determination of (MT 32)	<i>F</i>	103
Congo red, solution (RE 9)	<i>E</i>	256
Copper [44], method	<i>E</i>	42
Copper ethylenediamine sulfate (RE 81)	<i>E</i>	350
Copper, water soluble		
colorimetric method with bathocuproine (98.1)	<i>F</i>	246
atomic absorption method (MT 98.2)	<i>F</i>	248
Copper + mancozeb [44 + 34], method	<i>H</i>	96
Copper + maneb [44 + 61], method	<i>H</i>	100
Copper + zineb [44 + 25], method	<i>H</i>	100
Copper + ziram [44 + 31], method	<i>H</i>	101
Correction of interfering peaks (MT 114)	<i>F</i>	278
Coumatetralyl [189], method	<i>G</i>	24
<i>m</i> -Cresol (RE 100)	<i>E</i>	370
<i>o</i> -Cresol (RE 70)	<i>E</i>	338
<i>p</i> -Cresol (RE 101)	<i>E</i>	370
Crystal violet, solution (RE 129)	<i>E</i>	373
Cyanazine [230], method	<i>1C</i>	2039
Cyanazine, pure (PP 230)	<i>1C</i>	2335
<b>Cyazofamid, [653], method, TC, SC</b>	<b><i>O</i></b>	<b><i>31</i></b>

CUMULATIVE INDEX

	CIPAC	page
Cycloate [214], method	<i>H</i>	102
Cyclohexane (RE 155)	<i>E</i>	386
Cycloxydim [510], method	<i>K</i>	25
Cyfluthrin [385], method	<i>H</i>	106
beta-Cyfluthrin [482], method	<i>H</i>	43
lambda-Cyhalothrin [463], method, TC, WP, EC, UL	<i>E</i>	49
LN	<i>N</i>	83
lambda-Cyhalothrin, free, determination in CS formulations (MT 189)	<i>L</i>	137
lambda-Cyhalothrin, determination of release properties CS formulations (MT 190)	<i>L</i>	140
Cyhexatin [289], method	<i>D</i>	46
Cymoxanil [419], method	<i>J</i>	22
Cypermethrin, identity test (MT 163)	<i>F</i>	404
Cypermethrin [332], method, GC	<i>1C</i>	2047
diastereomeric ratio, HPLC	<i>1C</i>	2052
alpha-Cypermethrin [454], method, TC, WP, EC, SC, UL	<i>H</i>	14
SC (oil enhanced), WG	<i>K</i>	4
LN	<i>M</i>	40
Cyphenothrin [804], method	<i>M</i>	44
Cyproconazole [600], method	<i>J</i>	29
Cyprodinil [511], method	<i>N</i>	25
Cyromazin [420], method	<i>M</i>	54
2,4-D [1], method, titration method	<i>1C</i>	2060
GC	<i>1C</i>	2061
HPLC	<i>1C</i>	2062
-salts titration method	<i>1C</i>	2063
GC	<i>1C</i>	2065
HPLC	<i>1C</i>	2065
-esters titration method	<i>1C</i>	2068
GC	<i>1C</i>	2069
HPLC	<i>1C</i>	2071
2,4-D + dicamba [1+85] (salts), GC	<i>1C</i>	2071
IR	<i>H</i>	133
2,4-D + dicamba + mecoprop [1 + 85 + 51] (salts)	<i>D</i>	51
2,4-D + picloram [1 + 174]	<i>1B</i>	1757
2,4-D + 2,4,5-T [1 + 6](esters)	<i>1C</i>	2072
2,4-D, pure (PP 1)	<i>1C</i>	2307
Dalapon [52], method (Na + Mg salt)	<i>D</i>	54
Dazomet [146], method, CS <sub>2</sub> method	<i>1C</i>	2074
HPLC	<i>J</i>	37

CUMULATIVE INDEX

	CIPAC	page
2,4-DB [83], method	<i>IC</i>	2078
-K salt, titration method	<i>IC</i>	2080
GC	<i>IC</i>	2082
2,4-DB, pure (PP 83)	<i>IC</i>	2321
DDT [3], method	<i>E</i>	58
DDT + endrin [3 + 28]	<i>IB</i>	1760
<b>Degree of dissolution and solution stability (MT 179.1)</b>	<b><i>O</i></b>	<b>189</b>
replaces MT 179		
Deltamethrin [333], method, TC, WP, EC, UL, DP	<i>D</i>	57
method, TC, WG, WP, EC, SC, DP, EG, EW, UL	<i>L</i>	45
TB, LN	<i>M</i>	65
PE LN	<i>N</i>	34
<b>PE + PP LN incorporated</b>	<b><i>O</i></b>	<b>43</b>
<b>method, isomers, TC</b>	<b><i>O</i></b>	<b>39</b>
Desmetryn [147], method, GC	<i>IB</i>	1766
titration method	<i>IB</i>	1765
Deniges reagent (RE 57)	<i>E</i>	319
Deschlorophosphamidon, method	<i>E</i>	182
Detection and identification of impurities in substituted phenylurea herbicides (MT 142)	<i>F</i>	336
Determination of organochlorine pesticides in aqueous emulsions (MT 65)	<i>F</i>	190
Determination of pH values, general method (MT 75.1)	<i>F</i>	205
pH of aqueous dispersions (MT 75.2)	<i>F</i>	206
pH of diluted and undiluted aqueous solutions (MT 75.3)	<i>J</i>	131
Determination of seed-to-seed uniformity of distribution for liquid seed-treatment formulations (MT 175)	<i>F</i>	438
Diazinon [15], method	<i>H</i>	122
Diazomethane (RE 35)	<i>E</i>	286
1,2-Dibromoethane [125], method	<i>IC</i>	2115
Dicamba [85], method, infrared method	<i>H</i>	127
HPLC method	<i>K</i>	32
Dicamba + 2,4-D [85 + 1], method	<i>H</i>	133
Dicamba + MCPA [85 + 2], method	<i>H</i>	131
Dicamba + 2,4-D + mecoprop [85 + 1 + 51] (salts)	<i>D</i>	51
Dichlobenil [73], method, GC(cap)	<i>E</i>	65
GC	<i>IB</i>	1769
Dichlofluanid [74], method, titration method	<i>IB</i>	1774
HPLC	<i>IC</i>	2083
2,4-Dichloroanisole in bifenoX	<i>G</i>	14
2,4-Dichlorobenzoic acid (RE 79)	<i>E</i>	347

CUMULATIVE INDEX

	CIPAC	page
4,6-Dichloro- <i>o</i> -cresol (RE 69)	<i>E</i>	335
Dichlorodifluoromethane insoluble material (MT 16)	<i>F</i>	52
4,6-Dichloro-2-methylphenoxyacetic acid (RE 66)	<i>E</i>	333
2,4-Dichlorophenol in bifenox	<i>G</i>	14
2,6-Dichlorophenol (RE 72)	<i>E</i>	339
4,6-Dichloro- <i>o</i> -tolylxyacetic acid (RE 66)	<i>E</i>	333
Dichlorprop [84], method, titration method	<i>IC</i>	2087
GC	<i>IC</i>	2087
HPLC	<i>IC</i>	2088
HPLC	<i>G</i>	32
-salts titration method	<i>IC</i>	2092
GC	<i>IC</i>	2093
HPLC	<i>IC</i>	2093
Dichlorprop, pure (PP 84)	<i>IC</i>	2323
Dichlorprop-P [476], method	<i>G</i>	32
Dichlorvos [11], method,GC	<i>H</i>	135
Diclofop [358], method	<i>IC</i>	2096
Dicofol [123], method	<i>D</i>	67
Dieldrin [16], method	<i>IB</i>	1781
Diethyl ether (RE 12)	<i>E</i>	258
Diflovidazin [734], method	<i>L</i>	61
Diflubenzuron [339], method, TC,WP,	<i>H</i>	141
TC,WP (revised methods)	<i>N</i>	38
SC,GR,TB	<i>N</i>	42
Diflufenican [462], method	<i>H</i>	147
<b>Dihydrosafrole in piperonyl butoxide, TC</b>	<b><i>O</i></b>	<b>104</b>
Diisopropyl ether (RE 63)	<i>E</i>	328
Dilute emulsion stability (MT 20)	<i>F</i>	71
colorimetric method (MT 173)	<i>F</i>	431
Dilution stability (MT 41)	<i>F</i>	131
<b>Dilution stability of aqueous solutions (MT 41.1)</b>	<b><i>O</i></b>	<b>174</b>
<b>Disintegration of tablets (MT 197)</b>	<b><i>O</i></b>	<b>212</b>
Dissolution degree and solution stability (MT 179)	<i>H</i>	307
<b>Dissolution degree and solution stability (MT 179.1)</b>	<b><i>O</i></b>	<b>189</b>
replaces MT 179		
Dimedone derivative (MT 28)	<i>F</i>	89
Dimercury dicyanide oxide (RE 154)	<i>E</i>	383
Dimethoate [59], HPLC method	<i>E</i>	69
Dimethoate [59], GLC method	<i>H</i>	153
Dimethomorph [483], method	<i>G</i>	32
<i>O,O</i> -Dimethyl S-methylcarbamoymethylphosphorodithioate (RE 86)	<i>E</i>	359



CUMULATIVE INDEX

	CIPAC	page
<i>O,O</i> -Dimethyl methylphosphoramidothioate, method	<i>E</i>	142
<i>O,S</i> -Dimethyl methylphosphoramidothioate, method	<i>E</i>	142
<i>O,S</i> -Dimethyl 4-nitrophenylphosphorothioate, method	<i>E</i>	169
<i>O,O</i> -Dimethyl phosphoramidothioate, method	<i>E</i>	142
<b><i>O,O</i>-dimethyl phosphorochloridothioate</b>	<b><i>O</i></b>	<b>118</b>
Dimethyl sulfate (RE 13)	<i>E</i>	259
<b>Dimoxystrobin [739], method, TC, SE, SC</b>	<b><i>O</i></b>	<b>47</b>
Dinotefuran [749], method	<i>L</i>	67
Dinoterb [403], method	<i>IB</i>	1797
Dinitro compounds, solubility of salts and alkali insolubles (MT 108)	<i>F</i>	262
mineral acidity of (MT 109)	<i>F</i>	263
Dioxane (RE 49)	<i>E</i>	311
Diquat [55], method	<i>E</i>	74
identity tests	<i>G</i>	47
free 2,2'-bipyridyl	<i>H</i>	161
Terpyridines in	<i>M</i>	68
Diquat dibromide (PP 55)	<i>E</i>	387
Dispersion stability of suspo-emulsions (MT 180)	<i>H</i>	310
<b>SE, CD and OD formulations</b>	<b><i>O</i></b>	<b>192</b>
Dissolution rate of water-soluble bags (MT 176)	<i>F</i>	440
Disulfoton [152], method	<i>IC</i>	2101
Dithianon [153], method, HPLC	<i>G</i>	50
colorimetric	<i>IC</i>	2105
Dithiocarbamates, determination of anions (MT 154)	<i>F</i>	361
Identity test for certain alkylenebis(dithiocarbamates)	<i>F</i>	320
Qualitative procedure for confirmation of the presence of a dithiocarbamate or thiuram disulfide (MT 153)	<i>F</i>	360
Dithizone (RE 59)	<i>E</i>	371
Dodine [101], method	<i>IB</i>	1802
Dustability test after accelerated storage (MT 34)	<i>F</i>	107
Dust content and apparent density of granular formulations,		
sampling (MT 58.1)	<i>F</i>	173
preparation of the sample (MT 58.2)	<i>F</i>	173
apparent density after compaction without pressure (MT 58.3)	<i>F</i>	175
Dustiness of granular products (MT 171)	<i>F</i>	425
Edifenphos [409], method	<i>E</i>	79
EDTA sodium salt, solutions (RE 37)	<i>E</i>	295
Emulsion characteristics of emulsifiable concentrates,		
five per cent v/v oil phase when diluted (MT 36.1)	<i>F</i>	108
dispersion stability of aqueous emulsions (MT 36.2)	<i>F</i>	112
emulsion characteristics and re-emulsification properties		



CUMULATIVE INDEX

	CIPAC	page
Fenbutatin oxide [359], method	<i>D</i>	77
Fenhexamid [603], method	<i>M</i>	80
Fenitrothion [35], method, TC, method from CIPAC 1C p 2117 was replaced	<i>N</i>	46
Fenobucarb [390], method, TLC	<i>D</i>	87
	<i>D</i>	89
Fenoprop [118], method, titration method	<i>1C</i>	2121
	<i>1C</i>	2122
salts, titration method	<i>1C</i>	2122
	<i>1C</i>	2123
Fenoprop, pure (PP 118)	<i>1C</i>	2333
Fenoxaprop-P [484], method, TC, EW	<i>J</i>	51
TC, EW, EC, SE, OD	<i>M</i>	89
Fenpropimorph [427], method	<i>G</i>	62
Fensulfothion [303], method, HPLC	<i>1C</i>	2126
GC	<i>D</i>	92
Fenthion [79], method, col.	<i>1B</i>	1830
method, GC, TC, WP, GR, EC, EW	<i>L</i>	81
UL, DP	<i>M</i>	96
Fentin acetate [489], method	<i>E</i>	89
Fentin acetate + maneb [489 + 61], GC	<i>1B</i>	1837
HPLC	<i>E</i>	89
Fentin hydroxide [490], method	<i>E</i>	94
Fentin hydroxide + maneb [490 + 61] GC	<i>1B</i>	1840
HPLC	<i>E</i>	93
Fenvalerate, identity test (MT 163)	<i>F</i>	404
Fenvalerate [334], method, TC	<i>D</i>	101
EC	<i>G</i>	68
Ferroun sulfate, solution (RE 149)	<i>E</i>	383
Fipronil [581], method TC, EC, UL	<i>J</i>	60
FS, SC, WG, GR, FG	<i>N</i>	60
Flash point, Abel method (MT 12.1)	<i>F</i>	31
Tag closed tester (MT 12.2)	<i>F</i>	37
Pensky-Martens closed tester (MT 12.3)	<i>F</i>	40
<b>Flazasulfuron [595], method, TC, WG</b>	<b><i>O</i></b>	<b>60</b>
Flowability, of powders (MT 44)	<i>F</i>	145
of water dispersible granules (MT 172)	<i>F</i>	430
<b>of granular preparations after accelerated storage under pressure (MT 172.1)</b>	<b><i>O</i></b>	<b>187</b>
Fluazifop-butyl [395], method	<i>D</i>	106
Fluazifop-P-butyl [467], method	<i>G</i>	71
<b>Fluazinam [521], method, TC, SC</b>	<b><i>O</i></b>	<b>68</b>

CUMULATIVE INDEX

	CIPAC	page
Flufenoxuron [470], method	<i>M</i>	98
<b>Flumioxazin [578], method, TC, WP</b>	<b><i>O</i></b>	<b>77</b>
Fluometuron [159], method	<i>IB</i>	1842
Flusilazole [435], method	<i>H</i>	171
Folpet [75], method	<i>IB</i>	1845
<b>Foam persistent, general method (MT 47.3)</b>	<b><i>O</i></b>	<b>177</b>
Foaming, persistent (MT 47.1)	<i>F</i>	152
of suspension concentrates (MT 47.2)	<i>F</i>	152
Formaldehyde [156], method	<i>IC</i>	2130
Formothion [160], method	<i>H</i>	178
Fosetyl [384], method, titration method	<i>G</i>	82
HPLC	<i>J</i>	66
<b>Fosthiazate [585], method, TC, GR</b>	<b><i>O</i></b>	<b>83</b>
Free acidity or alkalinity, methyl red indicator method (MT 31.1)	<i>F</i>	96
electrometric procedure (MT 31.2)	<i>F</i>	98
acidity of petroleum products (MT 31.3)	<i>F</i>	99
Free acidity or alkalinity of formulations (MT 191)	<i>L</i>	143
Free acidity of phenoxyalkanoic esters (MT 66)	<i>F</i>	193
Free amines in urea herbicides (MT 141)	<i>F</i>	333
Free 2,2'-bipyridyl in diquat	<i>H</i>	161
Free 4,4'-bipyridyl in paraquat	<i>H</i>	216
Free lambda-cyhalothrin in CS formulations (MT 189)	<i>L</i>	137
<b>Free pirimiphos-methyl in CS formulations (MT 189.2)</b>	<b><i>O</i></b>	<b>193</b>
Free parathion-methyl in CS formulations (MT 188)	<i>L</i>	132
Free phenols in phenoxyalkanoic herbicides,		
GLC method (MT 69)	<i>F</i>	197
HPLC method (MT 155)	<i>F</i>	362
Freezing mixtures, ( 5 ± 1°C) (MT 14.1)	<i>F</i>	44
(10 ± 1°C) (MT 14.2)	<i>F</i>	44
Freezing point (MT 1)	<i>F</i>	3
Friability of tablets (MT 193)	<i>L</i>	147
<b>replaced by Attrition of tablets MT 193</b>	<b><i>O</i></b>	<b>204</b>
Gas chromatography of phenoxyalkanoic acids and other herbicides (MT 129)	<i>F</i>	292
Glufosinate [437], method	<i>G</i>	89
Glyphosate [284], method, TC, SL	<i>IC</i>	2132
SG	<i>H</i>	182
Haloxyfop-P-methyl [526], method	<i>N</i>	67
Hardness of water (MT 73)	<i>F</i>	201
<b>Total hardness of water (MT 73.1)</b>	<b><i>O</i></b>	<b>179</b>

CUMULATIVE INDEX

	CIPAC	page
HCB (in chlorothalonil) [161, (288)]	<i>K</i>	13
HCH (lindane in) [4, (488)], method	<i>IC</i>	1977
HEOD (see dieldrin)		
Heptane (RE 50)	<i>E</i>	313
Heptane-insoluble material (MT 101)	<i>F</i>	255
Hexadecanoic acid (RE 80)	<i>E</i>	348
Hexane (RE 76)	<i>E</i>	344
Hexazinone [374], method	<i>J</i>	71
HHDN (see aldrin)		
Hydrochloric acid, standard solutions (RE 14)	<i>E</i>	262
Hydrogen peroxide (RE 56)	<i>E</i>	318
Hydrogen sulfide and thiols (MT 78)	<i>F</i>	208
Hydrolysable organic chlorine,		
DDT residues of technical material (MT 64.4)	<i>F</i>	187
DDT dusts and dispersible powders (MT 64.5)	<i>F</i>	189
DDT emulsifiable concentrates and solutions (MT 64.6)	<i>F</i>	189
HCH and lindane, dried residues, or technical materials (MT 64.1)	<i>F</i>	183
HCH or lindane dusts and dispersible powders (MT 64.2)	<i>F</i>	186
HCH or lindane emulsifiable concentrates and solutions (MT 64.3)	<i>F</i>	187
Hydroxylammonium chloride (RE 74)	<i>E</i>	350
Icaridin [740], method	<i>K</i>	64
Identification of amines (MT 152)	<i>F</i>	357
Identification of urea herbicides (MT 137)	<i>F</i>	329
Identity test for certain dithiocarbamates and thiram and their mixtures (MT 130)	<i>F</i>	321
Identity tests for permethrin, cypermethrin and fenvalerate (MT 163)	<i>F</i>	404
Identity tests for pirimicarb, bupirimate, ethirimol, pirimiphos-ethyl and pirimiphos-methyl (MT 164)	<i>F</i>	406
Ignition tests, assessment of spontaneous ignition potential of dithio-carbamates (MT 84.1)	<i>F</i>	218
Imazalil [335], method	<i>E</i>	95
Imidacloprid [582], method, TC, WP, SC, GR, fertilizer formulations	<i>H</i>	185
	TC, WG, SC, WS, FS	<i>K</i> 70
	SL, OD	<i>L</i> 89
Indoxacarb, [612], method	<i>N</i>	73
Iodides, test for (MT 118)	<i>F</i>	283
Iodine, standard solutions (RE 16)	<i>E</i>	264
Iodine, monochloride, solution (RE 58)	<i>E</i>	320

CUMULATIVE INDEX

	CIPAC	page
Ioxynil [86], method	<i>E</i>	101
Ioxynil octanoate [86.407], method	<i>G</i>	94
Iprobenfos [393], method	<i>D</i>	110
Iprodione [278], method, TC, WP, SC	<i>G</i>	98
WG	<i>L</i>	90
IR 3535 see Ethyl butylacetamidopropionate		
Iron, determination of (MT 95)	<i>F</i>	236
Iron (III) chloride (RE 84)	<i>E</i>	355
Isobutyl benzoate (RE 92)	<i>E</i>	362
Isochloridazone	<i>D</i>	35
Isofenphos [412], method	<i>D</i>	114
Isolation of active ingredient, extraction with acetone (MT 37.1)	<i>F</i>	115
extraction with light petroleum (MT 37.2)	<i>F</i>	115
Isomalathion, method	<i>1B</i>	1855
<b>Isopirimiphos-methyl in pirimiphos-methyl</b>	<b><i>O</i></b>	<b>116</b>
Isoproc carb [396], method	<i>D</i>	118
Isoprothiolane [456], method	<i>E</i>	105
Isoproturon [336], method	<i>E</i>	110
John Innes Potting compost for soil testing of seed germination (MT 26)	<i>F</i>	87
Kerosene (RE 73)	<i>E</i>	342
Kerosene insoluble material (MT 8)	<i>F</i>	25
Kieselguhr, for GLC (MT 86.1)	<i>F</i>	219
for partition chromatography (MT 86.2)	<i>F</i>	220
Kresoxim-methyl [568], method	<i>K</i>	77
lambda-Cyhalothrin [463], method, TC, WP, EC, UL	<i>E</i>	49
CS	<i>K</i>	86
LN	<i>N</i>	83
Lead, dithizone general method (MT 92.1)	<i>F</i>	224
dithizone method B (MT 92.2)	<i>F</i>	229
Lead, standard solution (RE 90)	<i>E</i>	361
Lindane [488], method, SC	<i>G</i>	105
TC, WP	<i>1C</i>	2135
- alpha HCH	<i>G</i>	108
- in HCH [4]	<i>1C</i>	1979
Liquid paraffin (RE 8)	<i>E</i>	255
Loss on drying, oven drying at 60°C (MT 17.1)	<i>F</i>	55
vacuum drying at 45°C, 24 h (MT 17.2)	<i>F</i>	56
over drying at 100°C at constant weight (MT 17.3)	<i>F</i>	57

CUMULATIVE INDEX

	CIPAC	page
vacuum drying at room temperature (MT 17.4)	<i>F</i>	57
Low temperature stability,		
emulsifiable concentrates and solutions (MT 39.1)	<i>F</i>	128
aqueous solutions (MT 39.2)	<i>F</i>	129
liquid formulations (MT 39.3)	<i>J</i>	126
Lufenuron [704], method	<i>M</i>	106
Malathion [12], method, TC, DP, WP, EC, OL (GLC, packed column)	<i>IB</i>	1849
TC, EC, EW, DP (GLC, capillary column)	<i>K</i>	88
Mancozeb [34], method	<i>H</i>	194
Mancozeb + copper [34 + 44]	<i>H</i>	96
Manganese, bismuthate method (MT 93.1)	<i>F</i>	232
EDTA method (MT 93.2)	<i>F</i>	234
Magnesium sulfate, solution (RE 144)	<i>E</i>	381
Maneb [61], method	<i>E</i>	116
Maneb + copper [61+ 449]	<i>H</i>	100
Maneb + fentin [61 + 103]	<i>E</i>	89
Maneb + fentin acetate [61 + 489]	<i>D</i>	95
Maneb + fentin hydroxide [61 + 490]	<i>D</i>	98
MCPA [2], titration method	<i>1C</i>	2137
GC	<i>1C</i>	2138
HPLC	<i>1C</i>	2139
MCPA - salts, titration method	<i>1C</i>	2141
GC	<i>1C</i>	2141
HPLC	<i>1C</i>	2141
MCPA - esters, titration method	<i>1C</i>	2145
GC	<i>1C</i>	2145
HPLC	<i>1C</i>	2145
MCPA + 2,3,6-TBA [2 + 49]	<i>1C</i>	2148
MCPA, pure (PP 2)	<i>1C</i>	2309
MCPB [50], titration method	<i>1C</i>	2153
GC	<i>1C</i>	2154
- salts, titration method	<i>1C</i>	2154
GC	<i>1C</i>	2155
MCPB, pure (PP 50)	<i>1C</i>	2316
Mecoprop [51], titration method	<i>1C</i>	2157
GC	<i>1C</i>	2158
HPLC	<i>1C</i>	2158
- salts, titration method	<i>1C</i>	2162
GC	<i>1C</i>	2163
HPLC	<i>1C</i>	2163

CUMULATIVE INDEX

	CIPAC	page
Mecoprop + 2,4-D + dicamba [51 + 1 + 8](salts)	<i>D</i>	51
Mecoprop, pure (PP 51)	<i>1C</i>	2319
Mecoprop-P [475], method	<i>G</i>	109
Mefenpyr-diethyl, [651], method	<i>N</i>	87
Melting point (MT 2)	<i>F</i>	5
Mepiquat [440], method	<i>J</i>	78
Mercurial impurities in technical and formulated mercury compounds (MT 110)	<i>F</i>	264
Mercury, determination on treated seed (MT 158)	<i>F</i>	387
Mercuric oxycyanide (RE 154)	<i>E</i>	385
Mercury(II)chloride (RE 135)	<i>E</i>	378
Mercury(II) salts, characteristic reactions of (MT 116)	<i>F</i>	280
Mercury(II)sulfate, solution (RE 57)	<i>E</i>	319
Metalaxyl [365], method	<i>E</i>	123
Metamitron [381], method	<i>D</i>	124
Metam-sodium [20], method	<i>E</i>	131
Metazachlor [411], method	<i>E</i>	134
Methabenzthiazuron [201], method	<i>G</i>	116
Methamidophos [355], method	<i>E</i>	139
Methanol (RE 47)	<i>E</i>	309
Methiocarb [165], method	<i>D</i>	130
Methomyl [264], method	<i>H</i>	199
Methoprene [414], method	<i>M</i>	115
Methoprotryne [94], method	<i>1B</i>	1864
<i>N</i> -Methyl amidate, method	<i>E</i>	142
Methylcyclopropene [767], method	<i>N</i>	99
Methyl (dimethoxyphosphinothioylthio) acetate (RE 88)	<i>E</i>	360
Methyl-methamidophos, method	<i>E</i>	142
Methyl orange, solutions (RE 17)	<i>E</i>	266
2-Methylphenoxyacetic acid (RE 67)	<i>E</i>	334
Methyl red, solutions (RE 18)	<i>E</i>	266
Methyl undec-10-enoate (RE 89.2)	<i>E</i>	361
Metolachlor [400], method	<i>D</i>	134
Metribuzin [283], method	<i>D</i>	137
Metsulfuron [441], method, TC, WG	<i>H</i>	204
WP	<i>K</i>	95
Mevinphos [45]	<i>H</i>	212
MGK 264 + pyrethrum + piperonylbutoxide [345 + 32 + 33 ], method	<i>H</i>	239
Mineral acidity of dinitro compounds (MT 109)	<i>F</i>	263
Miscibility with hydrocarbon oil (MT 23)	<i>F</i>	85
Mineral oil (RE 36)	<i>E</i>	292



CUMULATIVE INDEX

	CIPAC	page
Molinate [235], method	<i>IB</i>	1866
Monocrotophos [287], method	<i>E</i>	145
Mordant black, solutions (RE 53)	<i>E</i>	316
Nabam [21], method	<i>E</i>	151
Naphtholbenzein, solution (RE 54)	<i>E</i>	317
Neutrality (MT 74)	<i>F</i>	204
Neutral oil, determination of distillation range (MT 61)	<i>F</i>	183
Niclosamide [599], method, TC, WP, EC	<i>J</i>	84
SC	<i>K</i>	96
Nicosulfuron [709], method	<i>M</i>	121
<b>OD</b>	<b><i>O</i></b>	<b>92</b>
Nitric acid, solutions (RE 51)	<i>E</i>	313
Nitromethane (RE 42)	<i>E</i>	303
Nitron (RE 78)	<i>E</i>	345
Nitron complexes, preparation of (MT 105)	<i>F</i>	259
Nitrophenols, determination of (MT 133)	<i>F</i>	327
Nitrothal-isopropyl [382], method	<i>E</i>	154
Novaluron [672], method	<i>L</i>	91
Octacosane (RE 145)	<i>E</i>	381
Oil content of emulsifiable concentrates (MT 146)	<i>F</i>	345
Oil insoluble material (MT 35)	<i>F</i>	108
Omethoate [202], method	<i>E</i>	159
Organic chlorine,		
potassium-xylene method (MT 38.1)	<i>F</i>	118
Stepanov method (MT 38.2)	<i>F</i>	120
semi-micro determination of total chlorine (MT 38.3)	<i>F</i>	121
Organochlorine pesticides, determination in aqueous emulsions (MT 65)	<i>F</i>	190
Oxadixyl [397], method	<i>G</i>	122
Oxamyl [342], method	<i>M</i>	129
Oxydemeton-methyl [171], method, HPLC	<i>E</i>	163
TLC	<i>IB</i>	1871
HPLC	<i>K</i>	97
Packing of columns for gaschromatography (MT 149)	<i>F</i>	349
Palmitic acid (RE 80)	<i>E</i>	348
Paraffin, liquid (RE 8)	<i>E</i>	255
Paraquat [56], aqueous solutions, method	<i>E</i>	166
identity tests	<i>G</i>	128
free 4,4'-bipyridyl	<i>H</i>	216

CUMULATIVE INDEX

	CIPAC	page
terpyridines in	<i>M</i>	141
Paraquat + diquat [55 + 56], method	<i>E</i>	75
Paraquat dichloride (PP 55)	<i>E</i>	390
Parathion [10], method, GC	<i>1B</i>	1875
HPLC	<i>1B</i>	1876
Parathion-methyl [487], method, GC, TC, WP, EC	<i>1B</i>	1879
HPLCTC,EC	<i>1B</i>	1881
HPLCCS	<i>1C</i>	2169
GC OL,DP	<i>E</i>	171
HPLCOL	<i>E</i>	171
HPLC, determination of S-methyl isomer in TC	<i>E</i>	169
HPLC, determination of S-methyl isomer in SC	<i>E</i>	172
Parathion-methyl, free, determination in CS formulations (MT 188)	<i>L</i>	132
Particle size analysis by laser diffraction (MT 187)	<i>K</i>	153
Particle size, formulations without carriers (MT 42.1)	<i>F</i>	133
formulations containing carriers (MT 42.2)	<i>F</i>	138
Particle size distribution of a DDT dispersible powder (MT 43)	<i>F</i>	140
PCAF Reagent (RE 146)	<i>E</i>	382
Pebulate [236], method	<i>1B</i>	1887
Pencycuron [402], method	<i>E</i>	173
Pendimethalin [357], method	<i>M</i>	148
Pentacyanoaminoferroate (RE 146)	<i>E</i>	382
Perchloric acid, standard solutions (RE 43)	<i>E</i>	304
Permethrin, identity test (MT 163)	<i>F</i>	404
Permethrin [331], method, TC, WP, EC, WG, DP	<i>1C</i>	2173
TC, EW, LN	<i>M</i>	155
<b>HPLC, enantiomeric purity in TC, EW</b>	<b><i>O</i></b>	<b>94</b>
<b>EC, LN, capillary GC + piperonyl butoxide</b>	<b><i>O</i></b>	<b>97</b>
Persistent foaming (MT 47)	<i>F</i>	152
<b>Persistent foam, general method (MT 47.3)</b>	<b><i>O</i></b>	<b>177</b>
Petroleum spirit (RE 45)	<i>E</i>	307
pH, determination of (MT 75)	<i>F</i>	205
revised method (MT 75.3)	<i>J</i>	131
Phenmedipham [77], method, titration method	<i>1C</i>	2181
HPLC	<i>1C</i>	2184
HPLC (revised)	<i>J</i>	92
Phenolphthalein, solution (RE 19)	<i>E</i>	267
<i>d</i> -Phenothrin [777], method	<i>L</i>	96
Phenylurea herbicides, detection and identification of impurities in substituted (MT 142)	<i>F</i>	336
Phorate [173], method	<i>1B</i>	1890
Phosalone [109], method	<i>D</i>	141

CUMULATIVE INDEX

	CIPAC	page
Phosphamidon [110], method, method	<i>E</i>	179
Phosphate buffer solutions (MT 19)	<i>F</i>	69
Phosphates, test for (MT 120)	<i>F</i>	285
Phosphorus in active ingredients, spectrophotometric determination after TLC separation (MT 145)	<i>F</i>	340
Phosphorus pentoxide desiccant (MT 24)	<i>F</i>	86
Phoxim [364], method	<i>1C</i>	2187
Picloram [174], method (salts)	<i>1B</i>	1893
Picloram + 2,4-D [174 + 1]	<i>1B</i>	1757
HPLC, TC, SL	<i>L</i>	104
<b>Piperonyl butoxide [33], method, capillary GC, TC</b>	<b><i>O</i></b>	<b>104</b>
TC	<i>1C</i>	2190
EW	<i>M</i>	163
LN	<i>N</i>	111
<b>LN + deltamethrin</b>	<b><i>O</i></b>	<b>111</b>
<b>LN + permethrin</b>	<b><i>O</i></b>	<b>111</b>
+ pyrethrum [33 + 32]	<i>1C</i>	2209
+ pyrethrum + MGK 264 [33 + 32 + 345]	<i>H</i>	239
<b>dihydrosafrole in, TC</b>	<b><i>O</i></b>	<b>104</b>
Primicarb, identity test (MT 164)	<i>F</i>	406
Pirimicarb [231], method	<i>H</i>	217
Pirimiphos-ethyl, identity test (MT 164)	<i>F</i>	406
Pirimiphos-ethyl [492], method	<i>D</i>	146
Pirimiphos-methyl, identity test (MT 164)	<i>F</i>	406
Pirimiphos-methyl [239], method, GC, TC, WP, EC, UL, HN, DP	<i>1C</i>	2192
<b>capillary method, GC, EC, CS</b>	<b><i>O</i></b>	<b>112</b>
<b>isopirimiphos-methyl in, TC, CS</b>	<b><i>O</i></b>	<b>116</b>
<b><i>O,O</i>-dimethyl phosphorochloridothioate in, TC</b>	<b><i>O</i></b>	<b>118</b>
<b><i>O,O,O</i>-trimethyl phosphorothioate in, TC</b>	<b><i>O</i></b>	<b>118</b>
<b><i>O,O,S</i>-trimethyl phosphorothioate in, TC</b>	<b><i>O</i></b>	<b>118</b>
<b><i>O,O,S</i>-trimethyl phosphorodithioate in, TC</b>	<b><i>O</i></b>	<b>118</b>
<b>Pirimiphos-methyl, free, determination in formulations (MT 189.2)</b>	<b>CS <i>O</i></b>	<b>193</b>
<b>Pirimiphos-methyl, release rate of CS formulations (MT 190.2)</b>	<b><i>O</i></b>	<b>199</b>
Pirimiphos-methyl, pure (PP 239.a)	<i>1C</i>	2337
Potassium bromate, standard solution (RE 41)	<i>E</i>	303
Potassium bromate/bromide, standard solutions (RE 82)	<i>E</i>	351
Potassium cyanate [197], method	<i>1C</i>	2200
Potassium dichromate, standard solutions (RE 20)	<i>E</i>	267
Potassium dihydrogen orthophosphate (RE 134)	<i>E</i>	376
Potassium hydroxide, standard solutions (RE 21)	<i>E</i>	268

CUMULATIVE INDEX

	CIPAC	page
Potassium iodate (RE 98)	<i>E</i>	367
Potassium iodate/iodide, standard solution (RE 15)	<i>E</i>	264
Potassium permanganate, standard solution (RE 22)	<i>E</i>	270
Potassium plumbite (RE 75)	<i>E</i>	343
Potassium thiocyanate, standard solution (RE 23)	<i>E</i>	271
Pour and tap bulk density of granular materials (MT 159)	<i>F</i>	390
Pourability of suspension concentrates (MT 148)	<i>F</i>	348
revised method (MT 148.1)	<i>J</i>	133
Pour point of mineral oil (MT 139)	<i>F</i>	331
Prallethrin [743], method	<i>L</i>	110
Prochloraz [407], method,	<i>M</i>	165
TC		
EC	<i>N</i>	121
Prochloraz-ZnCl <sub>2</sub> Complex	<i>N</i>	119
TC		
Procymidon [383], method	<i>K</i>	105
Profenophos; [461], method	<i>H</i>	222
Prometon [175], method, titration method	<i>1C</i>	2202
GLC	<i>1C</i>	2203
Prometryn [93], method	<i>H</i>	228
Propachlor [176], method	<i>D</i>	151
Propamocarb [399] hydrochloride, method	<i>E</i>	184
Propan-2-ol (RE 40)	<i>E</i>	302
Propazine [92], method	<i>H</i>	232
Propetamphos [394], method	<i>E</i>	187
Propham + chlorpropham [63 + 43]	<i>1C</i>	2025
Propiconazole [408], method	<i>G</i>	129
Propineb [177], method	<i>H</i>	236
Propoxur [80], method	<i>D</i>	155
<b>Provisional CIPAC method</b>	<b><i>O</i></b>	<b>1</b>
Pure pesticides	<i>D</i>	186
Pyraclostrobin [657], method	<i>M</i>	170
<b>Pyraoxystrobin [964], method, TC, SC</b>	<b><i>O</i></b>	<b>134</b>
Pyrazophos [350], method	<i>1C</i>	2206
Pyrethrum [32], method	<i>1C</i>	2209
Pyrethrum + piperonylbutoxide [32 + 33]	<i>1C</i>	2209
Pyrethrum + MGK 264 + piperonylbutoxide [32 + 345 + 33]	<i>H</i>	239
Pyridaben [583], method	<i>J</i>	94
Pyridate [447], method	<i>G</i>	137
Pyridine (RE 48)	<i>E</i>	310
Pyriproxyfen [715], method	<i>M</i>	178
<b>LN formulation</b>	<b><i>O</i></b>	<b>143</b>

CUMULATIVE INDEX

	CIPAC	page
Qualitative procedure for confirmation of the presence of dithio-carbamates or thiuram disulfide (MT 153)	<i>F</i>	360
<b>Quaternary ammonium compounds [MT 199], method</b>	<b><i>O</i></b>	<b>223</b>
Quinclorac [493], method	<i>H</i>	244
Quinmerac [563], method	<i>J</i>	101
Quintozene [78], method	<i>1C</i>	2213
Rate of solution of the sodium salts of phenoxyalkanoic acid herbicides and their solid formulations (MT 60)	<i>F</i>	182
<b>Referee method</b>	<b><i>O</i></b>	<b>1</b>
Removal of dyes (MT 45)	<i>F</i>	147
<b>Repeatability</b>	<b><i>O</i></b>	<b>3</b>
<b>Reproducibility</b>	<b><i>O</i></b>	<b>3</b>
Residue on evaporation, low boiling products (MT 80.1)	<i>F</i>	213
cresols (MT 80.2)	<i>F</i>	214
Rimsulfuron [716], method	<i>M</i>	189
Retention test of seed treatment powders (MT 147)	<i>F</i>	346
Rotenone [38], method	<i>1C</i>	2217
Sampling of water dispersible granules (MT 166)	<i>F</i>	415
Sand for germination tests (MT 25)	<i>F</i>	86
Seed adhesion test for powders for seed treatment (MT 83)	<i>F</i>	216
Seed treatment formulations, liquid, determination of seed-seed uniformity of distribution (MT 175)	<i>F</i>	438
Separation and identification of herbicides (MT 97)	<i>F</i>	241
Sethoxydim [401], method	<i>E</i>	193
Sieve analysis,		
dry sieving-dusts (MT 59.1)	<i>F</i>	177
dry sieving-granular products (MT 59.2)	<i>F</i>	179
dry sieving-water dispersible granules (MT 170)	<i>F</i>	420
sieve test for granular material (MT 59.4)	<i>F</i>	179
wet sieving (MT 59.3)	<i>F</i>	135
wet sieving using recycled water (MT 182)	<i>J</i>	416
wet sieving-water dispersible granules (MT 167)	<i>F</i>	
wet sieve test (MT 185)	<i>K</i>	149
Silanisation of gas chromatographic columns (MT 113)	<i>F</i>	277
Silica for chromatography,		
silica (MT 21.1)	<i>F</i>	71
Sorbisil M 60 (MT 21.2)	<i>F</i>	72
Florisil (MT 21.3)	<i>F</i>	73
Silicates, test for (MT 121)	<i>F</i>	287
Silver diethyldithiocarbamate (RE 44)	<i>E</i>	306

CUMULATIVE INDEX

	CIPAC	page
Silver nitrate, standard solutions (RE 24)	<i>E</i>	273
Simazine [22], method,	<i>H</i>	250
Simetryn [179], method, titration method	<i>1B</i>	1895
GLC	<i>1B</i>	1896
Sodium anilinobenzene sulfonate (RE 147)	<i>E</i>	383
Sodium biphenyl (RE 46)	<i>E</i>	308
Sodium bis(2-ethylhexylcarbonyl) ethane sulfonate (RE 71)	<i>E</i>	338
Sodium bis(2-ethylhexyl) sulfosuccinate (RE 71)	<i>E</i>	338
Sodium carbonate (RE 52)	<i>E</i>	315
Sodium chlorate [7], method	<i>E</i>	197
Sodium diethyldithiocarbamate trihydrate (RE 96)	<i>E</i>	365
diSodium dihydrogen ethylenediaminetetra-acetate (RE 37)	<i>E</i>	295
Sodium diphenylaminesulfonate (RE 147)	<i>E</i>	383
Sodium hydroxide, standard solutions (RE 25)	<i>E</i>	273
Sodium nitrite, standard solutions (RE 39)	<i>E</i>	299
Sodium pentacyanonitrosylferrate(III) (RE 146)	<i>E</i>	382
diSodium tetraborate (RE 133)	<i>E</i>	376
Sodium thiosulfate, standard solutions (RE 26)	<i>E</i>	276
Solubility in acetone (MT 5)	<i>F</i>	21
Solubility in ethanol (MT 7),	<i>F</i>	23
Solubility in hexane (MT 6),	<i>F</i>	22
Solubility in organic solvents (MT 181)	<i>H</i>	314
Solubility in sodium hydroxide,		
phenoxyalkanoic herbicides (MT 71.1)	<i>F</i>	200
cresols (MT 71.2)	<i>F</i>	200
bromoxynil and ioxynil (MT 71.3)	<i>F</i>	201
Solubility in triethanolamine (MT 76)	<i>F</i>	207
Solubility of salts and alkali insoluble-dinitro compounds (MT 108)	<i>F</i>	262
Soluble alkalinity (MT 81)	<i>F</i>	215
Soluble chlorides (MT 82)	<i>F</i>	215
<b>Solution properties of water soluble tablets (MT 196)</b>	<b><i>O</i></b>	<b>210</b>
Solvent naphtha, aromatic (RE 62)	<i>E</i>	328
Specific gravity and density,		
hydrometer method (MT 3.1)	<i>F</i>	11
pycnometer method (MT 3.2)	<i>F</i>	13
density of suspension concentrates (MT 3.3)	<i>F</i>	18
Spinosad [636], method, TC, SC, GR	<i>L</i>	121
DT	<i>M</i>	197
<b>EC, GR</b>	<b><i>O</i></b>	<b>146</b>
Spontaneity of dispersion, of suspension concentrates (MT 160)	<i>F</i>	391
of water dispersible granules (MT 174)	<i>F</i>	435

CUMULATIVE INDEX

	CIPAC	page
Stability of diluted oil products,	<i>F</i>	167
tar-petroleum oil (MT 55.1)	<i>F</i>	168
petroleum and DNOC petroleum oils (MT 55.2)	<i>F</i>	168
petroleum oils for orchard use (MT 55.3)	<i>F</i>	168
petroleum oils for glasshouse use (MT 55.4)		
Stability of diluted tar and petroleum oil products,		
tar-oils-miscible and stock emulsion types (MT 49.1)	<i>F</i>	155
petroleum oil-miscible type (MT 49.2)	<i>F</i>	156
Stability of diluted and petroleum oil concentrate products,		
miscible type (MT 52.1)	<i>F</i>	159
Stability of undiluted DNOC-petroleum, petroleum and tar-		
petroleum oil products (MT 54)	<i>F</i>	167
Stability of undiluted tar oil products,		
miscible type (MT 48.1)	<i>F</i>	154
stock emulsion type (MT 48.2)	<i>F</i>	154
Stability of tar-petroleum and petroleum oil products-undiluted,		
miscible type (MT 51.1)	<i>F</i>	158
Standard waters,		
CIPAC standard waters A - G (MT 18.1)	<i>F</i>	59
H and J (MT 18.2)	<i>F</i>	63
non-CIPAC standard waters (MT 18.3)	<i>F</i>	64
simplified procedure (MT 18.5)	<i>H</i>	302
Starch solution (RE 27)	<i>E</i>	280
Starch, indicator paper (RE 32)	<i>E</i>	284
Sulfated ash, general method (MT 29)	<i>F</i>	91
Sulfometuron-methyl [610], method	<i>J</i>	108
Sulfotep [198], method	<i>H</i>	255
Sulfur [18], method	<i>E</i>	203
Sulfuric acid, standard solutions (RE 28)	<i>E</i>	280
Suspensibility of formulations forming suspensions on dilution with water (MT 184)	<i>K</i>	142
Suspensibility of aqueous suspension concentrates (MT 161)	<i>F</i>	394
Suspensibility of water dispersible granules (MT 168)	<i>F</i>	417
Suspensibility of water dispersible powders,		
CIPAC method (MT 15.1)	<i>F</i>	45
AID method (MT 15.2)	<i>F</i>	48
simplified CIPAC method (MT 177)	<i>F</i>	445
Suspo-emulsions, dispersion stability (MT 180)	<i>H</i>	310
<b>SE, CD and OD formulations, (MT 180)</b>	<b>O</b>	<b>192</b>
2,4,5-T [6], method, titration method	<i>1C</i>	2220
GC	<i>1C</i>	2221

CUMULATIVE INDEX

	CIPAC	page
HPLC	<i>1C</i>	2221
- salts	<i>1C</i>	2223
-esters	<i>1C</i>	2223
2,4,5-T + 2,4-D [6 + 1]	<i>1C</i>	2072
2,4,5-T, pure (PP 6)	<i>1C</i>	2312
Tannic acid (RE 143)	<i>E</i>	376
Tap density, of powders (MT 33)	<i>F</i>	104
of water dispersible granules (MT 169)	<i>F</i>	418
2,3,6-TBA [49], method titration method	<i>1C</i>	2225
GLC	<i>1C</i>	2227
Na-salt titration method	<i>1C</i>	2228
GLC	<i>1C</i>	2229
2,3,6-TBA + MCPA(salt) [49 + 2]	<i>1C</i>	2148
2,3,6-TBA, pure (PP49)	<i>1C</i>	2314
TCDD, determination of		
in 2,4,5-T technical (MT 151.1)	<i>F</i>	352
in 2,4,5-T technical esters (MT 151.2)	<i>F</i>	355
Tebuconazole [494], method	<i>H</i>	261
Temephos [340], method	<i>1C</i>	2230
<b>Tentative CIPAC method</b>	<b><i>O</i></b>	<b>1</b>
Terbufos [459], method	<i>H</i>	269
Terbutylazine [234], method, titration method	<i>1B</i>	1897
GLC	<i>1B</i>	1898
Terbutryn [212], method	<i>H</i>	275
Tetradifon [113], method	<i>1B</i>	1901
Thallium [181], method	<i>1C</i>	2234
Thiabendazole [323], method	<i>E</i>	211
Thiacloprid [631], method	<i>M</i>	198
<b>Thiamethoxam [637], method, TC, WG, SC, FS</b>	<b><i>O</i></b>	<b>147</b>
Thifensulfuron [452], method	<i>K</i>	114
Thiobencarb [388], method	<i>D</i>	159
Thiodicarb [543], method	<i>H</i>	279
Thiometon [115], infrared method	<i>H</i>	285
gas chromatographic method	<i>E</i>	218
Thiophanate-methyl [362], method	<i>D</i>	162
Thiram [24], method	<i>D</i>	169
Thiram, qualitative procedure for confirmation of the presence of (MT 153)	<i>F</i>	360
Thymol blue, solutions (RE 30)	<i>E</i>	283
Thymolphthalein, solution (RE 30)	<i>E</i>	344
Titanium(III)chloride (RE 83)	<i>E</i>	352



CUMULATIVE INDEX

	CIPAC	page
Titanium(III)sulfate (RE 85)	<i>E</i>	358
TMPS, method	<i>E</i>	142
<i>i</i> -TMPS, method	<i>E</i>	142
Toluene (RE 152)	<i>E</i>	384
Toluene solubles (MT 90)	<i>F</i>	222
<b>Toluene, method (MT 198)</b>	<b><i>O</i></b>	<b>215</b>
Tolyfluanid [275], method	<i>E</i>	222
<i>o</i> -Tolyloxyacetic acid (RE 67)	<i>E</i>	334
Total chlorides (MT 100)	<i>F</i>	254
<b>Total hardness of water (MT 73.1)</b>	<b><i>O</i></b>	<b>179</b>
Transfluthrin [741], method, TC, SL	<i>K</i>	121
TC, VL	<i>L</i>	128
<b>identification of isomers, TC</b>	<b><i>O</i></b>	<b>158</b>
Triadimefon [352], method	<i>1C</i>	2236
revised method, TC, WP, EC, GR	<i>N</i>	126
Triadimenol [398], method	<i>E</i>	224
revised method, TC, WP, WG EC, SC, SE, EW	<i>N</i>	134
Triazophos [353], method	<i>H</i>	288
Tribenuron -methyl [546], method	<i>K</i>	128
1,1,1-Trichloroethane (RE 95)	<i>E</i>	365
<b>Trifloxystrobin [617], method, TC, AL, EC, FS, SC, WG</b>	<b><i>O</i></b>	<b>161</b>
Triflumuron [548], method	<i>J</i>	114
Trifluralin [183], method	<i>H</i>	292
Triforine [360], method	<i>H</i>	299
<i>O,O,S</i> -Trimethylphosphorodithioate (RE 87)	<i>E</i>	360
<b>in pirimiphos-methyl, TC</b>	<b><i>O</i></b>	<b>118</b>
<i>O,O,O</i> -Trimethylphosphorothioate, method	<i>E</i>	142
<b>in pirimiphos-methyl, TC</b>	<b><i>O</i></b>	<b>118</b>
<i>O,O,S</i> -Trimethylphosphorothioate, method	<i>E</i>	142
<b>in pirimiphos-methyl, TC</b>	<b><i>O</i></b>	<b>118</b>
(Tris(1,10-phenanthroline)- <i>N,N'</i> )iron(II) sulfate (RE 149)	<i>E</i>	383
Ultraviolet absorption test for ethylenebisdithiocarbamates (MT 165)	<i>F</i>	411
Undec-10-enoic acid (RE 89)	<i>E</i>	360
Unulfonated residue of neutral oil (MT 57)	<i>F</i>	170
Urea herbicides, identification of (MT 137)	<i>F</i>	329
Vernolate [237], method	<i>1B</i>	1905
Viscosity, viscosity of transparent and opaque liquids (MT 22.1)	<i>F</i>	75
viscosity Redwood (MT 22.2)	<i>F</i>	81
viscosity of mineral oil (MT 22.3)	<i>F</i>	83

CUMULATIVE INDEX

	CIPAC	page
Viscosity of liquids by rotational viscometry (MT 192)	<i>L</i>	145
revised method	<i>M</i>	210
Vinclozolin [280], method	<i>D</i>	173
Volatility of neutral oil,		
preliminary examination (MT 56.1)	<i>F</i>	170
full method (MT 56.2)	<i>F</i>	170
<b>Wash resistance index of LN's (MT 195)</b>	<b><i>O</i></b>	<b>205</b>
Water, for laboratory use (RE 130)	<i>E</i>	374
Water,		
Karl Fischer method	<i>F</i>	92
Dean and Stark method (MT 30.2)	<i>F</i>	94
free water 'speedy' method (MT 30.3)	<i>F</i>	95
water in acetone solutions (MT 30.4)	<i>F</i>	96
Karl Fischer method using pyridine-free reagents (MT 30.5)	<i>J</i>	120
Water content and suspended solids,		
water content (MT 40.1)	<i>F</i>	131
suspended solids (MT 40.2)	<i>F</i>	131
Water insoluble material,		
hot solution of the sample (MT 10.1)	<i>F</i>	27
cold solution of the sample (MT 10.2)	<i>F</i>	27
coarse material-water insoluble (MT 10.3)	<i>F</i>	28
insoluble material in pesticide aqueous solutions (MT 10.4)	<i>F</i>	29
Water solubility,		
column elution method (MT 157.2)	<i>F</i>	380
flask method (MT 157.3)	<i>F</i>	384
preliminary test (MT 157.1)	<i>F</i>	379
Water soluble bags, dissolution rate of (MT 176)	<i>F</i>	440
Water soluble granules, degree of dissolution and solution stability (MT 179)	<i>H</i>	307
<b>Dissolution degree and solution stability (MT 179.1)</b>	<b><i>O</i></b>	<b>189</b>
replaces MT 179		
Water soluble material (MT 9)	<i>F</i>	26
Wettability (MT 53)	<i>F</i>	160
Xylene (RE 10)	<i>E</i>	256
Xylene insoluble material (MT 11)	<i>F</i>	30
Xylenol Orange (RE 93)	<i>E</i>	364
Zinc amalgam (RE 33)	<i>E</i>	284
Zinc chloride, solutions (RE 94)	<i>E</i>	364

## CUMULATIVE INDEX

	CIPAC	page
Zinc, in dithiocarbamates (MT 94.1)	<i>F</i>	235
Zinc, in zineb, method	<i>E</i>	231
Zinc, in ziram, method	<i>E</i>	235
Zineb [25], method	<i>E</i>	230
Zineb + copper [25 + 44], method	<i>H</i>	100
Ziram [31], method	<i>E</i>	236
Ziram + copper [31 + 44], method	<i>H</i>	101