

Cumulative Index

This index contains all references to methods published in CIPAC 1B, 1C, D, E, F, G, H, J, K, L, M and N. All methods from CIPAC 1, CIPAC 1A and from the CIPAC Proceedings 1980 and 1981 have been revised and re-published in CIPAC E (RE's and analytical methods from CIPAC 1), CIPAC F (MT's), and CIPAC H (analytical methods from CIPAC 1A and the Proceedings) as far as they seemed to be still in use. CIPAC code numbers are given in square brackets.

Status: Ob → method no longer supported,
 details see: <http://www.cipac.org/cipacpub.htm>
 E → errata, details see: <http://www.cipac.org/errata.htm>

	CIPAC	page	Status
Accelerated storage tests by heating, general methods (MT 46.1)	<i>F</i>	149	
			<i>Ob</i>
special methods (MT 46.2)	<i>F</i>	151	
combined method (MT 46.3)	<i>J</i>	128	
Acephate [338], method	<i>H</i>	5	
Acetamidrid [649], method	<i>L</i>	4	
Acetone, anhydrous (RE 34)	<i>E</i>	286	
Acetone soluble material, hot solution (MT 5.1)	<i>F</i>	21	
solution at room temperature (MT 5.2)	<i>F</i>	22	
Acetone insoluble material (MT 27)	<i>F</i>	88	
Acid wash test (MT 79)	<i>F</i>	210	<i>Ob</i>
Adhesion to treated seeds (MT 194)	<i>N</i>	145	
Acidity or alkalinity of formulations (MT 191)	<i>L</i>	143	
Alachlor [204], method, TC, EC, GR,	<i>D</i>	4	
, CS	<i>E</i>	4	<i>Ob</i>
Aldicarb [215], method	<i>H</i>	10	
Aldrin [27], method	<i>B</i>	1707	<i>Ob</i>
<i>d</i> -Allethrin [742], method	<i>L</i>	16	
<i>d</i> -trans-Allethrin (see bioallethrin)			
alpha-Cypermethrin [454], method, TC, WP, EC, SC, UL			
SC (oil enhanced), WG	<i>K</i>	4	
LN	<i>M</i>	40	
alpha HCH, in lindane	<i>G</i>	106	
Alumina, Brockmann activity grade III (MT 50)	<i>F</i>	156	<i>Ob</i>
Ametryn [133], method, GC	<i>H</i>	22	
Amidate, method	<i>E</i>	142	

CUMULATIVE INDEX

	CIPAC	page	Status
Amines, identification of (MT 152)	<i>F</i>	357	<i>Ob</i>
Aminocarb [293]	<i>D</i>	9	<i>Ob</i>
2-Aminopyridine, preparation of complexes of nitro compounds (MT 134)	<i>F</i>	328	<i>Ob</i>
Amitraz [362], method	<i>G</i>	5	
Amitrole [90], method, potentiometric	<i>1B</i>	1720	<i>Ob</i>
argentometric	<i>1B</i>	1722	<i>Ob</i>
HPLC	<i>J</i>	4	
Amitrole + monuron [90 + 99] argentometric	<i>1B</i>	1725	<i>Ob</i>
Amitrole + simazin [90 + 22] argentometric, WP	<i>1B</i>	1725	<i>Ob</i>
Amitrole + NH ₄ CNS HPLC	<i>J</i>	9	
Amitrole + diuron [90 + 100] HPLC	<i>J</i>	8	
Amitrole + terbuthylazine [90 + 234] HPLC	<i>J</i>	9	
Ammonia, solutions (RE 1)	<i>E</i>	245	
Ammonia-ammonium chloride buffer solution-pH 10 (MT 107)	<i>F</i>	261	
Ammonium cerium (IV) nitrate (RE 148)	<i>E</i>	383	
Ammonium hexanitratocerate (IV) (RE 148)	<i>E</i>	383	
diAmmonium hydrogen citrate (RE 91)	<i>E</i>	362	
Ammonium iron (III) sulphate, indicator solution (RE 2)	<i>E</i>	246	
diAmmonium iron (II) sulphate, standard solutions (RE 38)	<i>E</i>	297	
diAmmonium peroxosulphate (RE 132)	<i>E</i>	375	
Ammonium thiocyanate, standard solution (RE 3)	<i>E</i>	249	
Ammonium trioxovanadate (V), solution (RE 31)	<i>E</i>	283	
Anilazine [294], method	<i>E</i>	5	
Aromatic solvent naphtha (RE 62)	<i>E</i>	328	
Arsenic, determination of (MT 99)	<i>F</i>	251	
Arsenic in sulphur, method	<i>E</i>	205	
Arsenic in zineb, method	<i>E</i>	231	
Arsenic in ziram, method	<i>E</i>	237	
Arsenic (III) oxide, standard solution (RE 4)	<i>E</i>	250	
Asulam [240], method	<i>H</i>	26	
Atrazine [91], method, GC	<i>H</i>	37	
Attrition resistance of granules (MT 178)	<i>H</i>	302	
Attrition resistance of dispersible granules (MT 178.2)	<i>K</i>	140	
Azadirachtin [627], method	<i>M</i>	4	
Azimsulfuron [584], method	<i>L</i>	23	
Azinphos-methyl [37], method, HPLC	<i>E</i>	12	
IR	<i>1C</i>	1970	<i>Ob</i>
Azoxystrobin [571], method	<i>M</i>	10	

CUMULATIVE INDEX

	CIPAC	page	Status
Barium hydroxide, standard solutions (RE 5)	<i>E</i>	251	
Bendiocarb [232], method	<i>D</i>	10	
Benfluralin [285], method, GC	<i>1B</i>	1728	<i>Ob</i>
UV	<i>1B</i>	1726	<i>Ob</i>
Benfuracarb [501], method	<i>H</i>	38	
Benomyl [206], method	<i>D</i>	14	
Bensulfuron-methyl [502], method	<i>K</i>	6	
Bensultap [464], method	<i>E</i>	17	
Bentazone [366], method	<i>1C</i>	1973	
Benzoylprop-ethyl [229], method	<i>1B</i>	1732	<i>Ob</i>
Benzoylprop-ethyl, pure (PP 229.a)	<i>1B</i>	1930	
beta-Cyfluthrin [482], method	<i>H</i>	43	
BHC (see HCH)			<i>Ob</i>
BHTO in fenbutatin oxide	<i>D</i>	81	
Bifenox [413], method	<i>G</i>	11	
Binapacryl [138], method	<i>D</i>	67	
Bioallethrin [203], method, TC	<i>H</i>	52	
TC, LV	<i>L</i>	31	
Bioallethrin + piperonyl butoxide [203 + 33]	<i>H</i>	55	
<i>S</i> -Bioallethrin [750], method TC, LV	<i>L</i>	38	
EW	<i>M</i>	18	
2,2'-Bipyridyl (RE 61)	<i>E</i>	326	
2,2'-Bipyridyl in diquat	<i>H</i>	161	
4,4'-Bipyridyl (RE 60)	<i>E</i>	325	
4,4'-Bipyridyl in paraquat	<i>H</i>	216	
Bis (ethylenediamine) copper (II) sulphate (RE 81)	<i>E</i>	359	
Bitertanol [386], method	<i>J</i>	14	
Borax (RE 133)	<i>E</i>	376	
Boscalid [673], method	<i>N</i>	4	
Brodifacoum [370], method	<i>1C</i>	1981	
Bromadiolone [371], method	<i>E</i>	23	
Bromacil [139], method	<i>1C</i>	1986	<i>Ob</i>
Bromocresol green, solutions (RE 55)	<i>E</i>	317	
Bromophenol blue, solution (RE 6)	<i>E</i>	254	
Bromophos [5], method	<i>1B</i>	1738	<i>Ob</i>
Bromothymol blue, solutions (RE 7)	<i>E</i>	254	
Bromoxynil [87], method	<i>1C</i>	1989	
pure (PP 87)	<i>1C</i>	2326	
- octanoate, GC method 1, TC	<i>1C</i>	1998	<i>Ob</i>
GC method 2, TC,EC	<i>1C</i>	2004	<i>Ob</i>
pure (PP 87.oct)	<i>1C</i>	2330	
- heptanoate	<i>H</i>	57	

CUMULATIVE INDEX

	CIPAC	page	Status
Buffer Solutions			
Phosphate buffer (MT 19)	<i>F</i>	69	<i>Ob</i>
Bulk density (MT 186)	<i>K</i>	151	
Bupirimate, identity test (MT 164)	<i>F</i>	406	
Bupirimate [261], method	<i>1C</i>	2007	<i>Ob</i>
Bupirimate, pure (PP 261)	<i>1C</i>	2340	
Butachlor [354], method	<i>D</i>	17	<i>Ob</i>
Butylate [266], method	<i>1B</i>	1744	<i>Ob</i>
Butylmagnesium chloride (RE 139)	<i>E</i>	379	
Cadmium, standard solution (RE 131)	<i>E</i>	374	
Captan [40], method, GC,	<i>1C</i>	2015	
HPLC	<i>1C</i>	2013	
Carbaryl [26], method	<i>M</i>	19	
Carbendazim [263], method, UV	<i>H</i>	61	
HPLC	<i>H</i>	62	
Carbetamide [95], method	<i>E</i>	28	
Carbon disulphide (RE 153)	<i>E</i>	384	
Carbofuran [276], method	<i>D</i>	20	
Carbosulfan [417], method	<i>E</i>	35	
Cartap [387], method	<i>D</i>	24	<i>Ob E</i>
Cerium (IV) sulphate, standard solutions (RE 99)	<i>E</i>	368	
Cetylpyridinium bromide, solution (RE 11)	<i>E</i>	258	
Chinomethionat [172], method	<i>1C</i>	2019	<i>Ob</i>
Chloramben[141], method	<i>1B</i>	1747	<i>Ob</i>
Chlordimeform [277], method	<i>D</i>	28	<i>Ob</i>
Chlorfenvinphos [88], method	<i>H</i>	67	
Chloridazon [111], method	<i>D</i>	31	
water dispersible granules	<i>H</i>	76	
Chlorides, in phenoxyalkanoic acids (MT 68.1)	<i>F</i>	195	<i>Ob</i>
Chlorides, test for (MT 117)	<i>F</i>	282	<i>Ob</i>
Chlorides, total chlorides (MT 100)	<i>F</i>	254	<i>Ob</i>
Chlormequat [143], titration method	<i>D</i>	39	<i>Ob</i>
ion chromatographic method	<i>H</i>	77	
Chlorobenzilate [119], method	<i>H</i>	81	
4-Chloro- <i>m</i> -cresol (RE 104)	<i>E</i>	371	
4-Chloro- <i>o</i> -cresol (RE 109)	<i>E</i>	372	
6-Chloro- <i>p</i> -cresol (RE 68)	<i>E</i>	335	
1-Chloro-2,3-epoxyethane (MT 77)	<i>F</i>	207	<i>Ob</i>
Chloroform (RE 64)	<i>E</i>	330	
Chloroform solubles, hot solutions (MT 87.1)	<i>F</i>	221	<i>Ob</i>
cold solutions (MT 87.2)	<i>F</i>	222	<i>Ob</i>

CUMULATIVE INDEX

	CIPAC	page	Status
6-Chloro-2-methylphenoxyacetic acid (RE 65)	<i>E</i>	332	
γ -Chlorophosphamidon, method	<i>E</i>	182	
Chloropropylate [120], method	<i>H</i>	85	
Chlorothalonil [288], method	<i>K</i>	13	
Chlorothalonil + HCB [288 +161], method	<i>K</i>	13	
6-Chloro-o-tolyloxyacetic acid (RE 65)	<i>E</i>	332	
Chloroxuron [187], method	<i>1B</i>	1751	<i>Ob</i>
Chlorphoxim, [341], method	<i>D</i>	24	
Chlorpropham [43], method	<i>1B</i>	1757	
Chlorpropham + propham [43 + 63]	<i>1C</i>	2025	
Chlorpyrifos [221], method, TC, DP, WP, EC, GR	<i>1C</i>	2028	
UL	<i>K</i>	23	
Chlorsulfuron [441], method, TC, WG	<i>H</i>	89	<i>E</i>
WP	<i>K</i>	24	
Chlorthal [328], method, GC	<i>1C</i>	2032	<i>Ob</i>
IR	<i>1C</i>	2034	<i>Ob</i>
CIPAC method	N	1	
Clodinafop [683], method	<i>M</i>	26	
Clofentezine [418], method	<i>G</i>	18	
Clothianidin [738], method	N	14	
Conductivity, determination of (MT 32)	<i>F</i>	103	
Congo red, solution (RE 9)	<i>E</i>	256	
Copper [44], method	<i>E</i>	42	
Copper ethylenediamine sulphate (RE 81)	<i>E</i>	350	
Copper, water soluble			
colorimetric method with bathocuproine (MT 98.1)	<i>F</i>	246	
atomic absorption method (MT 98.2)	<i>F</i>	248	<i>Ob</i>
Copper + mancozeb [44 + 34], method	<i>H</i>	96	
Copper + maneb [44 + 61], method	<i>H</i>	100	
Copper + zineb [44 + 25], method	<i>H</i>	100	
Copper + ziram [44 + 31], method	<i>H</i>	101	
Correction of interfering peaks (MT 114)	<i>F</i>	278	<i>Ob</i>
Coumatetralyl [189], method	<i>G</i>	24	
m-Cresol (RE 100)	<i>E</i>	370	
o-Cresol (RE 70)	<i>E</i>	338	
p-Cresol (RE 101)	<i>E</i>	370	
Crystal violet, solution (RE 129)	<i>E</i>	373	
Cyanazine [230], method	<i>1C</i>	2039	
Cyanazine, pure (PP 230)	<i>1C</i>	2335	
Cycloate [214], method	<i>H</i>	102	
Cyclohexane (RE 155)	<i>E</i>	386	
Cycloxydim [510], method	<i>K</i>	25	

CUMULATIVE INDEX

	CIPAC	page	Status
Cyfluthrin [385], method	<i>H</i>	106	
beta-Cyfluthrin [482], method	<i>H</i>	43	
lambda-Cyhalothrin [463], method, TC, WP, EC, UL	<i>E</i>	49	
CS	<i>K</i>	86	
LN	<i>N</i>	83	
lambda-Cyhalothrin, free, determination in CS formulations (MT 189)	<i>L</i>	137	
lambda-Cyhalothrin, determination of release properties CS formulations (MT 190)	<i>L</i>	140	<i>E</i>
Cyhexatin [289], method	<i>D</i>	46	
Cymoxanil [419], method	<i>J</i>	22	
Cypermethrin, identity test (MT 163)	<i>F</i>	404	
Cypermethrin [332], method, GC	<i>1C</i>	2047	<i>Ob</i>
diastereomeric ratio, HPLC	<i>1C</i>	2052	
alpha-Cypermethrin [454], method, TC, WP, EC, SC, UL	<i>H</i>	14	
SC (oil enhanced), WG	<i>K</i>	4	
LN	<i>M</i>	40	
Cyphenothrin [804], method	<i>M</i>	44	
Cyproconazole [600], method	<i>J</i>	29	
Cyprodinil [511], method	<i>N</i>	25	
Cyromazin [420], method	<i>M</i>	54	
2,4-D [1], method, titration method	<i>1C</i>	2060	
GC	<i>1C</i>	2061	
HPLC	<i>1C</i>	2062	
-salts titration method	<i>1C</i>	2063	
GC	<i>1C</i>	2065	
HPLC	<i>1C</i>	2065	
-esters titration method	<i>1C</i>	2068	<i>Ob</i>
GC	<i>1C</i>	2069	
HPLC	<i>1C</i>	2071	
2,4-D + dicamba [1+85] (salts), GC	<i>1C</i>	2071	
IR	<i>H</i>	133	
2,4-D + dicamba + mecoprop [1 + 85 + 51] (salts)	<i>D</i>	51	
2,4-D + picloram [1 + 174]	<i>1B</i>	1757	<i>Ob</i>
2,4-D + 2,4,5-T [1 + 6](esters)	<i>1C</i>	2072	
2,4-D, pure (PP 1)	<i>1C</i>	2307	
Dalapon [52], method (Na + Mg salt)	<i>D</i>	54	
Dazomet [146], method, CS ₂ method	<i>1C</i>	2074	
HPLC	<i>J</i>	37	

CUMULATIVE INDEX

	CIPAC	page	Status
2,4-DB [83], method	1C	2078	
-K salt, titration method	1C	2080	
GC	1C	2082	
2,4-DB, pure (PP 83)	1C	2321	
DDT [3], method	E	58	
DDT + endrin [3 + 28]	1B	1760	Ob
Deltamethrin [333], method, TC, WP, EC, UL, DP	D	57	
method, TC, WG, WP, EC, SC, DP, EG, EW, UL, WT (replaced)	L	45	
TB, LN	M	65	
LN	N	34	
Desmetryn [147], method, GC	1B	1766	Ob
titration method	1B	1765	Ob
Deniges reagent (RE 57)	E	319	
Deschlorophosphamidon, method	E	182	
Detection and identification of impurities in substituted phenylurea herbicides (MT 142)	F	336	Ob
Determination of organochlorine pesticides in aqueous emulsions (MT 65)	F	190	Ob
Determination of pH values, general method (MT 75.1)	F	205	Ob
pH of aqueous dispersions (MT 75.2)	F	206	Ob
pH of diluted and undiluted aqueous solutions (MT 75.3)	J	131	E
Determination of seed-to-seed uniformity of distribution for liquid seed-treatment formulations (MT 175)	F	438	
Diazinon [15], method	H	122	
Diazomethane (RE 35)	E	286	
1,2-Dibromoethane [125], method	1C	2115	Ob
Dicamba [85], method, infrared method	H	127	
HPLC method	K	32	E
Dicamba + 2,4-D [85 + 1], method	H	133	
Dicamba + MCPA [85 + 2], method	H	131	
Dicamba + 2,4-D + mecoprop [85 + 1 + 51] (salts)	D	51	
Dichlobenil [73], method, GC(cap)	E	65	
GC	1B	1769	Ob
Dichlofluanid [74], method, titration method	1B	1774	Ob
HPLC	1C	2083	
2,4-Dichloroanisole in bifenoX	G	14	
2,4-Dichlorobenzoic acid (RE 79)	E	347	
4,6-Dichloro-o-cresol (RE 69)	E	335	
Dichlorodifluoromethane insoluble material (MT 16)	F	52	Ob

CUMULATIVE INDEX

	CIPAC	page	Status
4,6-Dichloro-2-methylphenoxyacetic acid (RE 66)	<i>E</i>	333	
2,4-Dichlorophenol in bifenox	<i>G</i>	14	
2,6-Dichlorophenol (RE 72)	<i>E</i>	339	
4,6-Dichloro- <i>o</i> -tolylxyacetic acid (RE 66)	<i>E</i>	333	
Dichlorprop [84], method, titration method	<i>1C</i>	2087	
GC	<i>1C</i>	2087	<i>Ob</i>
HPLC	<i>1C</i>	2088	
HPLC	<i>G</i>	32	
-salts titration method	<i>1C</i>	2092	
GC	<i>1C</i>	2093	
HPLC	<i>1C</i>	2093	<i>Ob</i>
Dichlorprop, pure (PP 84)	<i>1C</i>	2323	
Dichlorprop-P [476], method	<i>G</i>	32	
Dichlorvos [11], method,GC	<i>H</i>	135	
Diclofop [358], method	<i>1C</i>	2096	<i>Ob</i>
Dicofol [123], method	<i>D</i>	67	
Dieldrin [16], method	<i>1B</i>	1781	<i>Ob</i>
Diethyl ether (RE 12)	<i>E</i>	258	
Diflovidazin [734], method	<i>L</i>	61	
Diflubenzuron [339], method, TC,WP,	<i>H</i>	141	
TC, WP (revised methods)	N	38	
SC, GR, TB	N	42	
Diflufenican [462], method	<i>H</i>	147	
Diisopropyl ether (RE 63)	<i>E</i>	328	
Dilute emulsion stability (MT 20)	<i>F</i>	71	<i>Ob</i>
colorimetric method (MT 173)	<i>F</i>	431	
Dilution stability (MT 41)	<i>F</i>	131	<i>E</i>
Dimedone derivative (MT 28)	<i>F</i>	89	<i>Ob</i>
Dimercury dicyanide oxide (RE 154)	<i>E</i>	383	
Dimethoate [59], HPLC method	<i>E</i>	69	
Dimethoate [59], GLC method	<i>H</i>	153	
Dimethomorph [483], method	<i>G</i>	32	
O,O-Dimethyl S-methylcarbamoylmethylphosphorodithioate (RE 86)	<i>E</i>	359	
O,O-Dimethyl methylphosphoroamidothioate, method	<i>E</i>	142	
O,S-Dimethyl methylphosphoroamidothioate, method	<i>E</i>	142	
O,S-Dimethyl 4-nitrophenylphosphorothioate, method	<i>E</i>	169	
O,O-Dimethyl phosphoroamidothioate, method	<i>E</i>	142	
Dimethyl sulphate (RE 13)	<i>E</i>	259	
Dinotefuran [749], method	<i>L</i>	67	
Dinoterb [403], method	<i>1B</i>	1797	<i>Ob</i>
Dinitro compounds, solubility of salts and alkali insolubles			

CUMULATIVE INDEX

	CIPAC	page	Status
	(MT 108) <i>F</i>	262	<i>Ob</i>
mineral acidity of (MT 109)	<i>F</i>	263	<i>Ob</i>
Dioxane (RE 49)	<i>E</i>	311	
Diquat [55], method	<i>E</i>	74	<i>Ob</i>
identity tests	<i>G</i>	47	
free 2,2'-bipyridyl	<i>H</i>	161	
Terpyridines in	<i>M</i>	68	<i>E</i>
Diquat dibromide (PP 55)	<i>E</i>	387	
Dispersion stability of suspo-emulsions (MT 180)	<i>H</i>	310	
Dissolution rate of water-soluble bags (MT 176)	<i>F</i>	440	
Disulfoton [152], method	<i>1C</i>	2101	<i>Ob</i>
Dithianon [153], method, HPLC	<i>G</i>	50	
colorimetric	<i>1C</i>	2105	<i>Ob</i>
Dithiocarbamates, determination of anions (MT 154)	<i>F</i>	361	
Identity test for certain alkylenebis(dithiocarbamates)	<i>F</i>	320	
Qualitative procedure for confirmation of the presence of a dithiocarbamate or thiuram disulphide (MT 153)	<i>F</i>	360	
Dithizone (RE 59)	<i>E</i>	371	
Dodine [101], method	<i>1B</i>	1802	<i>Ob E</i>
Dustability test after accelerated storage (MT 34)	<i>F</i>	107	<i>Ob</i>
Dust content and apparent density of granular formulations, sampling (MT 58.1)	<i>F</i>	173	<i>Ob E</i>
preparation of the sample (MT 58.2)	<i>F</i>	173	<i>Ob E</i>
apparent density after compaction without pressure (MT 58.3)	<i>F</i>	175	<i>Ob E</i>
Dustiness of granular products (MT 171)	<i>F</i>	425	
Edifenphos [409], method	<i>E</i>	79	
EDTA sodium salt, solutions (RE 37)	<i>E</i>	295	
Emulsion characteristics of emulsifiable concentrates, five per cent v/v oil phase when diluted (MT 36.1)	<i>F</i>	108	<i>Ob</i>
dispersion stability of aqueous emulsions (MT 36.2)	<i>F</i>	112	<i>Ob</i>
emulsion characteristics and re-emulsification properties (MT 36.3)	<i>K</i>	137	
dilute, colorimetric determination of the stability of emulsions (MT 173)	<i>F</i>	431	
dilute, agrochemical emulsion tester (MT 183)	<i>J</i>	138	<i>Ob</i>
Endosulfan [89], method	<i>1C</i>	2111	<i>Ob</i>
Endrin [28], method	<i>1B</i>	1805	<i>Ob</i>
Endrin + DDT [28 + 3]	<i>1B</i>	1760	<i>Ob</i>
Endrin + parathion-methyl [28 + 487]	<i>1B</i>	1819	<i>Ob</i>
Epichlorhydrin (MT 77)	<i>F</i>	207	<i>Ob</i>

CUMULATIVE INDEX

	CIPAC	page	Status
Epoxiconazole [609], method	<i>K</i>	38	
EPTC [155], method	<i>1B</i>	1823	<i>Ob</i>
Erichrome Black T (RE 53)	<i>E</i>	316	
Esbiothrin [751], method	<i>L</i>	73	
Esfenvalerate [481], method	<i>K</i>	47	
Ethanol soluble material, hot solution (MT 7.1)	<i>F</i>	23	
solution at room temperature (MT 7.2)	<i>F</i>	24	
Ethephon [373], method	<i>H</i>	165	
Ethiofencarb [363], method	<i>E</i>	84	
Ethion [102], method	<i>1B</i>	1826	
Ethirimol, identity test (MT 164)	<i>F</i>	406	
Ethirimol [242], method	<i>D</i>	72	<i>Ob</i>
Ethofumesate [233], method, TC, SC, EC	<i>J</i>	43	
SE	<i>L</i>	80	
Ethyl butylacetamidopropionate [667], method	<i>M</i>	76	
<i>N</i> -(2-ethylhexyl)-8,9,10-tribornene-2,3-dicarboxamide [345], method	<i>1C</i>	2166	
Ethylenediamine tetraacetic acid, sodium salt, solutions (RE 37)	<i>E</i>	295	
Etofenprox [471], method, GLC method (packed column)	<i>G</i>	56	
(capillary column)	<i>K</i>	57	
ETU, determination in ethylenebisdithiocarbamates (MT 162)	<i>F</i>	399	<i>E</i>
Evaluation of wettability, wetting time of a standard type (MT 53.1)	<i>F</i>	160	
wetting of leaf surfaces (MT 53.2)	<i>F</i>	162	
wetting of dispersible powders (MT 53.3)	<i>F</i>	164	
Extractable acids, determination of (MT 126)	<i>F</i>	288	
Extractable acids, melting point of (MT 127)	<i>F</i>	291	
Fat extraction apparatus (MT 67)	<i>F</i>	194	<i>Ob</i>
Fehling's solution (RE 29)	<i>E</i>	282	
Fenbutatin oxide [359], method	<i>D</i>	77	
Fenhexamid [603], method	<i>M</i>	80	
Fenitrothion [35], method method from CIPAC 1C p 2117 was replaced	<i>N</i>	46	
Fenobucarb [390], method, TLC	<i>D</i>	87	<i>Ob</i>
HPLC	<i>D</i>	89	<i>Ob</i>
Fenoprop [118], method, titration method	<i>1C</i>	2121	
GC	<i>1C</i>	2122	<i>Ob</i>
salts, titration method	<i>1C</i>	2122	

CUMULATIVE INDEX

	CIPAC	page	Status
GC	<i>1C</i>	2123	
Fenoprop, pure (PP 118)	<i>1C</i>	2333	
Fenoxaprop-P [484], method, TC, EW	<i>J</i>	51	
TC, EW, EC, SE, OD	<i>M</i>	89	
Fenpropimorph [427], method	<i>G</i>	62	
Fensulfothion [303], method, HPLC	<i>1C</i>	2126	<i>Ob</i>
GC	<i>D</i>	92	<i>Ob</i>
Fenthion [79], method, col.	<i>1B</i>	1830	<i>Ob</i>
method, GC TC, WP, GR, EC, EW	<i>L</i>	81	
UL, DP	<i>M</i>	96	
Fentin acetate [489], method	<i>E</i>	89	
Fentin acetate + maneb [489 + 61], GC	<i>1B</i>	1837	<i>Ob</i>
HPLC	<i>E</i>	89	
Fentin hydroxide [490], method	<i>E</i>	94	
Fentin hydroxide + maneb [490 + 61] GC	<i>1B</i>	1840	<i>Ob</i>
HPLC	<i>E</i>	93	
Fenvalerate, identity test (MT 163)	<i>F</i>	404	
Fenvalerate [334], method, TC	<i>D</i>	101	
EC	<i>G</i>	68	
Ferroin sulphate, solution (RE 149)	<i>E</i>	383	
Fipronil [581], method, TC, EC, UL	<i>J</i>	60	
FS, SC, WG, GR, FG	<i>N</i>	60	
Flash point, Abel method (MT 12.1)	<i>F</i>	31	
Tag closed tester (MT 12.2)	<i>F</i>	37	
Pensky-Martens closed tester (MT 12.3)	<i>F</i>	40	
Flowability, of powders (MT 44)	<i>F</i>	145	
of water dispersible granules (MT 172)	<i>F</i>	430	<i>E</i>
Fluazifop-butyl [395], method	<i>D</i>	106	
Fluazifop-P-butyl [467], method	<i>G</i>	71	
Flufenoxuron [470], method	<i>M</i>	98	
Fluometuron [159], method	<i>1B</i>	1842	<i>Ob</i>
Flusilazole [435], method	<i>H</i>	171	
Folpet [75], method	<i>1B</i>	1845	
Foaming, persistent (MT 47.1)	<i>F</i>	152	<i>Ob</i>
of suspension concentrates (MT 47.2)	<i>F</i>	152	
Formaldehyde [156], method	<i>1C</i>	2130	<i>Ob</i>
Formothion [160], method	<i>H</i>	178	
Fosetyl [384], method, titration method	<i>G</i>	82	
HPLC	<i>J</i>	66	
Free acidity or alkalinity, methyl red indicator method (MT 31.1)	<i>F</i>	96	
electrometric procedure (MT 31.2)	<i>F</i>	98	

CUMULATIVE INDEX

	CIPAC	page	Status
acidity of petroleum products (MT 31.3)	<i>F</i>	99	
Free acidity or alkalinity of formulations (MT 191)	<i>L</i>	143	
Free acidity of phenoxyalkanoic esters (MT 66)	<i>F</i>	193	<i>Ob</i>
Free amines in urea herbicides (MT 141)	<i>F</i>	333	<i>Ob</i>
Free 2,2'-bipyridyl in diquat	<i>H</i>	161	
Free 4,4'-bipyridyl in paraquat	<i>H</i>	216	
Free lambda-cyhalothrin in CS formulations (MT 189)	<i>L</i>	137	
Free parathion-methyl in CS formulations (MT 188)	<i>L</i>	132	
Free phenols in phenoxyalkanoic herbicides,			
GLC method (MT 69)	<i>F</i>	197	
HPLC method (MT 155)	<i>F</i>	362	
Freezing mixtures, (5 ± 1°C) (MT 14.1)	<i>F</i>	44	
(10 ± 1°C) (MT 14.2)	<i>F</i>	44	
Freezing point (MT 1)	<i>F</i>	3	
Friability of tablets (MT 193)	<i>L</i>	147	<i>E</i>
Gas chromatography of phenoxyalkanoic acids and other herbicides (MT 129)	<i>F</i>	292	<i>Ob</i>
Glufosinate [437], method	<i>G</i>	89	
Glyphosate [284], method, TC, SL	<i>IC</i>	2132	
SG	<i>H</i>	182	
Haloxyfop-P-methyl [526], method	<i>N</i>	67	
Hardness of water (MT 73), 201	<i>F</i>	201	
HCB (in chlorothalonil) [161, (288)]	<i>K</i>	13	
HCH (lindane in) [4, (488)], method	<i>IC</i>	1977	
HEOD (see dieldrin)			
<i>n</i> -Heptane (RE 50)	<i>E</i>	313	
Heptane-insoluble material (MT 101)	<i>F</i>	255	<i>Ob</i>
Hexadecanoic acid (RE 80)	<i>E</i>	348	
<i>n</i> -Hexane (RE 76)	<i>E</i>	344	
Hexazinone [374], method	<i>J</i>	71	
HHDN (see aldrin)			
Hydrochloric acid, standard solutions (RE 14)	<i>E</i>	262	
Hydrogen peroxide (RE 56)	<i>E</i>	318	
Hydrogen sulphide and thiols (MT 78)	<i>F</i>	208	
Hydrolysable organic chlorine,			
DDT residues of technical material (MT 64.4)	<i>F</i>	187	<i>Ob</i>
DDT dusts and dispersible powders (MT 64.5)	<i>F</i>	189	<i>Ob</i>
DDT emulsifiable concentrates and solutions (MT 64.6)	<i>F</i>	189	<i>Ob</i>
HCH and lindane, dried residues, or technical materials			

CUMULATIVE INDEX

	CIPAC	page	Status
MT 64.1)	<i>F</i>	183	<i>Ob</i>
HCH or lindane dusts and dispersible powders (MT 64.2)	<i>F</i>	186	<i>Ob</i>
HCH or lindane emulsifiable concentrates and solutions (MT 64.3)	<i>F</i>	187	<i>Ob</i>
Hydroxylammonium chloride (RE 74)	<i>E</i>	350	
Icaridin [740], method	<i>K</i>	64	
Identification of amines (MT 152)	<i>F</i>	357	<i>Ob</i>
Identification of urea herbicides (MT 137)	<i>F</i>	329	<i>Ob</i>
Identity test for certain dithiocarbamates and thiram and their mixtures (MT 130)	<i>F</i>	321	
Identity tests for permethrin, cypermethrin and fenvalerate (MT 163)	<i>F</i>	404	
Identity tests for pirimicarb, bupirimate, ethirimol, pirimiphos-ethyl and pirimiphos-methyl (MT 164)	<i>F</i>	406	
Ignition tests, assessment of spontaneous ignition potential of dithio-carbamates (MT 84.1)	<i>F</i>	218	
Imazalil [335], method	<i>E</i>	95	<i>Ob</i>
Imidacloprid [582], method, TC, WP, SC, GR, fertilizer formulations	<i>H</i>	185	<i>E</i>
TC, WG, SC, WS, FS	<i>K</i>	70	
SL, OD	<i>L</i>	89	
Indoxacarb, [612], method	<i>N</i>	73	
Iodides, test for (MT 118)	<i>F</i>	283	<i>Ob</i>
Iodine, standard solutions (RE 16)	<i>E</i>	264	
Iodine, monochloride, solution (RE 58)	<i>E</i>	320	
Ioxynil [86], method	<i>E</i>	101	
Ioxynil octanoate [86.407], method	<i>G</i>	94	
Iprobenfos [393], method	<i>D</i>	110	<i>Ob</i>
Iprodione [278], method, TC, WP, SC	<i>G</i>	98	
WG	<i>L</i>	90	
IR 3535 see Ethyl butylacetamidopropionate			
Iron, determination of (MT 95)	<i>F</i>	236	
Iron (III) chloride (RE 84)	<i>E</i>	355	
Isobutyl benzoate (RE 92)	<i>E</i>	362	
Isochloridazone	<i>D</i>	35	
Isofenphos [412], method	<i>D</i>	114	
Isolation of active ingredient, extraction with acetone (MT 37.1)	<i>F</i>	115	<i>Ob</i>
extraction with light petroleum (MT 37.2)	<i>F</i>	115	<i>Ob</i>
Isomalathion, method	<i>1B</i>	1855	

CUMULATIVE INDEX

	CIPAC	page	Status
Isoprocarb [396], method	<i>D</i>	118	<i>Ob</i>
Isoprothiolane [456], method	<i>E</i>	105	<i>Ob</i>
Isoproturon [336], method	<i>E</i>	110	
John Innes Potting compost for soil testing of seed germination (MT 26)	<i>F</i>	87	<i>Ob</i>
Kerosene (RE 73)	<i>E</i>	342	
Kerosene insoluble material (MT 8)	<i>F</i>	25	
Kieselguhr, for GLC (MT 86.1)	<i>F</i>	219	<i>Ob</i>
for partition chromatography (MT 86.2)	<i>F</i>	220	<i>Ob</i>
Kresoxim-methyl [568], method	<i>K</i>	77	
lambda-Cyhalothrin [463], method, TC, WP, EC, UL	<i>E</i>	49	
CS	<i>K</i>	86	
LN	<i>N</i>	83	
Lead, dithizone general method (MT 92.1)	<i>F</i>	224	
dithizone method B (MT 92.2)	<i>F</i>	229	
Lead, standard solution (RE 90)	<i>E</i>	361	
Lindane [488], method, SC	<i>G</i>	105	
TC,WP	<i>1C</i>	2135	
- alpha HCH	<i>G</i>	108	
- in HCH [4]	<i>1C</i>	1979	
Liquid paraffin (RE 8)	<i>E</i>	255	
Loss on drying, oven drying at 60°C (MT 17.1)	<i>F</i>	55	
vacuum drying at 45°C, 24 h (MT 17.2)	<i>F</i>	56	
over drying at 100°C at constant weight (MT 17.3)	<i>F</i>	57	
vacuum drying at room temperature (MT 17.4)	<i>F</i>	57	
Low temperature stability,			
emulsifiable concentrates and solutions (MT 39.1)	<i>F</i>	128	<i>Ob</i>
aqueous solutions (MT 39.2)	<i>F</i>	129	<i>Ob</i>
liquid formulations (MT 39.3)	<i>J</i>	126	
Lufenuron [704], method	<i>M</i>	106	
Malathion [12], method, TC, DP, WP, EC, OL (GLC, packed column)	<i>1B</i>	1849	<i>Ob</i>
TC, EC, EW, DP (GLC, capillary column)	<i>K</i>	88	
Mancozeb [34], method	<i>H</i>	194	
Mancozeb + copper [34 + 44]	<i>H</i>	96	
Manganese, bismuthate method (MT 93.1)	<i>F</i>	232	
EDTA method (MT 93.2)	<i>F</i>	234	
Magnesium sulphate, solution (RE 144)	<i>E</i>	381	

CUMULATIVE INDEX

	CIPAC	page	Status
Maneb [61], method	<i>E</i>	116	<i>E</i>
Maneb + copper [61+ 449]	<i>H</i>	100	
Maneb + fentin [61 + 103]	<i>E</i>	89	
Maneb + fentin acetate [61 + 489]	<i>D</i>	95	
Maneb + fentin hydroxide [61 + 490]	<i>D</i>	98	
MCPA [2], titration method	<i>1C</i>	2137	<i>Ob</i>
GC	<i>1C</i>	2138	<i>Ob</i>
HPLC	<i>1C</i>	2139	
MCPA - salts, titration method	<i>1C</i>	2141	
GC	<i>1C</i>	2141	<i>Ob</i>
HPLC	<i>1C</i>	2141	
MCPA - esters, titration method	<i>1C</i>	2145	<i>Ob</i>
GC	<i>1C</i>	2145	<i>Ob</i>
HPLC	<i>1C</i>	2145	
MCPA + 2,3,6-TBA [2 + 49]	<i>1C</i>	2148	<i>Ob</i>
MCPA, pure (PP 2)	<i>1C</i>	2309	
MCPB [50], titration method	<i>1C</i>	2153	<i>Ob</i>
GC	<i>1C</i>	2154	<i>Ob</i>
- salts, titration method	<i>1C</i>	2154	<i>Ob</i>
GC	<i>1C</i>	2155	<i>Ob</i>
MCPB, pure (PP 50)	<i>1C</i>	2316	
Mecoprop [51], titration method	<i>1C</i>	2157	
GC	<i>1C</i>	2158	<i>Ob</i>
HPLC	<i>1C</i>	2158	
- salts, titration method	<i>1C</i>	2162	
GC	<i>1C</i>	2163	<i>Ob</i>
HPLC	<i>1C</i>	2163	
Mecoprop + 2,4-D + dicamba [51 + 1 + 8](salts)	<i>D</i>	51	
Mecoprop, pure (PP 51)	<i>1C</i>	2319	
Mecoprop-P [475], method	<i>G</i>	109	
Mefenpyr-diethyl, [651.229], method	<i>N</i>	87	
Melting point (MT 2)	<i>F</i>	5	
Mepiquat [440], method	<i>J</i>	78	
Mercurial impurities in technical and formulated mercury compounds (MT 110)	<i>F</i>	264	
Mercury, determination on treated seed (MT 158)	<i>F</i>	387	<i>Ob</i>
Mercuric oxycyanide (RE 154)	<i>E</i>	385	
Mercury(II)chloride (RE 135)	<i>E</i>	378	
Mercury(II) salts, characteristic reactions of (MT 116)	<i>F</i>	280	<i>Ob</i>
Mercury(II)sulphate, solution (RE 57)	<i>E</i>	319	
Metalaxyl [365], method	<i>E</i>	123	
Metamitron [381], method	<i>D</i>	124	

CUMULATIVE INDEX

	CIPAC	page	Status
Metam-sodium [20], method	<i>E</i>	131	
Metazachlor [411], method	<i>E</i>	134	
Methabenzthiazuron [201], method	<i>G</i>	116	
Methamidophos [355], method	<i>E</i>	139	
Methanol (RE 47)	<i>E</i>	309	
Methiocarb [165], method	<i>D</i>	130	
Methomyl [264], method	<i>H</i>	199	
Methoprene [414], method	<i>M</i>	115	
Methoprotryne [94], method	<i>1B</i>	1864	<i>Ob</i>
N-Methyl amidate, method	<i>E</i>	142	
1-Methylcyclopropene [747], method	<i>N</i>	99	
Methyl (dimethoxyphosphinothiolythio) acetate (RE 88)	<i>E</i>	360	
Methyl-methamidophos, method	<i>E</i>	142	
Methyl orange, solutions (RE 17)	<i>E</i>	266	
2-Methylphenoxyacetic acid (RE 67)	<i>E</i>	334	
Methyl red, solutions (RE 18)	<i>E</i>	266	
Methyl undec-10-enoate (RE 89.2)	<i>E</i>	361	
Metolachlor [400], method	<i>D</i>	134	
Metribuzin [283], method	<i>D</i>	137	
Metsulfuron [441], method, TC, WG	<i>H</i>	204	
WP	<i>K</i>	95	
Mevinphos [45]	<i>H</i>	212	
MGK 264 + pyrethrum + piperonylbutoxide [345 + 32 + 33], method	<i>H</i>	239	
Mineral acidity of dinitro compounds (MT 109)	<i>F</i>	263	<i>Ob</i>
Miscibility with hydrocarbon oil (MT 23)	<i>F</i>	85	
Mineral oil (RE 36)	<i>E</i>	292	
Molinate [235], method	<i>1B</i>	1866	<i>Ob</i>
Monocrotophos [287], method	<i>E</i>	145	
Mordant black, solutions (RE 53)	<i>E</i>	316	
Nabam [21], method	<i>E</i>	151	
Naphtholbenzein, solution (RE 54)	<i>E</i>	317	
Neutrality (MT 74)	<i>F</i>	204	<i>Ob</i>
Neutral oil, determination of distillation range (MT 61)	<i>F</i>	183	
Niclosamide [599], method, TC, WP, EC	<i>J</i>	84	
SC	<i>K</i>	96	
Nicosulfuron [709], method	<i>M</i>	121	
Nitric acid, solutions (RE 51)	<i>E</i>	313	
Nitromethane (RE 42)	<i>E</i>	303	
Nitron (RE 78)	<i>E</i>	345	
Nitron complexes, preparation of (MT 105)	<i>F</i>	259	<i>Ob</i>

CUMULATIVE INDEX

	CIPAC	page	Status
Nitrophenols, determination of (MT 133)	F	327	Ob
Nitrothal-isopropyl [382], method	E	154	Ob
Novaluron [672], method	L	91	
<i>n</i> -Octacosane (RE 145)	E	381	
Oil content of emulsifiable concentrates (MT 146)	F	345	Ob
Oil insoluble material (MT 35)	F	108	
Omethoate [202], method	E	159	
Organic chlorine,			
potassium-xylene method (MT 38.1)	F	118	Ob
Stepanov method (MT 38.2)	F	120	Ob
semi-micro determination of total chlorine (MT 38.3)	F	121	Ob
Organochlorine pesticides, determination in aqueous emulsions (MT 65)	F	190	Ob
Oxadixyl [397], method	G	122	
Oxamyl [342], method	M	129	
Oxydemeton-methyl [171], method, HPLC	E	163	
	TLC	1B	1871 Ob
	HPLC	K	97
Packing of columns for gaschromatography (MT 149)	F	349	Ob
Palmitic acid (RE 80)	E	348	
Paraffin, liquid (RE 8)	E	255	
Paraquat [56], aqueous solutions, method	E	166	Ob
identity tests	G	128	
free 4,4'-bipyridyl	H	216	
terpyridines in	M	141	
Paraquat + diquat [55 + 56], method	E	75	Ob
Paraquat dichloride (PP 55)	E	390	
Parathion [10], method, GC	1B	1875	Ob
	HPLC	1B	1876 Ob
Parathion-methyl [487], method, GC, TC, WP, EC	1B	1879	Ob
	HPLCTC,EC	1B	1881 Ob
	HPLCCS	1C	2169 Ob
	GC OL,DP	E	171 Ob
	HPLCOL	E	171 Ob
HPLC, determination of S-methyl isomer in TC	E	169	
HPLC, determination of S-methyl isomer in SC	E	172	
Parathion-methyl, free, determination in CS formulations (MT 188)	L	132	
Particle size analysis by laser diffraction (MT 187)	K	153	E
Particle size, formulations without carriers (MT 42.1)	F	133	Ob

CUMULATIVE INDEX

	CIPAC	page	Status
formulations containing carriers (MT 42.2)	<i>F</i>	138	<i>Ob</i>
Particle size distribution of a DDT dispersible powder (MT 43)	<i>F</i>	140	<i>Ob</i>
PCAF Reagent (RE 146)	<i>E</i>	382	
Pebulate [236], method	<i>1B</i>	1887	<i>Ob</i>
Pencycuron [402], method	<i>E</i>	173	
Pendimethalin [357], method	<i>M</i>	148	
Pentacyanoaminoferroate (RE 146)	<i>E</i>	382	
Perchloric acid, standard solutions (RE 43)	<i>E</i>	304	
Permethrin, identity test (MT 163)	<i>F</i>	404	
Permethrin [331], method, TC, WP, EC, WG, DP	<i>1C</i>	2173	
TC, EW, LN	<i>M</i>	155	
Persistent foaming (MT 47.1)	<i>F</i>	152	<i>Ob</i>
Petroleum spirit (RE 45)	<i>E</i>	307	
pH, determination of (MT 75)	<i>F</i>	205	<i>Ob</i>
revised method (MT 75.3)	<i>J</i>	131	
Phenmedipham [77], method, titration method	<i>1C</i>	2181	
HPLC	<i>1C</i>	2184	
HPLC (revised)	<i>J</i>	92	
Phenolphthalein, solution (RE 19)	<i>E</i>	267	
<i>d</i> -Phenothrin [777], method	<i>L</i>	96	
Phenylurea herbicides, detection and identification of impurities in substituted (MT 142)	<i>F</i>	336	<i>Ob</i>
Phorate [173], method	<i>1B</i>	1890	<i>Ob</i>
Phosalone [109], method	<i>D</i>	141	<i>E</i>
Phosphamidon [110], method, method	<i>E</i>	179	<i>E</i>
Phosphate buffer solutions (MT 19)	<i>F</i>	69	<i>Ob</i>
Phosphates, test for (MT 120)	<i>F</i>	285	<i>Ob</i>
Phosphorus in active ingredients, spectrophotometric determination after TLC separation (MT 145)	<i>F</i>	340	<i>Ob</i>
Phosphorus pentoxide desiccant (MT 24)	<i>F</i>	86	<i>Ob</i>
Phoxim [364], method	<i>1C</i>	2187	
Picloram [174], method (salts)	<i>1B</i>	1893	<i>Ob</i>
Picloram + 2,4-D [174 + 1]	<i>1B</i>	1757	
HPLC, TC, SL	<i>L</i>	104	
Piperonyl butoxide [33], method, TC	<i>1C</i>	2190	<i>Ob</i>
EW	<i>M</i>	163	
LN	<i>N</i>	111	
+ pyrethrum [33 + 32]	<i>1C</i>	2209	<i>Ob</i>
+ pyrethrum + MGK 264 [33 + 32 + 345]	<i>H</i>	239	
Primicarb, identity test (MT 164)	<i>F</i>	406	
Pirimicarb [231], method	<i>H</i>	217	

CUMULATIVE INDEX

	CIPAC	page	Status
Pirimiphos-ethyl, identity test (MT 164)	<i>F</i>	406	
Pirimiphos-ethyl [492], method	<i>D</i>	146	<i>Ob</i>
Pirimiphos-methyl, identity test (MT 164)	<i>F</i>	406	
Pirimiphos-methyl [239], method	<i>1C</i>	2192	
Pirimiphos-methyl, pure (PP 239.a)	<i>1C</i>	2337	
Potassium bromate, standard solution (RE 41)	<i>E</i>	303	
Potassium bromate/bromide, standard solutions (RE 82)	<i>E</i>	351	
Potassium cyanate [197], method	<i>1C</i>	2200	<i>Ob</i>
Potassium dichromate, standard solutions (RE 20)	<i>E</i>	267	
Potassium dihydrogen orthophosphate (RE 134)	<i>E</i>	376	
Potassium hydroxide, standard solutions (RE 21)	<i>E</i>	268	
Potassium iodate (RE 98)	<i>E</i>	367	
Potassium iodate/iodide, standard solution (RE 15)	<i>E</i>	264	
Potassium permanganate, standard solution (RE 22)	<i>E</i>	270	
Potassium plumbite (RE 75)	<i>E</i>	343	
Potassium thiocyanate, standard solution (RE 23)	<i>E</i>	271	
Pour and tap bulk density of granular materials (MT 159)	<i>F</i>	390	<i>Ob</i>
Pourability of suspension concentrates (MT 148)	<i>F</i>	348	
revised method (MT 148.1)	<i>J</i>	133	
Pour point of mineral oil (MT 139)	<i>F</i>	331	
Prallethrin [743], method	<i>L</i>	110	
Prochloraz [407], method	<i>M</i>	165	
	EC	N	121
Prochloraz-ZnCl₂ Complex	TC	N	119
Procymidon [383], method	<i>K</i>	105	
Profenophos; [461], method	<i>H</i>	222	
Prometon [175], method, titration method	<i>1C</i>	2202	<i>Ob</i>
GLC	<i>1C</i>	2203	<i>Ob</i>
Prometryn [93], method	<i>H</i>	228	
Propachlor [176], method	<i>D</i>	151	
Propamocarb [399] hydrochloride, method	<i>E</i>	184	
Propan-2-ol (RE 40)	<i>E</i>	302	
Propazine [92], method	<i>H</i>	232	<i>E</i>
Propetamphos [394], method	<i>E</i>	187	<i>Ob</i>
Propham + chlorpropham [63 + 43]	<i>1C</i>	2025	
Propiconazole [408], method	<i>G</i>	129	
Propineb [177], method	<i>H</i>	236	
Propoxur [80], method	<i>D</i>	155	
Provisional CIPAC method	N	1	
Pure pesticides	<i>D</i>	186	
Pyraclostrobin [657], method	<i>M</i>	170	
Pyrazophos [350], method	<i>1C</i>	2206	<i>Ob</i>

CUMULATIVE INDEX

	CIPAC	page	Status
Pyrethrum [32], method	<i>IC</i>	2209	<i>Ob</i>
Pyrethrum + piperonylbutoxide [32 + 33]	<i>IC</i>	2209	<i>Ob</i>
Pyrethrum + MGK 264 + piperonylbutoxide [32 + 345 + 33],	<i>H</i>	239	
Pyridaben [583], method	<i>J</i>	94	<i>E</i>
Pyridate [447], method	<i>G</i>	137	
Pyridine (RE 48)	<i>E</i>	310	
Pyriproxyfen [715], method	<i>M</i>	178	
Qualitative procedure for confirmation of the presence of dithio-carbamates or thiuram disulfide (MT 153)	<i>F</i>	360	
Quinclorac [493], method	<i>H</i>	244	
Quinmerac [563], method	<i>J</i>	101	
Quintozene [78], method	<i>IC</i>	2213	<i>Ob</i>
Rate of solution of the sodium salts of phenoxyalkanoic acid herbicides and their solid formulations (MT 60)	<i>F</i>	182	<i>Ob</i>
Referee method	N	1	
Removal of dyes (MT 45)	<i>F</i>	147	
Repeatability	N	3	
Reproducibility	N	3	
Residue on evaporation, low boiling products (MT 80.1)	<i>F</i>	213	<i>Ob</i>
cresols (MT 80.2)	<i>F</i>	214	<i>Ob</i>
Rimsulfuron [716], method	<i>M</i>	189	
Retention test of seed treatment powders (MT 147)	<i>F</i>	346	<i>Ob</i>
Rotenone [38], method	<i>IC</i>	2217	
Sampling of water dispersible granules (MT 166)	<i>F</i>	415	
Sand for germination tests (MT 25)	<i>F</i>	86	<i>Ob</i>
Seed adhesion test for powders for seed treatment (MT 83)	<i>F</i>	216	<i>Ob</i>
Seed treatment formulations, liquid, determination of seed- seed uniformity of distribution (MT 175)	<i>F</i>	438	
Separation and identification of herbicides (MT 97)	<i>F</i>	241	<i>Ob</i>
Sethoxydim [401], method	<i>E</i>	193	
Sieve analysis,			
dry sieving-dusts (MT 59.1)	<i>F</i>	177	<i>Ob</i>
dry sieving-granular products (MT 59.2)	<i>F</i>	179	<i>Ob</i>
dry sieving-water dispersible granules (MT 170)	<i>F</i>	420	
sieve test for granular material (MT 59.4)	<i>F</i>	180	<i>Ob</i>
wet sieving (MT 59.3)	<i>F</i>	179	<i>Ob</i>
wet sieving using recycled water (MT 182)	<i>J</i>	135	
wet sieving-water dispersible granules (MT 167)	<i>F</i>	416	<i>Ob</i>

CUMULATIVE INDEX

	CIPAC	page	Status
wet sieve test (MT 185)	<i>K</i>	149	
Silanisation of gas chromatographic columns (MT 113)	<i>F</i>	277	<i>Ob</i>
Silica for chromatography,			
silica (MT 21.1)	<i>F</i>	71 72	<i>Ob</i>
Sorbisil M 60 (MT 21.2)	<i>F</i>	73	<i>Ob</i>
Florisil (MT 21.3)	<i>F</i>		<i>Ob</i>
Silicates, test for (MT 121)	<i>F</i>	287	<i>Ob</i>
Silver diethyldithiocarbamate (RE 44)	<i>E</i>	306	
Silver nitrate, standard solutions (RE 24)	<i>E</i>	273	
Simazine [22], method,	<i>H</i>	250	
Simetryn [179], method, titration method	<i>1B</i>	1895	<i>Ob</i>
GLC	<i>1B</i>	1896	<i>Ob</i>
Sodium anilinobenzene sulphonate (RE 147)	<i>E</i>	383	
Sodium biphenyl (RE 46)	<i>E</i>	308	
Sodium bis(2-ethylhexylcarbonyl) ethane sulphonate (RE 71)	<i>E</i>	338	
Sodium bis(2-ethylhexyl) sulphosuccinate (RE 71)	<i>E</i>	338	
Sodium carbonate (RE 52)	<i>E</i>	315	
Sodium chlorate [7], method	<i>E</i>	197	
Sodium diethyldithiocarbamate trihydrate (RE 96)	<i>E</i>	365	
diSodium dihydrogen ethylenediaminetetra-acetate (RE 37)	<i>E</i>	295	
Sodium diphenylaminesulphonate (RE 147)	<i>E</i>	383	
Sodium hydroxide, standard solutions (RE 25)	<i>E</i>	273	
Sodium nitrite, standard solutions (RE 39)	<i>E</i>	299	
Sodium pentacyanonitrosylferrate(III) (RE 146)	<i>E</i>	382	
diSodium tetraborate (RE 133)	<i>E</i>	376	
Sodium thiosulphate, standard solutions (RE 26)	<i>E</i>	276	
Solubility in acetone (MT 5)	<i>F</i>	21	
Solubility in ethanol (MT 7),	<i>F</i>	23	
Solubility in hexane (MT 6),	<i>F</i>	22	
Solubility in organic solvents (MT 181)	<i>H</i>	314	
Solubility in sodium hydroxide,			
phenoxyalkanoic herbicides (MT 71.1)	<i>F</i>	200	
cresols (MT 71.2)	<i>F</i>	200	
bromoxynil and ioxynil (MT 71.3)	<i>F</i>	201	
Solubility in triethanolamine (MT 76)	<i>F</i>	207	<i>Ob</i>
Solubility of salts and alkali insoluble-dinitro compounds (MT 108)	<i>F</i>	262	<i>Ob</i>
Soluble alkalinity (MT 81)	<i>F</i>	215	<i>Ob</i>
Soluble chlorides (MT 82)	<i>F</i>	215	<i>Ob</i>
Solvent naphtha, aromatic (RE 62)	<i>E</i>	328	
Specific gravity and density,			

CUMULATIVE INDEX

	CIPAC	page	Status
hydrometer method (MT 3.1)	<i>F</i>	11	
pycnometer method (MT 3.2)	<i>F</i>	13	
density of suspension concentrates (MT 3.3)	<i>F</i>	18	<i>E</i>
Spinosad [636], method, TC, SC, GR	<i>L</i>	121	
DT	<i>M</i>	197	
Spontaneity of dispersion, of suspension concentrates (MT 160)	<i>F</i>	391	
of water dispersible granules (MT 174)	<i>F</i>	435	
Stability of diluted oil products,			
tar-petroleum oil (MT 55.1)	<i>F</i>	167	
petroleum and DNOC petroleum oils (MT 55.2)	<i>F</i>	168	
petroleum oils for orchard use (MT 55.3)	<i>F</i>	168	
petroleum oils for glasshouse use (MT 55.4)	<i>F</i>	168	
Stability of diluted tar and petroleum oil products,			
tar-oils-miscible and stock emulsion types (MT 49.1)	<i>F</i>	155	
petroleum oil-miscible type (MT 49.2)	<i>F</i>	156	
Stability of diluted and petroleum oil concentrate products,			
miscible type (MT 52.1)	<i>F</i>	159	
Stability of undiluted DNOC-petroleum, petroleum and tar-			
petroleum oil products (MT 54)	<i>F</i>	167	
Stability of undiluted tar oil products,			
miscible type (MT 48.1)	<i>F</i>	154	
stock emulsion type (MT 48.2)	<i>F</i>	154	
Stability of tar-petroleum and petroleum oil products-			
undiluted, miscible type (MT 51.1)	<i>F</i>	158	
Standard waters,			
CIPAC standard waters A - G (MT 18.1)	<i>F</i>	59	
H and J (MT 18.2)	<i>F</i>	63	
non-CIPAC standard waters (MT 18.3)	<i>F</i>	64	
simplified procedure (MT 18.5)	<i>H</i>	302	
Starch solution (RE 27)	<i>E</i>	280	
Starch, indicator paper (RE 32)	<i>E</i>	284	
Sulfometuron-methyl [610], method	<i>J</i>	108	
Sulfotep [198], method	<i>H</i>	255	<i>E</i>
Sulphated ash, general method (MT 29)	<i>F</i>	91	
Sulphur [18], method	<i>E</i>	203	
Sulphuric acid, standard solutions (RE 28)	<i>E</i>	280	
Suspensibility of formulations forming suspensions on			
dilution with water (MT 184)	<i>K</i>	142	
Suspensibility of aqueous suspension concentrates (MT 161)	<i>F</i>	394	<i>Ob</i>
Suspensibility of water dispersible granules (MT 168)	<i>F</i>	417	<i>Ob</i>
Suspensibility of water dispersible powders,			

CUMULATIVE INDEX

	CIPAC	page	Status
CIPAC method (MT 15.1)	<i>F</i>	45	<i>Ob</i>
AID method (MT 15.2)	<i>F</i>	48	
simplified CIPAC method (MT 177)	<i>F</i>	445	<i>Ob</i>
Suspo-emulsions, dispersion stability (MT 180)	<i>H</i>	310	
2,4,5-T [6], method, titration method	<i>1C</i>	2220	<i>Ob</i>
GC	<i>1C</i>	2221	<i>Ob</i>
HPLC	<i>1C</i>	2221	
- salts	<i>1C</i>	2223	
-esters	<i>1C</i>	2223	
2,4,5-T + 2,4-D [6 + 1]	<i>1C</i>	2072	
2,4,5-T, pure (PP 6)	<i>1C</i>	2312	
Tannic acid (RE 143)	<i>E</i>	376	
Tap density, of powders (MT 33)	<i>F</i>	104	<i>Ob</i>
of water dispersible granules (MT 169)	<i>F</i>	418	<i>Ob E</i>
2,3,6-TBA [49], method titration method	<i>1C</i>	2225	<i>Ob</i>
GLC	<i>1C</i>	2227	<i>Ob</i>
Na-salt titration method	<i>1C</i>	2228	<i>Ob</i>
GLC	<i>1C</i>	2229	<i>Ob</i>
2,3,6-TBA + MCPA(salt) [49 + 2]	<i>1C</i>	2148	
2,3,6-TBA, pure (PP49)	<i>1C</i>	2314	
TCDD, determination of			
in 2,4,5-T technical (MT 151.1)	<i>F</i>	352	
in 2,4,5-T technical esters (MT 151.2)	<i>F</i>	355	
Tebuconazole [494], method	<i>H</i>	261	<i>E</i>
Temephos [340], method	<i>1C</i>	2230	
Tentative CIPAC method	N	1	
Terbufos [459], method	<i>H</i>	269	
Terbuthylazine [234], method, titration method	<i>1B</i>	1897	<i>Ob</i>
GLC	<i>1B</i>	1898	<i>Ob</i>
Terbutryn [212], method	<i>H</i>	275	
Tetradifon [113], method	<i>1B</i>	1901	<i>Ob</i>
Thallium [181], method	<i>1C</i>	2234	<i>Ob</i>
Thiabendazole [323], method	<i>E</i>	211	
Thiacloprid [631], method	<i>M</i>	198	
Thifensulfuron [452], method	<i>K</i>	114	
Thiobencarb [388], method	<i>D</i>	159	<i>Ob E</i>
Thiodicarb [543], method	<i>H</i>	279	
Thiometon [115], infrared method	<i>H</i>	285	
gas chromatographic method	<i>E</i>	218	<i>Ob</i>
Thiophanate-methyl [362], method	<i>D</i>	162	
Thiram [24], method	<i>D</i>	169	

CUMULATIVE INDEX

	CIPAC	page	Status
Thiram, qualitative procedure for confirmation of the presence of (MT 153)	<i>F</i>	360	
Thymol blue, solutions (RE 30)	<i>E</i>	283	
Thymolphthalein, solution (RE 30)	<i>E</i>	344	
Titanium(III)chloride (RE 83)	<i>E</i>	352	
Titanium(III)sulphate (RE 85)	<i>E</i>	358	
TMPS, method	<i>E</i>	142	
<i>i</i> -TMPS, method	<i>E</i>	142	
Toluene (RE 152)	<i>E</i>	384	
Toluene solubles (MT 90)	<i>F</i>	222	<i>Ob</i>
Tolylfluanid [275], method	<i>E</i>	222	
<i>o</i> -Tolyloxyacetic acid (RE 67)	<i>E</i>	334	
Total chlorides (MT 100)	<i>F</i>	254	<i>Ob</i>
Transfluthrin [741], method, TC, SL	<i>K</i>	121	
TC, VL	<i>L</i>	128	
Triadimefon [352], method	<i>1C</i>	2236	
revised method, TC, WP, WG, GR	<i>N</i>	126	
Triadimenol [398], method	<i>E</i>	224	<i>E</i>
revised method, TC, WP, WG, EC, SC, FS, EW	<i>N</i>	134	
Triazophos [353], method	<i>H</i>	288	
Tribenuron -methyl [546], method	<i>K</i>	128	
1,1,1-Trichloroethane (RE 95)	<i>E</i>	365	
Triflumuron [548], method	<i>J</i>	114	
Trifluralin [183], method	<i>H</i>	292	
Triforine [360], method	<i>H</i>	299	
<i>O,O,S</i> -Trimethylphosphorodithioate (RE 87)	<i>E</i>	360	
<i>O,O,O</i> -Trimethylphosphorothioate, method	<i>E</i>	142	
<i>O,O,S</i> -Trimethylphosphorothioate, method	<i>E</i>	142	
(Tris(1,10-phenanthroline)- <i>N,N'</i>)iron(II) sulphate (RE 149)	<i>E</i>	383	
Ultraviolet absorption test for ethylenebisdithiocarbamates (MT 165)	<i>F</i>	411	<i>E</i>
Undec-10-enoic acid (RE 89)	<i>E</i>	360	
Unsulphonated residue of neutral oil (MT 57)	<i>F</i>	170	
Urea herbicides, identification of (MT 137)	<i>F</i>	329	<i>Ob</i>
Vernolate [237], method	<i>1B</i>	1905	<i>Ob</i>
Viscosity, viscosity of transparent and opaque liquids (MT 22.1)	<i>F</i>	75	<i>E</i>
viscosity Redwood (MT 22.2)	<i>F</i>	81	<i>E</i>
viscosity of mineral oil (MT 22.3)	<i>F</i>	83	<i>E</i>
Viscosity of liquids by rotational viscometry (MT 192)	<i>L</i>	145	<i>E</i>

CUMULATIVE INDEX

	CIPAC	page	Status
revised method	<i>M</i>	210	
Vinclozolin [280], method	<i>D</i>	173	<i>Ob</i>
Volatility of neutral oil,			
preliminary examination (MT 56.1)	<i>F</i>	170	
full method (MT 56.2)	<i>F</i>	170	
Water, for laboratory use (RE 130)	<i>E</i>	374	
Water,			
Karl Fischer method	<i>F</i>	92	
Dean and Stark method (MT 30.2)	<i>F</i>	94	
free water 'speedy' method (MT 30.3)	<i>F</i>	95	<i>Ob</i>
water in acetone solutions (MT 30.4)	<i>F</i>	96	<i>Ob</i>
Karl Fischer method using pyridine-free reagents (MT 30.5)	<i>J</i>	120	
Water content and suspended solids,			
water content (MT 40.1)	<i>F</i>	131	<i>Ob</i>
suspended solids (MT 40.2)	<i>F</i>	131	<i>Ob</i>
Water insoluble material,			
hot solution of the sample (MT 10.1)	<i>F</i>	27	
cold solution of the sample (MT 10.2)	<i>F</i>	27	
coarse material-water insoluble (MT 10.3)	<i>F</i>	28	
insoluble material in pesticide aqueous solutions (MT 10.4)	<i>F</i>	29	
Water solubility,			
column elution method (MT 157.2)	<i>F</i>	380	
flask method (MT 157.3)	<i>F</i>	384	
preliminary test (MT 157.1)	<i>F</i>	379	
Water soluble bags, dissolution rate of (MT 176)	<i>F</i>	440	
Water soluble granules, degree of dissolution and solution stability (MT 179)	<i>H</i>	307	
Water soluble material (MT 9)	<i>F</i>	26	
Wettability (MT 53)	<i>F</i>	160	
Xylene (RE 10)	<i>E</i>	256	
Xylene insoluble material (MT 11)	<i>F</i>	30	
Xylenol Orange (RE 93)	<i>E</i>	364	
Zinc amalgam (RE 33)	<i>E</i>	284	
Zinc chloride, solutions (RE 94)	<i>E</i>	364	
Zinc, in dithiocarbamates (MT 94.1)	<i>F</i>	235	
Zinc, in zineb, method	<i>E</i>	231	
Zinc, in ziram, method	<i>E</i>	236	

CUMULATIVE INDEX

	CIPAC	page	Status
Zineb [25], method	<i>E</i>	230	
Zineb + copper [25 + 44], method	<i>H</i>	100	
Ziram [31], method	<i>E</i>	236	
Ziram + copper [31 + 44], method	<i>H</i>	101	