

CUMULATIVE INDEX

	CIPAC	page
Ametryn [133], GC method,	<i>H</i>	22
Amidate, method	<i>E</i>	142
Amines, identification of (MT 152)	<i>F</i>	357
Aminocarb [293]	<i>D</i>	9
2-Aminopyridine, preparation of complexes of nitro compounds (MT 134)	<i>D</i>	328
Amisulbrom [789], method, TC, SC, WG	<i>O</i>	4
Amitraz [362], method	<i>G</i>	5
Amitrole [90], method,		
potentiometric	<i>1B</i>	1720
argentometric	<i>1B</i>	1722
HPLC	<i>J</i>	4
Amitrole + monuron [90 + 99]	<i>1B</i>	1725
Amitrole + simazin [90 + 22]	<i>1B</i>	1725
Amitrole + NH ₄ CNS	<i>J</i>	9
Amitrole + diuron [90 + 100]	<i>J</i>	8
Amitrole + terbuthylazine [90 + 234]	<i>J</i>	9
Ammonia, solutions (RE 1)	<i>E</i>	245
Ammonia-ammonium chloride buffer solution-pH 10 (MT 107)	<i>F</i>	261
Ammonium cerium (IV) nitrate (RE 148)	<i>E</i>	383
Ammonium hexanitratocerate (IV) (RE 148)	<i>E</i>	383
diAmmonium hydrogen citrate (RE 91)	<i>E</i>	362
Ammonium iron (III) sulfate, indicator solution (RE 2)	<i>E</i>	246
diAmmonium iron (II) sulfate, standard solutions (RE 38)	<i>E</i>	297
diAmmonium peroxosulfate (RE 132)	<i>E</i>	375
Ammonium thiocyanate, standard solution (RE 3)	<i>E</i>	249
Ammonium trioxovanadate (V), solution (RE 31)	<i>E</i>	283
Anilazine [294], method	<i>E</i>	5
Aromatic solvent naphtha (RE 62)	<i>E</i>	328
Arsenic, determination of (MT 99)	<i>F</i>	251
Arsenic in sulfur, method	<i>E</i>	205
Arsenic in zineb, method	<i>E</i>	231
Arsenic in ziram, method	<i>E</i>	237
Arsenic (III) oxide, standard solution (RE 4)	<i>E</i>	250
Asulam [240], method	<i>H</i>	26
Atrazine [91], GC method,	<i>H</i>	37
Atrazine [91], GC method, TC, WG, SC	<i>P</i>	12
Attrition of tablets (MT 193)	<i>O</i>	204
replaces MT 193 Handbook L, p. 147		
Attrition resistance of granules (MT 178)	<i>H</i>	302
Attrition resistance of dispersible granules (MT 178.2)	<i>K</i>	140
Azadirachtin [627], method	<i>M</i>	4
Azimsulfuron [584], method	<i>L</i>	23

CUMULATIVE INDEX

	CIPAC	page
Azinphos-methyl [37], method, HPLC	<i>E</i>	12
IR	<i>1C</i>	1970
Azoxystrobin [571], method	<i>M</i>	10
Barium hydroxide, standard solutions (RE 5)	<i>E</i>	251
Bendiocarb [232], method	<i>D</i>	10
Benfluralin [285], method, GC	<i>1B</i>	1728
UV	<i>1B</i>	1726
Benfuracarb [501], method	<i>H</i>	38
Benomyl [206], method	<i>D</i>	14
Bensulfuron-methyl [502], method	<i>K</i>	6
Bensultap [464], method	<i>E</i>	17
Bentazone [366], method	<i>1C</i>	1973
Benzoylprop-ethyl [229], method	<i>1B</i>	1732
Benzoylprop-ethyl, pure (PP 229.a)	<i>1B</i>	1930
beta-Cyfluthrin [482], method	<i>H</i>	43
BHC (see HCH)		
BHTO in fenbutatin oxide	<i>D</i>	81
Bifenox [413], method	<i>G</i>	11
Binapacryl [138], method	<i>D</i>	67
Bioallethrin [203], method, TC	<i>H</i>	52
TC, LV	<i>L</i>	31
Bioallethrin + piperonyl butoxide [203 + 33]	<i>H</i>	55
<i>S</i> -Bioallethrin [750], method TC, LV	<i>L</i>	38
EW	<i>M</i>	18
2,2'-Bipyridyl (RE 61)	<i>E</i>	326
2,2'-Bipyridyl in diquat	<i>H</i>	161
4,4'-Bipyridyl (RE 60)	<i>E</i>	325
4,4'-Bipyridyl in paraquat	<i>H</i>	216
Bis (ethylenediamine) copper (II) sulfate (RE 81)	<i>E</i>	359
Bitertanol [386], method	<i>J</i>	14
Borax (RE 33)	<i>E</i>	376
Boscalid [673], method	<i>N</i>	4
Brodifacoum [370], chiral HPLC method, TC, RB	<i>O</i>	12
HPLC method	<i>1C</i>	1981
Broflanilide [994], HPLC method, TC, WP	<i>P</i>	21
Bromadiolone [371], method	<i>E</i>	23
Bromacil [139], method	<i>1C</i>	1986
Bromocresol green, solutions (RE 55)	<i>E</i>	317
Bromophenol blue, solution (RE 6)	<i>E</i>	254
Bromophos [5], method	<i>1B</i>	1738
Bromothymol blue, solutions (RE 7)	<i>E</i>	254

CUMULATIVE INDEX

	CIPAC	page
Bromoxynil [87], method	<i>IC</i>	<i>1989</i>
pure (PP 87)	<i>IC</i>	<i>2326</i>
- octanoate, GC method 1, TC	<i>IC</i>	<i>1998</i>
GC method 2, TC,EC	<i>IC</i>	<i>2004</i>
pure (PP 87.oct)	<i>IC</i>	<i>2330</i>
- heptanoate	<i>H</i>	<i>57</i>
Buffer Solutions		
Phosphate buffer (MT 19)	<i>F</i>	<i>69</i>
Bulk density (MT 186)	<i>K</i>	<i>151</i>
Bupirimate, identity test (MT 164)	<i>F</i>	<i>406</i>
Bupirimate [261], method	<i>IC</i>	<i>2007</i>
Bupirimate, pure (PP 261)	<i>IC</i>	<i>2340</i>
Butachlor [354], method	<i>D</i>	<i>17</i>
Butylate [266], method	<i>IB</i>	<i>1744</i>
Butylmagnesium chloride (RE 139)	<i>E</i>	<i>379</i>
Cadmium, standard solution (RE 131)	<i>E</i>	<i>374</i>
Captan [40], method, GC,	<i>IC</i>	<i>2015</i>
HPLC	<i>IC</i>	<i>2013</i>
Carbaryl [26], method	<i>M</i>	<i>19</i>
Carbendazim [263], method, UV	<i>H</i>	<i>61</i>
HPLC	<i>H</i>	<i>62</i>
Carbetamide [95], method	<i>E</i>	<i>28</i>
Carbon disulfide (RE 153)	<i>E</i>	<i>384</i>
Carbofuran [276], method	<i>D</i>	<i>20</i>
Carbosulfan [417], method	<i>E</i>	<i>35</i>
Cartap [387], method	<i>D</i>	<i>24</i>
Cerium (IV) sulfate, standard solutions (RE 99)	<i>E</i>	<i>368</i>
Cetylpyridinium bromide, solution (RE 11)	<i>E</i>	<i>258</i>
Chinomethionat [172], method	<i>IC</i>	<i>2019</i>
Chloramben [141], method	<i>IB</i>	<i>1747</i>
Chlorantraniliprole [794], HPLC method, TC, WG, SC, FS	<i>P</i>	<i>28</i>
Chlordimeform [277], method	<i>D</i>	<i>28</i>
Chlorfenapyr [570], method, TC, SC	<i>O</i>	<i>22</i>
and alpha-Cypermethrin [454], GC	<i>P</i>	<i>62</i>
method, LN		
Chlorfenvinphos [88], method	<i>H</i>	<i>67</i>
Chloridazon [111], method	<i>D</i>	<i>31</i>
water dispersible granules	<i>H</i>	<i>76</i>
Chlorides, in phenoxyalkanoic acids (MT 68.1)	<i>F</i>	<i>195</i>
Chlorides, test for (MT 117)	<i>F</i>	<i>282</i>
Chlorides, total chlorides (MT 100)	<i>F</i>	<i>254</i>

CUMULATIVE INDEX

	CIPAC	page
Chlormequat [143], titration method	<i>D</i>	39
ion chromatographic method	<i>H</i>	77
Chlorobenzilate [119], method	<i>H</i>	81
4-Chloro- <i>m</i> -cresol (RE 104)	<i>E</i>	371
4-Chloro- <i>o</i> -cresol (RE 109)	<i>E</i>	372
6-Chloro- <i>p</i> -cresol (RE 68)	<i>E</i>	335
1-Chloro-2,3-epoxyethane (MT 77)	<i>F</i>	207
Chloroform (RE 64)	<i>E</i>	330
Chloroform solubles, hot solutions (MT 87.1)	<i>F</i>	221
cold solutions (MT 87.2)	<i>F</i>	222
6-Chloro-2-methylphenoxyacetic acid (RE 65)	<i>E</i>	332
γ -Chlorophosphamidon, method	<i>E</i>	182
Chloropropylate [120], method	<i>H</i>	85
Chlorothalonil [288], method	<i>K</i>	13
Chlorothalonil + HCB [288 +161], method	<i>K</i>	13
6-Chloro- <i>o</i> -tolylloxyacetic acid (RE 65)	<i>E</i>	332
Chloroxuron [187], method	<i>1B</i>	1751
Chlorphoxim, [341], method	<i>D</i>	24
Chlorpropham [43], method	<i>1B</i>	1757
Chlorpropham + propham [43 + 63]	<i>1C</i>	2025
Chlorpyrifos [221], method, TC, DP, WP, EC, GR	<i>1C</i>	2028
UL	<i>K</i>	23
LN	<i>P</i>	47
Chlorsulfuron [441], method, TC, WG	<i>H</i>	89
WP	<i>K</i>	24
Chlorthal [328], method, GC	<i>1C</i>	2032
IR	<i>1C</i>	2034
CIPAC method	<i>P</i>	1
Clodinafop [683]; method	<i>M</i>	26
Clofentezine [418], method	<i>G</i>	18
Clothianidin [738], method	<i>N</i>	14
WP	<i>P</i>	52
Conductivity, determination of (MT 32)	<i>F</i>	103
Congo red, solution (RE 9)	<i>E</i>	256
Copper [44], method	<i>E</i>	42
Copper ethylenediamine sulfate (RE 81)	<i>E</i>	350
Copper, water soluble		
colorimetric method with bathocuproine (98.1)	<i>F</i>	246
atomic absorption method (MT 98.2)	<i>F</i>	248
Copper + mancozeb [44 + 34], method	<i>H</i>	96
Copper + maneb [44 + 61], method	<i>H</i>	100
Copper + zineb [44 + 25], method	<i>H</i>	100

CUMULATIVE INDEX

	CIPAC	page
Copper + ziram [44 + 31], method	<i>H</i>	101
Correction of interfering peaks (MT 114)	<i>F</i>	278
Coumatetralyl [189], method	<i>G</i>	24
<i>m</i> -Cresol (RE 100)	<i>E</i>	370
<i>o</i> -Cresol (RE 70)	<i>E</i>	338
<i>p</i> -Cresol (RE 101)	<i>E</i>	370
Crystal violet, solution (RE 129)	<i>E</i>	373
Cyanazine [230], method	<i>1C</i>	2039
Cyanazine, pure (PP 230)	<i>1C</i>	2335
Cyazofamid, [653], method, TC, SC	<i>O</i>	31
Cycloate [214], method	<i>H</i>	102
Cyclohexane (RE 155)	<i>E</i>	386
Cycloxydim [510], method	<i>K</i>	25
Cyetryrafen [997], HPLC method, TC, SC	<i>P</i>	54
Cyfluthrin [385], method	<i>H</i>	106
beta-Cyfluthrin [482], method	<i>H</i>	43
lambda-Cyhalothrin [463], method, TC, WP, EC, UL	<i>E</i>	49
LN	<i>N</i>	83
lambda-Cyhalothrin, free, determination in CS formulations (MT 189)	<i>L</i>	137
lambda-Cyhalothrin, determination of release properties CS formulations (MT 190)	<i>L</i>	140
Cyhexatin [289], method	<i>D</i>	46
Cymoxanil [419], method	<i>J</i>	22
Cypermethrin, identity test (MT 163)	<i>F</i>	404
Cypermethrin [332], method, GC	<i>1C</i>	2047
diastereomeric ratio, HPLC	<i>1C</i>	2052
alpha-Cypermethrin [454], method, TC, WP, EC, SC, UL	<i>H</i>	14
SC (oil enhanced), WG	<i>K</i>	4
LN	<i>M</i>	40
and Chlorfenapyr [570], GC method, LN	<i>P</i>	62
and Pyriproxyfen [715], GC method, LN	<i>P</i>	73
zeta-Cypermethrin [733], HPLC chiral method, TC	<i>P</i>	82
Cyphenothrin [804], method	<i>M</i>	44
EW	<i>P</i>	93
Cyproconazole [600], method	<i>J</i>	29
Cyprodinil [511], method	<i>N</i>	25
Cyromazin [420], method	<i>M</i>	54
2,4-D [1], method, titration method	<i>1C</i>	2060
GC	<i>1C</i>	2061
HPLC	<i>1C</i>	2062

CUMULATIVE INDEX

		CIPAC	page
-salts	titration method	<i>1C</i>	2063
	GC	<i>1C</i>	2065
	HPLC	<i>1C</i>	2065
-esters	titration method	<i>1C</i>	2068
	GC	<i>1C</i>	2069
	HPLC	<i>1C</i>	2071
2,4-D + dicamba [1+85] (salts),	GC	<i>1C</i>	2071
	IR	<i>H</i>	133
2,4-D + dicamba + mecoprop [1 + 85 + 51] (salts)		<i>D</i>	51
2,4-D + picloram [1 + 174]		<i>1B</i>	1757
2,4-D + 2,4,5-T [1 + 6](esters)		<i>1C</i>	2072
2,4-D, pure (PP 1)		<i>1C</i>	2307
Dalapon [52], method (Na + Mg salt)		<i>D</i>	54
Dazomet [146], method,	CS ₂ method	<i>1C</i>	2074
	HPLC	<i>J</i>	37
2,4-DB [83], method		<i>1C</i>	2078
-K salt,	titration method	<i>1C</i>	2080
	GC	<i>1C</i>	2082
2,4-DB, pure (PP 83)		<i>1C</i>	2321
DDT [3], method		<i>E</i>	58
DDT + endrin [3 + 28]		<i>1B</i>	1760
Degree of dissolution and solution stability (MT 179.1)		<i>O</i>	189
replaces MT 179			
Deltamethrin [333], method,	TC, WP, EC, UL, DP	<i>D</i>	57
method,	TC, WG, WP, EC, SC, DP, EG, EW,	<i>L</i>	45
	UL		
	TB, LN	<i>M</i>	65
	PE LN	<i>N</i>	34
	PE + PP LN incorporated	<i>O</i>	43
	method, isomers, TC	<i>O</i>	39
Desmetryn [147], method,	GC	<i>1B</i>	1766
	titration method	<i>1B</i>	1765
Deniges reagent (RE 57)		<i>E</i>	319
Deschlorophosphamidon, method		<i>E</i>	182
Detection and identification of impurities in substituted phenylurea herbicides (MT 142)		<i>F</i>	336
Determination of organochlorine pesticides in aqueous emulsions (MT 65)		<i>F</i>	190
Determination of pH values, general method (MT 75.1)		<i>F</i>	205
pH of aqueous dispersions (MT 75.2)		<i>F</i>	206
pH of diluted and undiluted aqueous solutions (MT 75.3)		<i>J</i>	131

CUMULATIVE INDEX

	CIPAC	page
Determination of seed-to-seed uniformity of distribution for liquid seed-treatment formulations (MT 175)	<i>F</i>	438
Diazinon [15], method	<i>H</i>	122
Diazomethane (RE 35)	<i>E</i>	286
1,2-Dibromoethane [125], method	<i>1C</i>	2115
Dicamba [85], method, infrared method	<i>H</i>	127
HPLC method	<i>K</i>	32
Dicamba + 2,4-D [85 + 1], method	<i>H</i>	133
Dicamba + MCPA [85 + 2], method	<i>H</i>	131
Dicamba + 2,4-D + mecoprop [85 + 1 + 51] (salts)	<i>D</i>	51
Dichlobenil [73], method, GC (cap)	<i>E</i>	65
GC	<i>1B</i>	1769
Dichlofluanid [74], method, titration method	<i>1B</i>	1774
HPLC	<i>1C</i>	2083
2,4-Dichloroanisole in bifenox	<i>G</i>	14
2,4-Dichlorobenzoic acid (RE 79)	<i>E</i>	347
4,6-Dichloro- <i>o</i> -cresol (RE 69)	<i>E</i>	335
Dichlorodifluoromethane insoluble material (MT 16)	<i>F</i>	52
4,6-Dichloro-2-methylphenoxyacetic acid (RE 66)	<i>E</i>	333
2,4-Dichlorophenol in bifenox	<i>G</i>	14
2,6-Dichlorophenol (RE 72)	<i>E</i>	339
4,6-Dichloro- <i>o</i> -tolylloxyacetic acid (RE 66)	<i>E</i>	333
Dichlorprop [84], method, titration method	<i>1C</i>	2087
GC	<i>1C</i>	2087
HPLC	<i>1C</i>	2088
HPLC	<i>G</i>	32
-salts titration method	<i>1C</i>	2092
GC	<i>1C</i>	2093
HPLC	<i>1C</i>	2093
Dichlorprop, pure (PP 84)	<i>1C</i>	2323
Dichlorprop-P [476], method	<i>G</i>	32
Dichlorvos [11], method, GC	<i>H</i>	135
Diclofop [358], method	<i>1C</i>	2096
Dicofol [123], method	<i>D</i>	67
Dieldrin [16], method	<i>1B</i>	1781
Diethyl ether (RE 12)	<i>E</i>	258
Diflovidazin [734], method	<i>L</i>	61
Diflubenzuron [339], method, TC, WP,	<i>H</i>	141
TC, WP (revised methods)	<i>N</i>	38
SC, GR, TB	<i>N</i>	42
Diflufenican [462], method	<i>H</i>	147
Dihydrosafrole in piperonyl butoxide, TC	<i>O</i>	104

CUMULATIVE INDEX

	CIPAC	page
Diisopropyl ether (RE 63)	<i>E</i>	328
Dilute emulsion stability (MT 20)	<i>F</i>	71
colorimetric method (MT 173)	<i>F</i>	431
Dilution stability (MT 41)	<i>F</i>	131
Dilution stability of aqueous solutions (MT 41.1)	<i>O</i>	174
Disintegration of tablets (MT 197)	<i>O</i>	212
Dissolution degree and solution stability (MT 179)	<i>H</i>	307
Dissolution degree and solution stability (MT 179.1)	<i>O</i>	189
replaces MT 179		
Dimedone derivative (MT 28)	<i>F</i>	89
Dimercury dicyanide oxide (RE 154)	<i>E</i>	383
Dimethoate [59], HPLC method	<i>E</i>	69
Dimethoate [59], GLC method	<i>H</i>	153
Dimethomorph [483], method	<i>G</i>	32
<i>O,O</i> -Dimethyl S-methylcarbamoylmethylphosphorodithioate (RE 86)	<i>E</i>	359
<i>O,O</i> -Dimethyl methylphosphoroamidothioate, method	<i>E</i>	142
<i>O,S</i> -Dimethyl methylphosphoroamidothioate, method	<i>E</i>	142
<i>O,S</i> -Dimethyl 4-nitrophenylphosphorothioate, method	<i>E</i>	169
<i>O,O</i> -Dimethyl phosphoroamidothioate, method	<i>E</i>	142
<i>O,O</i> -dimethyl phosphorochloridothioate	<i>O</i>	118
Dimethyl sulfate (RE 13)	<i>E</i>	259
Dimoxystrobin [739], method, TC, SE, SC	<i>O</i>	47
Dinotefuran [749], method	<i>L</i>	67
	RB,	P 98
Dinoterb [403], method	<i>1B</i>	1797
Dinitro compounds, solubility of salts and alkali insolubles (MT 108)	<i>F</i>	262
mineral acidity of (MT 109)	<i>F</i>	263
Dioxane (RE 49)	<i>E</i>	311
Diquat [55], method	<i>E</i>	74
identity tests	<i>G</i>	47
free 2,2'-bipyridyl	<i>H</i>	161
Terpyridines in	<i>M</i>	68
Diquat dibromide (PP 55)	<i>E</i>	387
Dispersion stability of suspo-emulsions (MT 180)	<i>H</i>	310
SE, CD and OD formulations	<i>O</i>	192
Dissolution rate of water-soluble bags (MT 176)	<i>F</i>	440
Disulfoton [152], method	<i>1C</i>	2101
Dithianon [153], method, HPLC	<i>G</i>	50
colorimetric	<i>1C</i>	2105
Dithiocarbamates, determination of anions (MT 154)	<i>F</i>	361
Identity test for certain alkylenebis(dithiocarbamates)	<i>F</i>	320

CUMULATIVE INDEX

	CIPAC	page
Qualitative procedure for confirmation of the presence of a dithiocarbamate or thiuram disulfide (MT 153)	<i>F</i>	360
Dithizone (RE 59)	<i>E</i>	371
Dodine [101], method	<i>1B</i>	1802
Dustability test after accelerated storage (MT 34)	<i>F</i>	107
Dust content and apparent density of granular formulations, sampling (MT 58.1)	<i>F</i>	173
preparation of the sample (MT 58.2)	<i>F</i>	173
apparent density after compaction without pressure (MT 58.3)	<i>F</i>	175
Dustiness of granular products (MT 171)	<i>F</i>	425
Dustiness of granular products, revised method (MT 171.1) (supersedes MT 171)	<i>P</i>	235
Edifenphos [409], method	<i>E</i>	79
EDTA sodium salt, solutions (RE 37)	<i>E</i>	295
Emulsion characteristics of emulsifiable concentrates, five per cent v/v oil phase when diluted (MT 36.1)	<i>F</i>	108
dispersion stability of aqueous emulsions (MT 36.2)	<i>F</i>	112
emulsion characteristics and re-emulsification properties (MT 36.3)	<i>K</i>	137
dilute, colorimetric determination of the stability of emulsions (MT 173)	<i>F</i>	431
dilute, agrochemical emulsion tester (MT 183)	<i>J</i>	138
Endosulfan [89], method	<i>1C</i>	2111
Endrin [28], method	<i>1B</i>	1805
Endrin + DDT [28 + 3]	<i>1B</i>	1760
Endrin + parathion-methyl [28 + 487]	<i>1B</i>	1819
Epichlorhydrin (MT 77)	<i>F</i>	207
Epoxiconazole [609], method	<i>K</i>	38
EPTC [155], method	<i>1B</i>	1823
Erichrome Black T (RE 53)	<i>E</i>	316
Esbiothrin [751], method	<i>L</i>	73
Esfenvalerate [481], method	<i>K</i>	47
Ethanol soluble material, hot solution (MT 7.1)	<i>F</i>	23
solution at room temperature (MT 7.2)	<i>F</i>	24
Ethephon [373], method	<i>H</i>	165
Ethiofencarb [363], method	<i>E</i>	84
Ethion [102], method	<i>1B</i>	1826
Ethirimol, identity test (MT 164)	<i>F</i>	406
Ethirimol [242], method	<i>D</i>	72
Ethofumesate [233], method, TC, SC, EC	<i>J</i>	43
SE	<i>L</i>	80

CUMULATIVE INDEX

	CIPAC	page
Ethyl butylacetamidopropionate [667], method	<i>M</i>	76
<i>N</i> -(2-ethylhexyl)-8,9,10-tribornene-2,3-dicarboxamide [345], method	<i>1C</i>	2166
Ethylenediamine tetraacetic acid, sodium salt, solutions (RE 37)	<i>E</i>	295
Etofenprox [471], method, GLC method (packed column)	<i>G</i>	56
(capillary column)	<i>K</i>	57
ETU, determination in ethylenebisdithiocarbamates		
HPLC method (Referee method) (MT 162.1)	<i>F</i>	399
Paper chromatographic method (MT 162.2)	<i>F</i>	401
HPLC method (MT 162.3)	<i>O</i>	180
Evaluation of wettability,		
wetting time of a standard type (MT 53.1)	<i>F</i>	160
wetting of leaf surfaces (MT 53.2)	<i>F</i>	162
wetting of dispersible powders (MT 53.3)	<i>F</i>	164
Extractable acids, determination of (MT 126)	<i>F</i>	288
Extractable acids, melting point of (MT 127)	<i>F</i>	291
Fat extraction apparatus (MT 67)	<i>F</i>	194
Fehling's solution (RE 29)	<i>E</i>	282
Fenazaquin [693], HPLC method, TC, SC,	<i>P</i>	102
Fenbutatin oxide [359], method	<i>D</i>	77
Fenhexamid [603], method	<i>M</i>	80
Fenitrothion [35], method, TC,	<i>N</i>	46
method from CIPAC 1C p 2117 was replaced		
Fenobucarb [390], method, TLC	<i>D</i>	87
HPLC	<i>D</i>	89
Fenoprop [118], method, titration method	<i>1C</i>	2121
GC	<i>1C</i>	2122
salts, titration method	<i>1C</i>	2122
GC	<i>1C</i>	2123
Fenoprop, pure (PP 118)	<i>1C</i>	2333
Fenoxaprop-P-ethyl [484], method, TC, EW	<i>J</i>	51
TC, EW, EC, SE, OD	<i>M</i>	89
Fenpropimorph [427], method	<i>G</i>	62
Fensulfothion [303], method, HPLC	<i>1C</i>	2126
GC	<i>D</i>	92
Fenthion [79], method, col.	<i>1B</i>	1830
method, GC, TC, WP, GR, EC, EW	<i>L</i>	81
UL, DP	<i>M</i>	96
Fentin acetate [489], method	<i>E</i>	89
Fentin acetate + maneb [489 + 61], GC	<i>1B</i>	1837
HPLC	<i>E</i>	89

CUMULATIVE INDEX

	CIPAC	page
Free acidity or alkalinity of formulations (MT 191)	<i>L</i>	143
Free acidity of phenoxyalkanoic esters (MT 66)	<i>F</i>	193
Free amines in urea herbicides (MT 141)	<i>F</i>	333
Free 2,2'-bipyridyl in diquat	<i>H</i>	161
Free 4,4'-bipyridyl in paraquat	<i>H</i>	216
Free lambda-cyhalothrin in CS formulations (MT 189)	<i>L</i>	137
Free pirimiphos-methyl in CS formulations (MT 189.2)	<i>O</i>	193
Free parathion-methyl in CS formulations (MT 188)	<i>L</i>	132
Free phenols in phenoxyalkanoic herbicides, GLC method (MT 69)	<i>F</i>	197
HPLC method (MT 155)	<i>F</i>	362
Freezing mixtures, (5 ± 1°C) (MT 14.1)	<i>F</i>	44
(10 ± 1°C) (MT 14.2)	<i>F</i>	44
Freezing point (MT 1)	<i>F</i>	3
Friability of tablets (MT 193)	<i>L</i>	147
replaced by Attrition of tablets MT 193	<i>O</i>	204
Gas chromatography of phenoxyalkanoic acids and other herbicides (MT 129)	<i>F</i>	292
Glufosinate [437], method	<i>G</i>	89
Glyphosate [284], method, TC, SL	<i>IC</i>	2132
SG	<i>H</i>	182
Haloxyfop-P-methyl [526], method	<i>N</i>	67
Hardness of water (MT 73)	<i>F</i>	201
Total hardness of water (MT 73.1)	<i>O</i>	179
HCB (in chlorothalonil) [161, (288)]	<i>K</i>	13
HCH (lindane in) [4, (488)], method	<i>IC</i>	1977
HEOD (see dieldrin)		
Heptane (RE 50)	<i>E</i>	313
Heptane-insoluble material (MT 101)	<i>F</i>	255
Hexaconazole [465], HPLC method, TC, WG, SC	<i>P</i>	124
Hexadecanoic acid (RE 80)	<i>E</i>	348
Hexane (RE 76)	<i>E</i>	344
Hexazinone [374], method	<i>J</i>	71
HHDN (see aldrin)		
Hydrochloric acid, standard solutions (RE 14)	<i>E</i>	262
Hydrogen peroxide (RE 56)	<i>E</i>	318
Hydrogen sulfide and thiols (MT 78)	<i>F</i>	208
Hydrolysable organic chlorine, DDT residues of technical material (MT 64.4)	<i>F</i>	187
DDT dusts and dispersible powders (MT 64.5)	<i>F</i>	189

CUMULATIVE INDEX

	CIPAC	page
DDT emulsifiable concentrates and solutions (MT 64.6)	<i>F</i>	189
HCH and lindane, dried residues, or technical materials (MT 64.1)	<i>F</i>	183
HCH or lindane dusts and dispersible powders (MT 64.2)	<i>F</i>	186
HCH or lindane emulsifiable concentrates and solutions (MT 64.3)	<i>F</i>	187
Hydroxylammonium chloride (RE 74)	<i>E</i>	350
Icaridin [740], method	<i>K</i>	64
Identification of amines (MT 152)	<i>F</i>	357
Identification of urea herbicides (MT 137)	<i>F</i>	329
Identity test for certain dithiocarbamates and thiram and their mixtures (MT 130)	<i>F</i>	321
Identity tests for permethrin, cypermethrin and fenvalerate (MT 163)	<i>F</i>	404
Identity tests for pirimicarb, bupirimate, ethirimol, pirimiphos-ethyl and pirimiphos-methyl (MT 164)	<i>F</i>	406
Ignition tests, assessment of spontaneous ignition potential of dithio-carbamates (MT 84.1)	<i>F</i>	218
Imazalil [335], method	<i>E</i>	95
Imidacloprid [582], method, TC, WP, SC, GR, fertilizer formulations	<i>H</i>	185
TC, WG, SC, WS, FS	<i>K</i>	70
SL, OD	<i>L</i>	89
UL	<i>P</i>	133
Indoxacarb, [612], method, TC, TK, WG, OD, EC	<i>N</i>	73
Iodides, test for (MT 118)	<i>F</i>	283
Iodine, standard solutions (RE 16)	<i>E</i>	264
Iodine, monochloride, solution (RE 58)	<i>E</i>	320
Ioxynil [86], method	<i>E</i>	101
Ioxynil octanoate [86.407], method	<i>G</i>	94
Iprobenfos [393], method	<i>D</i>	110
Iprodione [278], method, TC, WP, SC	<i>G</i>	98
WG	<i>L</i>	90
IR 3535 see Ethyl butylacetamidopropionate		
Iron, determination of (MT 95)	<i>F</i>	236
Iron (III) chloride (RE 84)	<i>E</i>	355
Isobutyl benzoate (RE 92)	<i>E</i>	362
Isochloridazone	<i>D</i>	35
Isofenphos [412], method	<i>D</i>	114
Isolation of active ingredient, extraction with acetone (MT 37.1)	<i>F</i>	115
extraction with light petroleum (MT 37.2)	<i>F</i>	115
Isomalathion, method	<i>IB</i>	1855

CUMULATIVE INDEX

	CIPAC	page
Isopirimiphos-methyl in pirimiphos-methyl	<i>O</i>	116
Isoprocarb [396], method	<i>D</i>	118
Isoprothiolane [456], method	<i>E</i>	105
Isoproturon [336], method	<i>E</i>	110
John Innes Potting compost for soil testing of seed germination (MT 26)	<i>F</i>	87
Kerosene (RE 73)	<i>E</i>	342
Kerosene insoluble material (MT 8)	<i>F</i>	25
Kieselguhr, for GLC (MT 86.1)	<i>F</i>	219
for partition chromatography (MT 86.2)	<i>F</i>	220
Kresoxim-methyl [568], method	<i>K</i>	77
lambda-Cyhalothrin [463], method, TC, WP, EC, UL	<i>E</i>	49
CS	<i>K</i>	86
LN	<i>N</i>	83
Lead, dithizone general method (MT 92.1)	<i>F</i>	224
dithizone method B (MT 92.2)	<i>F</i>	229
Lead, standard solution (RE 90)	<i>E</i>	361
Lindane [488], method, SC	<i>G</i>	105
TC, WP	<i>1C</i>	2135
- alpha HCH	<i>G</i>	108
- in HCH [4]	<i>1C</i>	1979
Liquid paraffin (RE 8)	<i>E</i>	255
Loss on drying, oven drying at 60°C (MT 17.1)	<i>F</i>	55
vacuum drying at 45°C, 24 h (MT 17.2)	<i>F</i>	56
over drying at 100°C at constant weight (MT 17.3)	<i>F</i>	57
vacuum drying at room temperature (MT 17.4)	<i>F</i>	57
Low temperature stability,		
emulsifiable concentrates and solutions (MT 39.1)	<i>F</i>	128
aqueous solutions (MT 39.2)	<i>F</i>	129
liquid formulations (MT 39.3)	<i>J</i>	126
Lufenuron [704], method	<i>M</i>	106
Malathion [12], method, TC, DP, WP, EC, OL (GLC, packed column)	<i>1B</i>	1849
TC, EC, EW, DP (GLC, capillary column)	<i>K</i>	88
Mancozeb [34], method	<i>H</i>	194
Mancozeb + copper [34 + 44]	<i>H</i>	96
Mancozeb [34], HPLC method, TC, WP	<i>P</i>	136

CUMULATIVE INDEX

	CIPAC	page
Manganese, bismuthate method (MT 93.1)	<i>F</i>	232
EDTA method (MT 93.2)	<i>F</i>	234
Magnesium sulfate, solution (RE 144)	<i>E</i>	381
Maneb [61], method	<i>E</i>	116
Maneb + copper [61+ 449]	<i>H</i>	100
Maneb + fentin [61 + 103]	<i>E</i>	89
Maneb + fentin acetate [61 + 489]	<i>D</i>	95
Maneb + fentin hydroxide [61 + 490]	<i>D</i>	98
MCPA [2], titration method	<i>1C</i>	2137
GC	<i>1C</i>	2138
HPLC	<i>1C</i>	2139
MCPA - salts, titration method	<i>1C</i>	2141
GC	<i>1C</i>	2141
HPLC	<i>1C</i>	2141
MCPA - esters, titration method	<i>1C</i>	2145
GC	<i>1C</i>	2145
HPLC	<i>1C</i>	2145
MCPA + 2,3,6-TBA [2 + 49]	<i>1C</i>	2148
MCPA, pure (PP 2)	<i>1C</i>	2309
MCPB [50], titration method	<i>1C</i>	2153
GC	<i>1C</i>	2154
- salts, titration method	<i>1C</i>	2154
GC	<i>1C</i>	2155
MCPB, pure (PP 50)	<i>1C</i>	2316
Mecoprop [51], titration method	<i>1C</i>	2157
GC	<i>1C</i>	2158
HPLC	<i>1C</i>	2158
- salts, titration method	<i>1C</i>	2162
GC	<i>1C</i>	2163
HPLC	<i>1C</i>	2163
Mecoprop + 2,4-D + dicamba [51 + 1 + 8](salts)	<i>D</i>	51
Mecoprop, pure (PP 51)	<i>1C</i>	2319
Mecoprop-P [475], method	<i>G</i>	109
Mefenpyr-diethyl, [651], method	<i>N</i>	87
Melting point (MT 2)	<i>F</i>	5
Mepiquat [440], method	<i>J</i>	78
Mercurial impurities in technical and formulated mercury compounds (MT 110)	<i>F</i>	264
Mercury, determination on treated seed (MT 158)	<i>F</i>	387
Mercuric oxycyanide (RE 154)	<i>E</i>	385
Mercury(II)chloride (RE 135)	<i>E</i>	378
Mercury(II) salts, characteristic reactions of (MT 116)	<i>F</i>	280

CUMULATIVE INDEX

	CIPAC	page
Mercury(II)sulfate, solution (RE 57)	<i>E</i>	319
Metalaxyl [365], method	<i>E</i>	123
Metamitron [381], method	<i>D</i>	124
Metam-sodium [20], method	<i>E</i>	131
Metazachlor [411], method	<i>E</i>	134
Methabenzthiazuron [201], method	<i>G</i>	116
Methamidophos [355], method	<i>E</i>	139
Methanol (RE 47)	<i>E</i>	309
Methiocarb [165], method	<i>D</i>	130
Methomyl [264], method	<i>H</i>	199
Methoprene [414], method	<i>M</i>	115
Methoprotryne [94], method	<i>1B</i>	1864
<i>N</i> -Methyl amidate, method	<i>E</i>	142
Methylcyclopropene [767], method	<i>N</i>	99
Methyl (dimethoxyphosphinothioylthio) acetate (RE 88)	<i>E</i>	360
Methyl-methamidophos, method	<i>E</i>	142
Methyl orange, solutions (RE 17)	<i>E</i>	266
2-Methylphenoxyacetic acid (RE 67)	<i>E</i>	334
Methyl red, solutions (RE 18)	<i>E</i>	266
Methyl undec-10-enoate (RE 89.2)	<i>E</i>	361
Metolachlor [400], method	<i>D</i>	134
Metribuzin [283], method	<i>D</i>	137
Metsulfuron [441], method, TC, WG	<i>H</i>	204
WP	<i>K</i>	95
Mevinphos [45]	<i>H</i>	212
MGK 264 + pyrethrum + piperonylbutoxide [345 + 32 + 33], method	<i>H</i>	239
Mineral acidity of dinitro compounds (MT 109)	<i>F</i>	263
Miscibility with hydrocarbon oil (MT 23)	<i>F</i>	85
Mineral oil (RE 36)	<i>E</i>	292
Molinate [235], method	<i>1B</i>	1866
Monocrotophos [287], method	<i>E</i>	145
Mordant black, solutions (RE 53)	<i>E</i>	316
Nabam [21], method	<i>E</i>	151
Naphtholbenzein, solution (RE 54)	<i>E</i>	317
Neutrality (MT 74)	<i>F</i>	204
Neutral oil, determination of distillation range (MT 61)	<i>F</i>	183
Niclosamide [599], method, TC, WP, EC	<i>J</i>	84
SC	<i>K</i>	96
Nicosulfuron [709], method	<i>M</i>	121
OD	<i>O</i>	92

CUMULATIVE INDEX

	CIPAC	page
Parathion-methyl, free, determination in CS formulations (MT 188)	<i>L</i>	132
Particle size analysis by laser diffraction (MT 187)	<i>K</i>	153
Particle size, formulations without carriers (MT 42.1)	<i>F</i>	133
formulations containing carriers (MT 42.2)	<i>F</i>	138
Particle size distribution of a DDT dispersible powder (MT 43)	<i>F</i>	140
PCAF Reagent (RE 146)	<i>E</i>	382
Pebulate [236], method	<i>1B</i>	1887
Pencycuron [402], method	<i>E</i>	173
Pendimethalin [357], method	<i>M</i>	148
Pentacyanoaminoferroate (RE 146)	<i>E</i>	382
Perchloric acid, standard solutions (RE 43)	<i>E</i>	304
Permethrin, identity test (MT 163)	<i>F</i>	404
Permethrin [331], method, TC, WP, EC, WG, DP	<i>1C</i>	2173
TC, EW, LN	<i>M</i>	155
HPLC, enantiomeric purity in TC, EW	<i>O</i>	94
EC, LN, capillary GC + piperonyl butoxide	<i>O</i>	97
Persistent foaming (MT 47)	<i>F</i>	152
Persistent foam (MT 47.1)	<i>F</i>	152
Determination of the foaming of suspension concentrates (MT 47.2)	<i>F</i>	152
Persistent foam, general method (MT 47.3)	<i>O</i>	177
Petroleum spirit (RE 45)	<i>E</i>	307
pH, determination of (MT 75)	<i>F</i>	205
revised method (MT 75.3)	<i>J</i>	131
Phenmedipham [77], method, titration method	<i>1C</i>	2181
HPLC	<i>1C</i>	2184
HPLC (revised)	<i>J</i>	92
Phenolphthalein, solution (RE 19)	<i>E</i>	267
<i>d</i> -Phenothrin [777], method	<i>L</i>	96
Phenylurea herbicides, detection and identification of impurities in substituted (MT 142)	<i>F</i>	336
Phorate [173], method	<i>1B</i>	1890
Phosalone [109], method	<i>D</i>	141
Phosphamidon [110], method, method	<i>E</i>	179
Phosphate buffer solutions (MT 19)	<i>F</i>	69
Phosphates, test for (MT 120)	<i>F</i>	285
Phosphorus in active ingredients, spectrophotometric determination after TLC separation (MT 145)	<i>F</i>	340
Phosphorus pentoxide desiccant (MT 24)	<i>F</i>	86
Phoxim [364], method	<i>1C</i>	2187
Picloram [174], method (salts)	<i>1B</i>	1893
Picloram + 2,4-D [174 + 1]	<i>1B</i>	1757

CUMULATIVE INDEX

	CIPAC	page
HPLC, TC, SL	<i>L</i>	104
Piperonyl butoxide [33], method, capillary GC, TC	<i>O</i>	104
TC	<i>1C</i>	2190
EW	<i>M</i>	163
LN	<i>N</i>	111
LN + deltamethrin	<i>O</i>	111
LN + permethrin	<i>O</i>	111
+ metofluthrin [993] and d,d-trans-cyphenothrin [761], EW	<i>P</i>	143
+ pyrethrum [33 + 32]	<i>1C</i>	2209
+ pyrethrum + MGK 264 [33 +32 + 345]	<i>H</i>	239
dihydrosafrole in, TC	<i>O</i>	104
Pirimicarb, identity test (MT 164)	<i>F</i>	406
Pirimicarb [231], method	<i>H</i>	217
Pirimiphos-ethyl, identity test (MT 164)	<i>F</i>	406
Pirimiphos-ethyl [492], method	<i>D</i>	146
Pirimiphos-methyl, identity test (MT 164)	<i>F</i>	406
Pirimiphos-methyl [239], method, GC, TC, WP, EC, UL, HN, DP	<i>1C</i>	2192
capillary method, GC, EC, CS	<i>O</i>	112
isopirimiphos-methyl in, TC, CS	<i>O</i>	116
<i>O,O</i> -dimethyl phosphorochloridothioate in, TC	<i>O</i>	118
<i>O,O,O</i> -trimethyl phosphorothioate in, TC	<i>O</i>	118
<i>O,O,S</i> -trimethyl phosphorothioate in, TC	<i>O</i>	118
<i>O,O,S</i> -trimethyl phosphorodithioate in, TC	<i>O</i>	118
Pirimiphos-methyl, free, determination in CS formulations (MT 189.2)	<i>O</i>	193
Pirimiphos-methyl, release rate of CS formulations (MT 190.2)	<i>O</i>	199
Pirimiphos-methyl, pure (PP 239.a)	<i>1C</i>	2337
Potassium bromate, standard solution (RE 41)	<i>E</i>	303
Potassium bromate/bromide, standard solutions (RE 82)	<i>E</i>	351
Potassium cyanate [197], method	<i>1C</i>	2200
Potassium dichromate, standard solutions (RE 20)	<i>E</i>	267
Potassium dihydrogen orthophosphate (RE 134)	<i>E</i>	376
Potassium hydroxide, standard solutions (RE 21)	<i>E</i>	268
Potassium iodate (RE 98)	<i>E</i>	367
Potassium iodate/iodide, standard solution (RE 15)	<i>E</i>	264
Potassium permanganate, standard solution (RE 22)	<i>E</i>	270
Potassium plumbite (RE 75)	<i>E</i>	343
Potassium thiocyanate, standard solution (RE 23)	<i>E</i>	271
Pour and tap bulk density of granular materials (MT 159)	<i>F</i>	390
Pourability of suspension concentrates (MT 148)	<i>F</i>	348

CUMULATIVE INDEX

	CIPAC	page
revised method (MT 148.1)	<i>J</i>	133
Pour point of mineral oil (MT 139)	<i>F</i>	
Prallethrin [743], GC method,	<i>L</i>	110
TC, LV		
UL	<i>P</i>	148
Prochloraz [407], method,	<i>M</i>	165
TC		
EC	<i>N</i>	121
Prochloraz-ZnCl ₂ Complex	<i>N</i>	119
TC		
Procymidon [383], method	<i>K</i>	105
Profenophos; [461], method	<i>H</i>	222
Prometon [175], method, titration method	<i>1C</i>	2202
GLC	<i>1C</i>	2203
Prometryn [93], method	<i>H</i>	228
Propachlor [176], method	<i>D</i>	151
Propamocarb [399] hydrochloride, method	<i>E</i>	184
Propan-2-ol (RE 40)	<i>E</i>	302
Propazine [92], method	<i>H</i>	232
Propetamphos [394], method	<i>E</i>	187
Propham + chlorpropham [63 + 43]	<i>1C</i>	2025
Propiconazole [408], GC method, TC, WP, EC, SC, WG	<i>G</i>	129
GC method, TC, EC	<i>P</i>	156
Propineb [177], method	<i>H</i>	236
Propoxur [80], method	<i>D</i>	155
Prothioconazole [745], HPLC method, TC, EC, FS, SC	<i>P</i>	164
Provisional CIPAC method	<i>P</i>	1
Pure pesticides	<i>D</i>	186
Pyraclostrobin [657], method	<i>M</i>	170
Pyraoxystrobin [964], method, TC, SC	<i>O</i>	134
Pyrazophos [350], method	<i>1C</i>	2206
Pyrethrum [32], method	<i>1C</i>	2209
Pyrethrum + piperonylbutoxide [32 + 33]	<i>1C</i>	2209
Pyrethrum + MGK 264 + piperonylbutoxide [32 + 345 + 33]	<i>H</i>	239
Pyridaben [583], method	<i>J</i>	94
Pyridate [447], method	<i>G</i>	137
Pyridine (RE 48)	<i>E</i>	310
Pyriproxyfen [715], HPLC method, TC, EC, EW, GR	<i>M</i>	178
LN formulation	<i>O</i>	143
MR	<i>P</i>	177
MR, retention properties method (MT 200)	<i>P</i>	255
and alpha-Cypermethrin [454], HPLC method, LN	<i>P</i>	73

CUMULATIVE INDEX

	CIPAC	page
Qualitative procedure for confirmation of the presence of dithio- carbamates or thiuram disulfide (MT 153)	<i>F</i>	360
Quaternary ammonium compounds [MT 199], method	<i>O</i>	223
Quinclorac [493], method	<i>H</i>	244
Quinmerac [563], method	<i>J</i>	101
Quintozene [78], method	<i>1C</i>	2213
Rate of solution of the sodium salts of phenoxyalkanoic acid herbicides and their solid formulations (MT 60)	<i>F</i>	182
Referee method	<i>P</i>	1
Removal of dyes (MT 45)	<i>F</i>	147
Repeatability	<i>P</i>	3
Reproducibility	<i>P</i>	3
Residue on evaporation, low boiling products (MT 80.1)	<i>F</i>	213
cresols (MT 80.2)	<i>F</i>	214
Rimsulfuron [716], method	<i>M</i>	189
Retention test of seed treatment powders (MT 147)	<i>F</i>	346
Rotenone [38], method	<i>1C</i>	2217
Sampling of water dispersible granules (MT 166)	<i>F</i>	415
Sand for germination tests (MT 25)	<i>F</i>	86
Seed adhesion test for powders for seed treatment (MT 83)	<i>F</i>	216
Seed treatment formulations, liquid, determination of seed-seed uniformity of distribution (MT 175)	<i>F</i>	438
Separation and identification of herbicides (MT 97)	<i>F</i>	241
Sethoxydim [401], method	<i>E</i>	193
Sieve analysis,		
dry sieving-dusts (MT 59.1)	<i>F</i>	177
dry sieving-granular products (MT 59.2)	<i>F</i>	179
dry sieving-water dispersible granules (MT 170)	<i>F</i>	420
sieve test for granular material (MT 59.4)	<i>F</i>	179
wet sieving (MT 59.3)	<i>F</i>	135
wet sieving using recycled water (MT 182)	<i>J</i>	416
wet sieving-water dispersible granules (MT 167)	<i>F</i>	
wet sieve test (MT 185)	<i>K</i>	149
Silanisation of gas chromatographic columns (MT 113)	<i>F</i>	277
Silica for chromatography,		
silica (MT 21.1)	<i>F</i>	71
Sorbisil M 60 (MT 21.2)	<i>F</i>	72
Florisil (MT 21.3)	<i>F</i>	73
Silicates, test for (MT 121)	<i>F</i>	287
Silver diethyldithiocarbamate (RE 44)	<i>E</i>	306

CUMULATIVE INDEX

	CIPAC	page
Silver nitrate, standard solutions (RE 24)	<i>E</i>	273
Silthiofam [635], HPLC method, TC, FS	<i>P</i>	182
Simazine [22], method,	<i>H</i>	250
Simetryn [179], method, titration method	<i>1B</i>	1895
GLC	<i>1B</i>	1896
Sodium anilinobenzene sulfonate (RE 147)	<i>E</i>	383
Sodium biphenyl (RE 46)	<i>E</i>	308
Sodium bis(2-ethylhexylcarbonyl) ethane sulfonate (RE 71)	<i>E</i>	338
Sodium bis(2-ethylhexyl) sulfosuccinate (RE 71)	<i>E</i>	338
Sodium carbonate (RE 52)	<i>E</i>	315
Sodium chlorate [7], method	<i>E</i>	197
Sodium diethyldithiocarbamate trihydrate (RE 96)	<i>E</i>	365
diSodium dihydrogen ethylenediaminetetra-acetate (RE 37)	<i>E</i>	295
Sodium diphenylaminesulfonate (RE 147)	<i>E</i>	383
Sodium hydroxide, standard solutions (RE 25)	<i>E</i>	273
Sodium nitrite, standard solutions (RE 39)	<i>E</i>	299
Sodium pentacyanonitrosylferrate(III) (RE 146)	<i>E</i>	382
diSodium tetraborate (RE 133)	<i>E</i>	376
Sodium thiosulfate, standard solutions (RE 26)	<i>E</i>	276
Solubility in acetone (MT 5)	<i>F</i>	21
Solubility in ethanol (MT 7),	<i>F</i>	23
Solubility in hexane (MT 6),	<i>F</i>	22
Solubility in organic solvents (MT 181)	<i>H</i>	314
Solubility in sodium hydroxide,		
phenoxyalkanoic herbicides (MT 71.1)	<i>F</i>	200
cresols (MT 71.2)	<i>F</i>	200
bromoxynil and ioxynil (MT 71.3)	<i>F</i>	201
Solubility in triethanolamine (MT 76)	<i>F</i>	207
Solubility of salts and alkali insoluble-dinitro compounds (MT 108)	<i>F</i>	262
Soluble alkalinity (MT 81)	<i>F</i>	215
Soluble chlorides (MT 82)	<i>F</i>	215
Solution properties of water soluble tablets (MT 196)	<i>O</i>	210
Solvent naphtha, aromatic (RE 62)	<i>E</i>	328
Specific gravity and density,		
hydrometer method (MT 3.1)	<i>F</i>	11
pycnometer method (MT 3.2)	<i>F</i>	13
density of suspension concentrates (MT 3.3)	<i>F</i>	18
Spinosad [636], method, TC, SC, GR	<i>L</i>	121
DT	<i>M</i>	197
EC, GR	<i>O</i>	146
Spirodiclofen [737], HPLC method, TC, SC	<i>P</i>	189

CUMULATIVE INDEX

	CIPAC	page
Spontaneity of dispersion, of suspension concentrates (MT 160)	<i>F</i>	391
of water dispersible granules (MT 174)	<i>F</i>	435
Stability of diluted oil products,		
tar-petroleum oil (MT 55.1)	<i>F</i>	167
petroleum and DNOC petroleum oils (MT 55.2)	<i>F</i>	168
petroleum oils for orchard use (MT 55.3)	<i>F</i>	168
petroleum oils for glasshouse use (MT 55.4)	<i>F</i>	168
Stability of diluted tar and petroleum oil products,		
tar-oils-miscible and stock emulsion types (MT 49.1)	<i>F</i>	155
petroleum oil-miscible type (MT 49.2)	<i>F</i>	156
Stability of diluted and petroleum oil concentrate products,		
miscible type (MT 52.1)	<i>F</i>	159
Stability of undiluted DNOC-petroleum, petroleum and tar-		
petroleum oil products (MT 54)	<i>F</i>	167
Stability of undiluted tar oil products,		
miscible type (MT 48.1)	<i>F</i>	154
stock emulsion type (MT 48.2)	<i>F</i>	154
Stability of tar-petroleum and petroleum oil products-undiluted,		
miscible type (MT 51.1)	<i>F</i>	158
Standard waters,		
CIPAC standard waters A - G (MT 18.1)	<i>F</i>	59
H and J (MT 18.2)	<i>F</i>	63
non-CIPAC standard waters (MT 18.3)	<i>F</i>	64
waters of required hardness (MT 18.4)	<i>F</i>	66
Units of measurement for the hardness of water		
and their conversion (MT 18.5)	<i>F</i>	67
simplified procedure (MT 18.6)	<i>H</i>	302
Starch solution (RE 27)	<i>E</i>	280
Starch, indicator paper (RE 32)	<i>E</i>	284
Sulfated ash, general method (MT 29)	<i>F</i>	91
Sulfometuron-methyl [610], method	<i>J</i>	108
Sulfotep [198], method	<i>H</i>	255
Sulfur [18], method	<i>E</i>	203
Sulfuric acid, standard solutions (RE 28)	<i>E</i>	280
Suspensibility of formulations forming suspensions on dilution		
with water (MT 184)	<i>K</i>	142
Suspensibility of formulations forming suspensions on diluting		
 with water (MT 184.1), (supersedes MT 184)	<i>P</i>	245
Suspensibility of aqueous suspension concentrates (MT 161)	<i>F</i>	394
Suspensibility of water dispersible granules (MT 168)	<i>F</i>	417
Suspensibility of water dispersible powders,		
CIPAC method (MT 15.1)	<i>F</i>	45

CUMULATIVE INDEX

	CIPAC	page
AID method (MT 15.2)	<i>F</i>	48
simplified CIPAC method (MT 177)	<i>F</i>	445
Suspo-emulsions, dispersion stability (MT 180)	<i>H</i>	310
SE, CD and OD formulations, (MT 180)	<i>O</i>	192
2,4,5-T [6], method, titration method	<i>1C</i>	2220
GC	<i>1C</i>	2221
HPLC	<i>1C</i>	2221
- salts	<i>1C</i>	2223
-esters	<i>1C</i>	2223
2,4,5-T + 2,4-D [6 + 1]	<i>1C</i>	2072
2,4,5-T, pure (PP 6)	<i>1C</i>	2312
Tannic acid (RE 143)	<i>E</i>	376
Tap density, of powders (MT 33)	<i>F</i>	104
of water dispersible granules (MT 169)	<i>F</i>	418
2,3,6-TBA [49], method titration method	<i>1C</i>	2225
GLC	<i>1C</i>	2227
Na-salt titration method	<i>1C</i>	2228
GLC	<i>1C</i>	2229
2,3,6-TBA + MCPA(salt) [49 + 2]	<i>1C</i>	2148
2,3,6-TBA, pure (PP49)	<i>1C</i>	2314
TCDD, determination of		
in 2,4,5-T technical (MT 151.1)	<i>F</i>	352
in 2,4,5-T technical esters (MT 151.2)	<i>F</i>	355
Tebuconazole [494], method	<i>H</i>	261
Temephos [340], method	<i>1C</i>	2230
Tentative CIPAC method	<i>P</i>	1
Terbufos [459], method	<i>H</i>	269
Terbutylazine [234], method, titration method	<i>1B</i>	1897
GLC	<i>1B</i>	1898
Terbutryn [212], method	<i>H</i>	275
Tetradifon [113], method	<i>1B</i>	1901
<i>d</i>-Tetramethrin [989], chiral HPLC method, TC	<i>P</i>	198
GC method, TC	<i>P</i>	198
Thallium [181], method	<i>1C</i>	2234
Thiabendazole [323], method	<i>E</i>	211
Thiacloprid [631], method	<i>M</i>	198
Thifensulfuron [452], method	<i>K</i>	114
Thiobencarb [388], method	<i>D</i>	159
Thiodicarb [543], method	<i>H</i>	279
Thiomethoxam [636], method, TC, WG, SC, FS	<i>O</i>	147

CUMULATIVE INDEX

	CIPAC	page
Thiometon [115], infrared method	<i>H</i>	285
gas chromatographic method	<i>E</i>	218
Thiophanate-methyl [362], method	<i>D</i>	162
Thiram [24], method	<i>D</i>	169
Thiram, qualitative procedure for confirmation of the presence of (MT 153)	<i>F</i>	360
Thymol blue, solutions (RE 30)	<i>E</i>	283
Thymolphthalein, solution (RE 30)	<i>E</i>	344
Titanium(III)chloride (RE 83)	<i>E</i>	352
Titanium(III)sulfate (RE 85)	<i>E</i>	358
TMPS, method	<i>E</i>	142
<i>i</i> -TMPS, method	<i>E</i>	142
Toluene (RE 152)	<i>E</i>	384
Toluene solubles (MT 90)	<i>F</i>	222
Toluene, method (MT 198)	<i>O</i>	215
Tolyfluanid [275], method	<i>E</i>	222
<i>o</i> -Tolyloxyacetic acid (RE 67)	<i>E</i>	334
Total chlorides (MT 100)	<i>F</i>	254
Total hardness of water (MT 73.1)	<i>O</i>	179
Transfluthrin [741], method, TC, SL	<i>K</i>	121
TC, VL	<i>L</i>	128
identification of isomers, TC	<i>O</i>	158
method, rel. Imp. 1<i>R</i>-trans permethric acid anhydride	<i>P</i>	206
Triadimefon [352], method	<i>1C</i>	2236
revised method, TC, WP, EC, GR	<i>N</i>	126
Triadimenol [398], method	<i>E</i>	224
revised method, TC, WP, WG EC, SC, SE, EW	<i>N</i>	134
Triazophos [353], method	<i>H</i>	288
Tribenuron -methyl [546], method	<i>K</i>	128
1,1,1-Trichloroethane (RE 95)	<i>E</i>	365
Trifloxystrobin [617], method, TC, AL, EC, FS, SC, WG	<i>O</i>	161
Triflumuron [548], method	<i>J</i>	114
HPLC method, rel. Imp. 1,3-bis(4-trifluoro-	<i>P</i>	212
 methoxyphenyl)urea, TC, SC		
HPLC method, rel. Imp. 4-(trifluoro-	<i>P</i>	212
 methoxy)aniline, TC, SC		
Trifluralin [183], method	<i>H</i>	292
Triforine [360], method	<i>H</i>	299
<i>O,O,S</i> -Trimethylphosphorodithioate (RE 87)	<i>E</i>	360
in pirimiphos-methyl, TC	<i>O</i>	118
<i>O,O,O</i> -Trimethylphosphorothioate, method	<i>E</i>	142
in pirimiphos-methyl, TC	<i>O</i>	118

CUMULATIVE INDEX

	CIPAC	page
<i>O,O,S</i> -Trimethylphosphorothioate, method	<i>E</i>	142
in pirimiphos-methyl, TC	<i>O</i>	118
(Tris(1,10-phenanthroline)- <i>N,N'</i>)iron(II) sulfate (RE 149)	<i>E</i>	383
Ultraviolet absorption test for ethylenebisdithiocarbamates (MT 165)	<i>F</i>	411
Undec-10-enoic acid (RE 89)	<i>E</i>	360
Unulfonated residue of neutral oil (MT 57)	<i>F</i>	170
Urea herbicides, identification of (MT 137)	<i>F</i>	329
Vernolate [237], method	<i>IB</i>	1905
Viscosity, viscosity of transparent and opaque liquids (MT 22.1)	<i>F</i>	75
viscosity Redwood (MT 22.2)	<i>F</i>	81
viscosity of mineral oil (MT 22.3)	<i>F</i>	83
Viscosity of liquids by rotational viscometry (MT 192)	<i>L</i>	145
revised method	<i>M</i>	210
Vinclozolin [280], method	<i>D</i>	173
Volatility of neutral oil,		
preliminary examination (MT 56.1)	<i>F</i>	170
full method (MT 56.2)	<i>F</i>	170
Wash resistance index of LN's (MT 195)	<i>O</i>	205
Water, for laboratory use (RE 130)	<i>E</i>	374
Water,		
Karl Fischer method	<i>F</i>	92
Dean and Stark method (MT 30.2)	<i>F</i>	94
free water 'speedy' method (MT 30.3)	<i>F</i>	95
water in acetone solutions (MT 30.4)	<i>F</i>	96
Karl Fischer method using pyridine-free reagents (MT 30.5)	<i>J</i>	120
determination by Karl Fischer method (MT 30.6)	<i>P</i>	222
supersedes MT 30.5		
Water content and suspended solids,		
water content (MT 40.1)	<i>F</i>	131
suspended solids (MT 40.2)	<i>F</i>	131
Water insoluble material,		
hot solution of the sample (MT 10.1)	<i>F</i>	27
cold solution of the sample (MT 10.2)	<i>F</i>	27
coarse material-water insoluble (MT 10.3)	<i>F</i>	28
insoluble material in pesticide aqueous solutions (MT 10.4)	<i>F</i>	29
Water solubility,		
column elution method (MT 157.2)	<i>F</i>	380

CUMULATIVE INDEX

	CIPAC	page
flask method (MT 157.3)	<i>F</i>	384
preliminary test (MT 157.1)	<i>F</i>	379
Water soluble bags, dissolution rate of (MT 176)	<i>F</i>	440
Water soluble granules, degree of dissolution and solution stability (MT 179)	<i>H</i>	307
Dissolution degree and solution stability (MT 179.1) replaces MT 179	<i>O</i>	189
Water soluble material (MT 9)	<i>F</i>	26
Wettability (MT 53)	<i>F</i>	160
Xylene (RE 10)	<i>E</i>	256
Xylene insoluble material (MT 11)	<i>F</i>	30
Xylenol Orange (RE 93)	<i>E</i>	364
zeta-Cypermethrin [733], HPLC chiral method, TC	<i>P</i>	82
Zinc amalgam (RE 33)	<i>E</i>	284
Zinc chloride, solutions (RE 94)	<i>E</i>	364
Zinc, in dithiocarbamates (MT 94.1)	<i>F</i>	235
Zinc, in zineb, method	<i>E</i>	231
Zinc, in ziram, method	<i>E</i>	235
Zineb [25], method	<i>E</i>	230
Zineb + copper [25 + 44], method	<i>H</i>	100
Ziram [31], method	<i>E</i>	236
Ziram + copper [31 + 44], method	<i>H</i>	101