


CIPAC

COLLABORATIVE INTERNATIONAL PESTICIDES ANALYTICAL COUNCIL LIMITED

Commission Internationale des Méthodes d'Analyse des Pesticides (CIMAP)

CHAIRMAN:
Dr Ralf Hänel
Federal Office of Consumer Protection and Food Safety
(BVL)
Messeweg 11/12, D-38104 Braunschweig, Germany
Telephone: +49 531 299 3500
Telefax: +49 531 299 3002
E-Mail: ralf.haenel@bvl.bund.de

TREASURER:
Brian E Hocken
17 Claygate Avenue
Harpenden, Herts, AL5 2HE, United Kingdom
Telephone: +44 1582 764277
Telefax: +44 1582 461625
E-Mail: brianhocken@gmail.com



SECRETARY:
László Bura
Budapest, Hungary
Telephone: +36 209458142
E-Mail: bura.laszlo.id@gmail.com

ASSISTANT SECRETARY:
Theo C De Rijk
Wageningen Food Safety Research (WFSR),
The Netherlands
PO Box 230, 6700 AE Wageningen
Telephone: +31 317 480 427
Telefax: +31 317 417 717
E-Mail: theo.derijk@wur.nl

Internet: <http://www.cipac.org>

CIPAC INFORMATION SHEET No. 344

Your Ref:
Our Ref: LB
October 2023

gibberellic acid

Dear Colleague,

This is to inform you that Chinese Pesticide Analytical Committee (CHIPAC) is planning to organise a full scale collaborative trial on a method for gibberellic acid, developed by Zhejiang Qianjiang Biochemical Co., Ltd.

Principle: The content of gibberellic acid in the formulations is determined by reversed phase HPLC on an Agilent SB-C₁₈, 150 x 4.6 mm (i.d.), 5 µm column (or equivalent with the same selectivity), with mobile phase composed of methanol/0.05% phosphoric acid aqueous solution, (33:67 v/v) and UV detection at 210 nm. Quantitation is done by external standardization.

Scope: It is intended to analyse three samples consisting of technical materials (TC). Samples and analytical standard will be provided.

Time schedule: The collaborative trial is intended to be carried out between November 2023 and February 2024. Those who wish to participate should contact the organiser by 31st October. The results should be reported by the end of February, 2024.

Note: The trial is limited to 20 participating laboratories due to the availability of samples. The selection is based on the application order.

Contact:

Ms. Yue Wang
No. 12 Nongzhanguannanli Road
Chaoyang District,
Beijing 100125, P.R.China

Tel.: +86 13810107096
E-mail: wangyue8456@outlook.com
ccpia_ttbz@163.com

Yours sincerely,

L. Bura
Secretary