

Annual CIPAC/WHO/FAO Report Form on the Quality Control of Pesticides

Country: Germany
 Institution: BVL
 Address: Dept. Plant Protection Products
 Messeweg 11/12
 D-38104 Braunschweig
 Germany
 Contact person: Astrid Besinger-Riedel
 e-mail: astrid.besinger-riedel@bvl.bund.de



Sample summary

	Total	In spec	Out of spec	% out of spec
Where one product constitutes one sample	222	201	21.0	9.5
A.I.'s	166	162	4.0	2.4
Phys/chem tests	1395	1383	12	0.9
Label checks	0	0	0	#DIV/0!
Impurities, formula	369	355	14	3.79

1. Agricultural use

Active substance

No. of Samples	No. of A.I.S	Correct A.I.	Incorrect A.I.	No A.I.	out of spec	% out of spec
132	132	132	0	0	0	0.0

Phys/Chem tests

No. of Samples	No of tests	out of spec	% out of spec
132	354	0	0

Label checks

No. of Samples	No of checks	out of spec	% out of spec
0	0	0	#DIV/0!

Samples out of spec ¹

0

¹ - Any sample with one or more parameters out of spec

2. Home and Garden use

Active substance

No. of Samples	No. of A.I.S	Correct A.I.	Incorrect A.I.	No A.I.	out of spec	% out of spec
0	0	0	0	0	0	#DIV/0!

Phys/Chem tests

No. of Samples	No of tests	out of spec	% out of spec
0	0	0	#DIV/0!

Label checks

No. of Samples	No of checks	out of spec	% out of spec
0	0	0	#DIV/0!

Samples out of spec ¹

0

¹ - Any sample with one or more parameters out of spec

3. Public Health Pesticides

Active substance

No. of Samples	No. of A.I.S	Correct A.I.	Incorrect A.I.	No A.I.	out of spec	% out of spec
0	0	0	0	0	0	#DIV/0!

Phys/Chem tests

No. of Samples	No of tests	out of spec	% out of spec
0	0	0	#DIV/0!

Label checks

No. of Samples	No of checks	out of spec	% out of spec
0	0	0	#DIV/0!

Samples out of spec ¹

0

¹ - Any sample with one or more parameters out of spec

4. Other uses (Please specify)

28 suspect samples, 8 samples parallel trade, 50 samples during authorisation process, 4 samples for clarification special issues

Active substance

No. of Samples	No. of A.I.S	Correct A.I.	Incorrect A.I.	No A.I.	out of spec	% out of spec
90	34	30	4	0	4	11.8

Phys/Chem tests

No. of Samples	No of tests	out of spec	% out of spec
90	1041	12	1.15

Label checks

No. of Samples	No of checks	out of spec	% out of spec
0	0	0	#DIV/0!

Samples out of spec ¹

21

¹ - Any sample with one or more parameters out of spec

Impurities, Formulants

No. of Samples agriculture use	No of tests	out of spec	% out of spec
120	181	0	0

No. of Samples other uses	No of tests	out of spec	% out of spec
40	188	14	7.45

¹ - Any sample with one or more parameters out of spec

PT's participated in:

AAPCO 2013, FASFC 2013

Collaborative trials participated in:

ETU (CIPAC), Toluol (DAPA), Flutriafol (DAPA)